

Virginia

2023 Annual Compliance Report

Public Drinking Water Program



I. Introduction.....	6
A. About this Report.....	6
B. Statutory Authority.....	6
C. Virginia’s Drinking Water Program.....	7
II. Glossary	9
A. Public Water System or Waterworks	9
❖ Community Waterworks (CWS).....	9
❖ Non-transient Non-community Waterworks (NTNC).....	9
❖ Transient Non-community Waterworks (TNC).....	9
B. Sources of Drinking Water Contamination	9
C. Drinking Water Standards.....	10
❖ Maximum Contaminant Levels (MCL).....	10
❖ Maximum Residual Disinfectant Levels (MRDL)	10
❖ Treatment Techniques (TT).....	10
❖ Monitoring and Reporting.....	11
❖ Monitoring and Reporting Violations.....	11
❖ Consumer Notification	11
❖ Consumer Notification Violations.....	11
❖ Public Notice.....	11
❖ Public Notification Violations.....	12
❖ Variances and Exemptions	12
D. Compliance Monitoring	12
❖ Enforcement Targeting Tool.....	12
○ Potential Serious Violator	12
○ Serious Violator	12
❖ Enforcement Targeting Tool Assistant (ETTA)	12
❖ Health-Based Violation (HBV).....	12
❖ Returned to Compliance (RTC).....	13
E. Enforcement Tools.....	13
❖ Informal Enforcement	13

❖ Notice of Alleged Violation (NOAV)	13
❖ Formal Enforcement.....	13
❖ Consent Order	13
❖ Special Order	14
❖ Civil Penalties	14
❖ Civil Action.....	14
❖ Criminal Action.....	14
❖ Enforcement Response Policy (ERP)	14
III. Profile of Waterworks in Virginia.....	15
A. Inventory of Waterworks	15
B. Sources of Drinking Water.....	18
C. Owners of Waterworks	20
IV. Summary of Violations in Virginia.....	22
A. Geographical Location of Violations	22
B. Compliance Monitoring	25
C. Enforcement Actions.....	29
i. Informal Enforcement Actions.....	30
ii. Formal Enforcement Actions.....	31
iii. Trends in Compliance and Enforcement	31
V. Enforcement Program Oversight.....	36
A. Policy and Procedure Updates.....	36
B. Strategic Planning	36
VI. Conclusion	39
Obtaining a Copy of the 2023 Annual Compliance Report	40

Table 1A. Number, Population, and Percent of All Waterworks by Size	15
Table 1B. Number, Population, and Percent of Community Waterworks by Size	16
Figure 1. Percent of Waterworks by Size Classification	16
Figure 2. Percent Population Served in Virginia by Waterworks of Various Size Classifications	16
Table 2. Number and Percent of Waterworks by Type	17
Figure 3. Waterworks by Type	17
Figure 4. Number of Waterworks by Size Compared to the Service Populations.....	17
Figure 5. The Largest Waterworks in Virginia and Population Served.	18
Figure 6. Percent of Waterworks by Water Source.....	19
Figure 7A. Water System Type by Primary Source.....	19
Figure 7B. Population Served by Waterworks Type and Water Source.....	20
Figure 8. Number of Waterworks by Ownership Type.....	20
Figure 9. Percent Population Served by Owner Type.....	21
Figure 10. Number of Violations by Waterworks Size.	22
Figure 11A. Distribution of Violations.	23
Figure 11B. Distribution of Acute Health-Based & Health-Based Violations.....	23
Figure 12. Waterworks Violation Density.	24
Figure 13A. Number of Violations by County.....	24
Figure 13B. Number of Waterworks with Violations by County.	25
Figure 14. Waterworks with Violations by Public Water System Type.....	26
Figure 15. Owner and Ownership Type with Violations.....	26
Figure 16A. Violation Summary by Description.	27
Figure 16B. Types of Violations Issued in 2023.....	28
Figure 17. Violations issued by Rule	28

Figure 18. Violations issued versus the violations resolved.....	29
Figure 19. Waterworks with Informal, Formal, and Resolved Enforcement Actions in Virginia for Calendar Years 2019 - 2023.....	30
Figure 20. Waterworks with Formal Enforcement Actions for CY 2023.	31
Figure 21. Percentage of Waterworks with Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.	32
Figure 22A. Percentage of Acute Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	33
Figure 22B. Percentage of Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	33
Figure 23. Percentage of Monitoring and Reporting Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	34
Figure 24. Percentage of Serious Violator Waterworks in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	34
Figure 25. Percentage of Formal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	35
Figure 26. Percentage of Informal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023..	35

I. Introduction

A. About this Report

The Annual Compliance Report provides a comprehensive review of public drinking water violations in Virginia each calendar year, in accordance with section 1414(c)(3)(A)(i) of the amended Safe Drinking Water Act (SDWA). The Virginia Department of Health (VDH), Office of Drinking Water (ODW) is the primacy agency responsible for administering the federal SDWA and National Primary Drinking Water Regulations (NPDWR) in Virginia. This report fulfills the requirement to submit an annual report to the United States Environmental Protection Agency (EPA) that summarizes the incidents constituting a violation in Virginia for calendar year (CY) 2023.

In this report, ODW presents information about public water systems (also known as “waterworks” in Virginia). The report presents information about the inventory of waterworks and the number of incidences constituting a violation of the NPDWR. For the purpose of this report, violations of the NPDWR include the following:

- Maximum contaminant level (MCL) violations;
- Maximum residual disinfectant level (MRDL) violations;
- Treatment technique (TT) requirement violations;
- Significant monitoring and reporting (M/R) violations;
- Significant monitoring (M) violations;
- Significant reporting (R) violations;
- Variances and exemption violations;
- Recordkeeping violations;
- Significant public notice requirement violations; and
- Significant consumer confidence report (CCR) notification requirement violations.

The data presented in this report is generated from the federal Safe Drinking Water Information System (SDWIS/Fed) database. Each quarter, ODW reports data from the SDWIS/State database to EPA for transfer to the SDWIS/Fed database, which includes inventory data, site visits, violations, and enforcement actions. EPA uses this data to compile the Enforcement Targeting Tool (ETT) list and to supply states with the data to compile the Annual Compliance Report.

B. Statutory Authority

Pursuant to the SDWA, EPA promulgated the NPDWR to carry out the mandates set forth in the SDWA. The 1986 amendments to the SDWA directed EPA to amend the NPDWR to provide drinking water standards and treatment techniques that protect public health by limiting contaminants in drinking water. EPA set national limits on contaminant levels in drinking water, called maximum contaminant levels (MCLs). For some regulations, EPA established treatment techniques in lieu of an MCL to control contaminant levels that cannot be measured reliably.

The NPDWR also require waterworks to monitor drinking water for contamination, report monitoring results to the state, and notify the public when the waterworks violates the NPDWR. The 1996 amendments to the SDWA require that public notice clearly explain the nature of the violation, potential adverse health effects, corrective actions to address the violation, and alternative water supplies for ongoing violations. Generally, the larger the service population, the greater the monitoring and reporting requirements.

In addition to setting drinking water standards and treatment techniques, the SDWA also allows EPA to award states with primary enforcement responsibility (i.e., “primacy”). To be awarded primacy, a state must promulgate regulations no less stringent than the federal requirements. In Virginia, the Public Water Supplies Law (PWSL) provides the State Health Commissioner (Commissioner), acting on behalf of the State Board of Health (Board), with authority to promulgate the Waterworks Regulations (Regulations) consistent with federal requirements. As such, VDH and ODW, in conjunction with the Board, developed drinking water regulations that are no less stringent than the federal requirements.

To maintain primacy, the SDWA requires states to develop mechanisms for enforcing state and federal drinking water requirements.¹ The PWSL and Regulations provide VDH with authority to compel compliance through enforcement. EPA has provided guidance on the enforcement process through its Enforcement Response Policy (ERP), which ODW has incorporated into its guidance documents.

C. Virginia’s Drinking Water Program

ODW’s mission is to protect public health by helping to ensure that all waterworks in Virginia provide a safe and adequate supply of drinking water to the public. ODW accomplishes this mission by advocating for safe drinking water; monitoring drinking water quality; providing technical assistance, training, and financing to waterworks owners and operators; and enforcing drinking water standards. ODW strives for full compliance with drinking water regulations, and, as such, uses compliance assistance as the first step towards resolving potential issues. ODW uses informal enforcement activities to achieve compliance and, as necessary, elevates to formal enforcement as needed to resolve noncompliance and protect public health. Informal and formal enforcement activities are discussed further below.

In cases where insufficient technical, managerial, or financial resources present a barrier to compliance, ODW may provide resources to waterworks in accordance with the EPA-approved Capacity Development Strategy. If ODW is unable to achieve compliance through technical or compliance assistance due to the timeline for corrective action, status of the waterworks on the ETT, or the owner or operator’s lack of resources or unwillingness to cooperate, ODW may proceed with enforcement. ODW encourages a waterworks owner to return to compliance at any time during the enforcement process; however, progressive measures may be necessary to carry out ODW’s mission to protect public health.

The law provides ODW with enforcement tools that enable it to compel compliance and protect public health. Formal enforcement tools include consent orders, which may include a civil penalty and corrective action plan for returning the waterworks to compliance; administrative proceedings that can ultimately result in the Commissioner issuing a special order that may include civil penalties and permit revocation; and civil and criminal court actions. ODW may escalate its enforcement response based on increased risk of harm to public health until compliance is achieved. Additionally, in striving for full compliance, ODW may pursue more than one of these enforcement methods with respect to any particular waterworks.

ODW consists of a central office in Richmond and six field offices in Abingdon, Culpeper, Danville, Lexington, Norfolk, and Richmond, Virginia. Engineering, surveillance, and technical or compliance assistance take place in the field offices, while the division directors are based in the central office. ODW divisions include Financial and Construction Assistance Programs (FCAP); Training, Capacity

¹ See 42 U.S.C. § 300g-2(a)(2) and 40 CFR § 142.10(b).

Development, and Outreach (TCDO); Technical Services (DTS); and Compliance, Enforcement and Policy (CEP). Each division has a division director and one or more staff. CEP consists of the director, an enforcement coordinator, and a policy and program coordinator. The director and the enforcement coordinator are the CEP staff chiefly involved with ODW's compliance and enforcement program. The policy and program coordinator has limited involvement in compliance and enforcement matters.

CEP supports ODW's mission "to protect public health and help ensure that all waterworks provide a safe and adequate supply of drinking water" by ensuring waterworks in Virginia comply with the PWSL and Regulations when technical assistance and other means are not effective to return the waterworks to compliance. To carry out its mission, CEP has established the following goals:

- To assist the regulated community in achieving and maintaining compliance with the PWSL and Regulations, and to promote protection of public health;
- To return noncompliant waterworks to compliance and to stop continuing or repeated violations;
- To take enforcement actions that are timely and appropriate, consistent and certain, and reasonable, fair, and effective;
- To recover civil penalties where appropriate, including amounts sufficient to remove the economic benefit of noncompliance;
- To deter future violations;
- To conduct enforcement actions courteously and professionally; and
- To earn public confidence in the enforcement program.

With CEP's support, field office staff play key roles in implementing the enforcement program consistent with its mission and goals. Field office staff interact directly with the waterworks owners and operators and the public daily, while CEP coordinates statewide implementation of the enforcement program to ensure consistency, fairness, and effective execution of compliance and enforcement strategies. Open communication and mutual support are essential for ensuring a successful, decentralized, and consistent approach to enforcement.

Typically, the district engineer, inspector, or compliance specialist first identify noncompliance during a sanitary survey, or through a complaint, laboratory data, or other compliance monitoring and reporting. Once field office staff identify a potential violation, the field office staff will draft the notice of alleged violation (NOAV), monitor corrective actions, and work to return the waterworks to compliance. Field office staff consult other divisions, such as FCAP and TCDO, to provide compliance assistance and additional technical, managerial, or financial resources, as needed.

If field office staff cannot resolve an alleged violation within a reasonable time, they will consult with the enforcement coordinator and the CEP director regarding next steps, including a possible referral for formal enforcement action. This report describes violations of the drinking water standards and the associated enforcement actions taken when a waterworks does not return to compliance in an appropriate and timely manner.

II. Glossary

Terms used in this report are listed below in topical order, i.e., information about public water systems in Virginia, sources of drinking water contamination, drinking water standards, compliance monitoring, and enforcement tools for achieving compliance.

A. Public Water System or Waterworks

Public water systems are known as “waterworks” in Virginia. A waterworks is any system that provides piped water for human consumption to at least 15 service connections or 25 or more individuals for at least 60 days each year. Human consumption means drinking, food preparation, dishwashing, bathing, showering, hand washing, teeth brushing, and maintaining oral hygiene.

The three types of waterworks are community, non-transient non-community, and transient non-community. How a waterworks is classified depends on the population it serves.

❖ Community Waterworks (CWS)

Community waterworks serve at least 15 service connections used by year-round residents, or regularly serve 25 or more year-round residents, and may include municipal systems, authorities, mobile home parks, or residential developments. Community waterworks present a greater risk of harm to public health from increased exposure, so the Regulations are more protective for community waterworks than for waterworks serving non-community populations.

❖ Non-transient Non-community Waterworks (NTNC)

Non-transient non-community waterworks generally serve facilities such as schools, factories, and other businesses. NTNCs are not community waterworks and regularly serve drinking water to at least 25 of the same persons for over six months out of the year.

❖ Transient Non-community Waterworks (TNC)

Transient non-community waterworks are the most common type of water system and include facilities that serve different people each day, such as restaurants, campgrounds, and rest stops. TNCs serve at least 25 people a day for at least 60 days out of the year, while not meeting the definition of a CWS or NTNC.

B. Sources of Drinking Water Contamination

Contaminants may enter drinking water before, during, or after treatment. Most waterworks treat their water, as necessary, to ensure that the drinking water is safe to consume. Examples of contaminant sources are as follows:

Before Treatment

- Bacteria, viruses, and protozoa from human or animal sources.
- Turbidity in water caused by suspended matter, such as clay, silt, and microscopic organisms.
- Inadequately treated wastewater, sanitary sewer overflows, leaking sewer lines, and

malfunctioning septic systems.

- Defective storage tanks.
- Pesticides, fertilizers, and agricultural runoff.
- Run off from oil-slicked or salt-treated highways.
- Underground storage tanks.
- Naturally occurring metals, such as arsenic or cadmium.
- Decay products of naturally occurring radionuclides such as radon, radium, and uranium.
- Industrial chemicals, such as solvents.

During Treatment

- Treatment malfunction or chemical overfeed.
- By-products of disinfectants, such as trihalomethanes and haloacetic acids.

After Treatment

- Lead, copper, asbestos, and other materials from corroding pipes.
- Microbes and sediment entering through leaking pipes, joints, valves, or water main breaks.
- Improper connections with other systems or cross-connections with non-potable water that allow contaminants to enter drinking water pipes.
- Permeation of contaminants through certain pipe materials.
- Microbes and other contaminants entering through or accumulating with inadequately operated or maintained storage tanks.
- Disinfection byproducts, depleted disinfectant residuals, microbial re-growth, biofilm growth, or nitrification from inadequate operation or maintenance of distribution systems.

C. Drinking Water Standards

EPA set legal limits on over 90 contaminants in drinking water. The legal limit for a contaminant reflects the level that protects human health and can be achieved using the best available technology.

❖ Maximum Contaminant Levels (MCL)

EPA sets national limits on contaminant levels in drinking water to ensure that the water is safe for human consumption. The MCL is the highest concentration of a contaminant that EPA allows in drinking water. The Regulations include all of EPA's MCLs.

❖ Maximum Residual Disinfectant Levels (MRDL)

EPA sets national limits on residual disinfectant levels in drinking water to reduce the risk of exposure to disinfectant byproducts that form when chemical disinfectants are added to drinking water to prevent bacteriological contamination. Chemical disinfectants may react with organic matter in the distribution system to form carcinogenic byproducts that present harm to human health with chronic exposure. The MRDL level is the highest level of a disinfection byproduct that EPA allows in drinking water. The Regulations include all of EPA's MRDLs.

❖ Treatment Techniques (TT)

EPA may establish treatment techniques in lieu of MCLs for contaminants that cannot be measured

reliably. Absent the ability to measure a contaminant level, EPA requires that waterworks follow treatment techniques to ensure certain contaminants are adequately controlled. Viruses and turbidity are examples of contaminants that are controlled by treatment techniques rather than MCLs.

❖ Monitoring and Reporting

Monitoring and reporting requirements are specific to each waterworks. At a minimum, all waterworks are required to monitor routinely for total coliform bacteria, nitrate and nitrite, and, if using a surface water source, conduct monitoring for other microbiological contaminants. Community and non-transient non-community waterworks also monitor for other chemicals and radiological contaminants. ODW may require additional monitoring for noncompliance.

Monitoring and reporting violations occur when a waterworks owner fails to monitor and report sample results indicating drinking water quality or reports the sample results incorrectly. Monitoring requirements are critical to verifying that the waterworks is providing drinking water that meets the standards in the NPDWR and Regulations.

❖ Monitoring and Reporting Violations

For this report, monitoring and reporting violations, with rare exceptions, occur when the waterworks does not collect samples or does not report results to ODW during the compliance period for a particular contaminant.

❖ Consumer Notification

Consumer notification violations result when community waterworks owners fail to deliver a Consumer Confidence Report (CCR) to its customers educating them on their drinking water quality. The CCR is an annual report that includes educational material, source water information, the levels of any detected contaminants, and the status of compliance with drinking water regulations.

❖ Consumer Notification Violations

For this report, a consumer notification violation occurs if the owner of a community waterworks completely fails to provide its consumers the required annual drinking water quality report.

❖ Public Notice

The Public Notification Rule, as it has been incorporated in the Regulations, requires waterworks owners to notify their consumers any time the waterworks violates a drinking water regulation (e.g., exceeding an MCL or MRDL, violation of a treatment technique requirement, or occurrence of a waterborne disease outbreak) or has a situation posing a risk to public health. Notices must be in a form and manner reasonably calculated to reach all consumers, not just billing customers or persons named on an account. Public notices must include a description of the violation, actions that the customers should take, and a schedule for returning to compliance.

❖ Public Notification Violations

For this report, a public notification violation occurs when a waterworks completely fails to notify its consumers that it violated a drinking water regulation or had a situation posing a risk to public health.

❖ Variances and Exemptions

In limited circumstances, the Commissioner may grant variances or exemptions that relieve a waterworks from complying with a specific regulatory requirement. Variances may be appropriate when the characteristics of the raw water source prevent it from meeting an MCL and treatment or alternative water sources are not feasible. Exemptions allow certain waterworks additional time to comply with a new regulation as long as the waterworks continues to protect public health. VDH did not issue any exemptions or variances to the National Primary Drinking Water Regulations in 2023.

D. Compliance Monitoring

ODW uses the following tools to monitor and track compliance with the drinking water requirements. The Enforcement Targeting Tool (ETT) helps EPA and ODW to identify and prioritize waterworks with health-based violations. Formal enforcement action may be required within six months of a waterworks' status on the ETT as a serious violator.

❖ Enforcement Targeting Tool

The ETT implements EPA's ERP by assigning each violation a number of points based on the assigned threat to public health, which are then added together to provide a total score for each waterworks. The ETT helps identify waterworks with the most noncompliance across all rules within a 5-year period. *EPA Drinking Water Enforcement Response Policy*.

- Potential Serious Violator

The status of a waterworks with an ETT score of 5 to 10 points.

- Serious Violator

The status of a waterworks with an ETT score greater than 10 points (meaning the waterworks has at least one recent acute health-based violation, or at least two recent other non-acute health-based violations, or 11 non-health-based violations, or some combination thereof adding to an ETT score of greater than 10 points). The ERP requires formal enforcement action within 6 months of a waterworks being listed on the ETT as a serious violator.

❖ Enforcement Targeting Tool Assistant (ETTA)

A tool that analyzes SDWIS/State database data and calculates a real time assessment of waterworks that are out of compliance, comparing this data side-by-side with the latest state data reported to the SDWIS/Fed database.

❖ Health-Based Violation (HBV)

Violations of the MCLs or MRDLs allowed in drinking water; or of treatment technique rules, which specify required processes intended to reduce the amounts of contaminants in drinking

water. MCLs, MRDLs, and treatment techniques are all health-based drinking water standards.

❖ Returned to Compliance (RTC)

The waterworks has completed monitoring, reporting, modifications to treatment, or other activities necessary to return to compliance with the Regulations following a violation. Voluntary corrective action, compliance assistance, and informal or formal enforcement actions may return the waterworks to compliance.

E. Enforcement Tools

For waterworks that fail to return to compliance through assistance, ODW may proceed with an enforcement action to compel compliance. Enforcement tools include informal enforcement actions, such as notices of alleged violation and warning letters, and formal enforcement actions, such as administrative orders with civil penalties and corrective action. ODW's enforcement policies are consistent with state and federal requirements and EPA's ERP.

❖ Informal Enforcement

Compliance and other activities leading up to formal enforcement, and including a letter of agreement, warning letter, or NOAV, as well as activities to enforce requested actions outlined in an NOAV.

❖ Notice of Alleged Violation (NOAV)

A written statement from ODW to a waterworks owner notifying the owner that ODW has reason to believe that a violation has occurred or is occurring. An NOAV includes the facts that form the basis for alleging a violation has occurred or is occurring and a legal citation to the statutes or regulations allegedly violated. An NOAV often includes a request for specific corrective action. An NOAV is not a determination that a violation has occurred or is occurring, i.e., it is not a case decision. 12VAC5-590-110.

❖ Formal Enforcement

An action that cites specific violations, requires corrective action to return to compliance, and includes an enforceable consequence if the schedule of compliance is not met, in accordance with EPA's ERP. Examples include administrative orders with and without consent (i.e., a consent order or special order) and civil or criminal court action. All three of these avenues for formal enforcement can result in an owner being assessed a monetary penalty.

❖ Consent Order

A voluntary agreement between the Commissioner, acting on behalf of the Board when it is not in session, and the waterworks owner to resolve violations of the PWSL and Regulations, setting forth corrective actions to be completed and a schedule for returning to compliance. In a small number of cases, a consent order may be issued without an expected end date. An example would be a consent order issued to address intractable high fluoride levels at a waterworks.

❖ Special Order

An administrative order issued by the Commissioner, on behalf of the Board, without a waterworks owner's consent after an informal fact-finding proceeding (IFFP), compelling the owner to bring the waterworks into compliance with the Regulations.

❖ Civil Penalties

Civil penalties may be imposed administratively or through a civil court action. Civil penalties assessed through the administrative process can be included in a consent order or in a special order. Civil penalties issued via a consent order or special order are limited by the Code of Virginia to a maximum of \$1,000 for each day of violation. A court may assess a penalty in a civil lawsuit of up to \$5,000 for each day of violation of the PWSL, the Regulations, or an order issued pursuant thereto.

❖ Civil Action

In addition to imposing a monetary penalty, a civil court can provide injunctive relief by requiring a waterworks owner to take certain actions within a certain time period to resolve regulatory violations.

❖ Criminal Action

Code of Virginia § 32.1-27 establishes that violating a regulation of the Board is a Class 1 misdemeanor. The penalty for a Class 1 misdemeanor in Virginia is confinement in jail for not more than 12 months and/or a fine of not more than \$2,500.

❖ Enforcement Response Policy (ERP)

EPA's approach to targeting enforcement under the SDWA. The ERP focuses on waterworks with health-based violations and a history of noncompliance. The policy also ensures consistency, provides a model to escalate responses to violations, defines timely and appropriate actions, and defines what constitutes a formal action.

III. Profile of Waterworks in Virginia

This section provides a profile of waterworks in Virginia for CY 2023. ODW regulates 2,869 waterworks that serve drinking water to approximately 7,806,098 people in the Commonwealth. The size, number, and types of waterworks and their service populations are detailed below. This section also discusses the sources of drinking water in Virginia, as well as the types of waterworks owners.

A. Inventory of Waterworks

ODW regulates 2,869 waterworks in Virginia. ODW anticipates this number to increase as ODW identifies more businesses, and other entities, that use private wells and serve drinking water to 25 or more people for at least 60 days per year. While ODW encourages smaller, underperforming waterworks to consolidate or regionalize with higher performing waterworks when feasible, rural development projects could also create new well systems that meet the definition of a waterworks. Businesses that can connect to a local water supply may choose to consolidate rather than to operate a waterworks. The option to connect to another water supply is location dependent.

In Virginia, the 15 largest community waterworks serve approximately 4.5 million people, or 61.9% of the community water system population. In contrast, 929 small and very small community waterworks serve 462,291 people, or 6.3% of the community water system population. Community waterworks provide water to the homes of over 84% of Virginians. Historical data shows violations are more common at small or very small community waterworks, particularly those that lack the technical, managerial, or financial capability to operate a waterworks in compliance with the Regulations. Small or very small CWS with ongoing or recurring noncompliance also tend to serve disadvantaged communities, such as rural towns, mobile home parks, and housing developments.

TNC waterworks are the most common type of waterworks and typically represent the greatest percentage of violations. Owners of TNC waterworks, such as marinas, restaurants, and campgrounds, often include a single well and distribution system. Owners may not have experience or familiarity with the Regulations, or sufficient technical, managerial, and financial capability to successfully own and operate a waterworks.

Tables 1A, 1B and 2, as well as Figures 1 through 3, summarize the size and type of waterworks in Virginia.

Table 1A. Number, Population, and Percent of All Waterworks by Size.

Size	Number	Population	% of Total Pop.
Very Large Systems (>100,001)	15	4,536,948	58.1%
Large Systems (10,001-100,000)	63	1,998,397	25.6%
Medium Systems (3,301-10,000)	79	460,284	5.9%
Small Systems (501-3,300)	398	517,270	6.6%
Very Small Systems (25-500)	2,314	293,199	3.8%
Total	2,869	7,806,098	100%

Table 1B. Number, Population, and Percent of Community Waterworks by Size.

Size	Number	Population	% of Total Pop.
Very Large Systems (>100,001)	15	4,536,948	61.9 %
Large Systems (10,001-100,000)	59	1,872,005	25.5 %
Medium Systems (3,301-10,000)	78	456,784	6.2 %
Small Systems (501-3,300)	235	355,764	4.9 %
Very Small Systems (25-500)	694	106,527	1.5 %
Total	1,081	7,328,028	100%

Figure 1. Percent of Waterworks by Size Classification.




Figure 2. Percent Population Served in Virginia by Waterworks of Various Size Classifications.






Table 2. Number and Percent of Waterworks by Type.

Type	Number	% of Total
Community	1,081	37.7%
Non-transient Non-community	510	17.8%
Transient Non-community	1,278	44.5%
Total	2,869	100%

Figure 3. Waterworks by Type.**Figure 4.** Number of Waterworks by Size Compared to the Service Populations.

Presented another way, Figure 4 compares the number of waterworks by size with the service populations that they serve. Notably, the 78 large and very large waterworks serve over 84% of the population served by waterworks in Virginia.


Figure 5. The Largest Waterworks in Virginia and Population Served.

Figure 5 lists the 15 largest waterworks and shows the corresponding population served by each system. By contrast, the 2,314 very small waterworks serve a significantly smaller population yet account for 1,214, or 84.2%, of the violations presented in Chapter IV.

B. Sources of Drinking Water

Waterworks may use groundwater or surface water as their drinking water supply. Drinking water standards, treatment, monitoring, and reporting requirements differ depending on the water source. The process for withdrawing, treating, and distributing surface water is more complex than a groundwater well. Approximately 86% of waterworks in Virginia use groundwater as the drinking water supply (Figure 6), but groundwater systems serve a small percentage of the population (Figure 7B). TNC waterworks most commonly use groundwater. (Figure 7A.) Most of the population receives its drinking water from a surface water supply.

There are 315 CWS that draw directly from surface waters such as rivers, creeks, or reservoirs (Figure 7A), and they serve over 6.8 million people (Figure 7B) – nearly 93% of the total CWS customer population.

The source of drinking water may correlate with the type of noncompliance. For example, waterworks operating a groundwater system may be more likely to receive a violation under the Revised Total Coliform Rule (RTCR) related to bacteriological monitoring and reporting, compared to waterworks using a surface water supply that are more prone to the formation of disinfection byproducts from organic matter in the source water.

Figure 6. Percent of Waterworks by Water Source.




Figure 7A. Water System Type by Primary Source.





Figure 7B. Population Served by Waterworks Type and Water Source.



C. Owners of Waterworks

Waterworks owners in Virginia include local, state, and federal governments, public/private partnerships, and private entities. Private entities own 65% of waterworks in Virginia. Local governments, including authorities, account for 28% of waterworks owners and serve the greatest population, as demonstrated in Figures 8 and 9. Local governments own 14 of the 15 largest waterworks in Virginia, serving approximately 6.7 million people, or 86.6% of the population of waterworks users.

Figure 8. Number of Waterworks by Ownership Type.





Figure 9. Percent Population Served by Owner Type.



IV. Summary of Violations in Virginia

This section details violations of federal drinking water standards at waterworks in Virginia for CY 2023 and describes actions that ODW may take to return a waterworks to compliance. This section of the report improves accountability, program performance, and strategic planning for the drinking water program in Virginia. Sharing this data with the public educates consumers on the quality and safety of their drinking water so they can make informed decisions about their health. The regulatory rules identified in this section are based on the NPDWR and have been incorporated into the Regulations.

A. Geographical Location of Violations

Figure 10 shows the distribution of violations in Virginia according to the population served by the waterworks for CY 2023. The colors, from green to red, represent the number of violations per waterworks, i.e., dark green indicates 1-2 violations per waterworks; light green, 3-5 violations; yellow, 6-12 violations; orange, 13-24 violations; and red, 25-42 violations per waterworks. The size of the circle represents the size of the waterworks based on the population served, as defined in Chapter III.

Figure 10. Number of Violations by Waterworks Size.




Figure 11A. Distribution of Violations.




Figure 11A shows four significant clusters of violations in the west-southwest, north upper valley along the Interstate 81 corridor, central piedmont along Interstate 64, and east into the coastal plain. These clusters are further reflected in the violation density map below in Figure 12.

Figure 11B. Distribution of Acute Health-Based & Health-Based Violations.




Figure 11B represents acute health-based and health-based violations that have occurred throughout Virginia during CY 2023. Acute health-based violations are those that may cause illness after a short-term exposure. Chronic health-based violations are those violations that fall into one of three categories: 1)

exceedances of the maximum contaminant levels (MCLs), which specify the highest allowable contaminant concentrations in drinking water, 2) exceedances of the maximum residual disinfectant levels (MRDLs), which specify the highest concentrations of disinfectants allowed in drinking water, and 3) treatment technique requirements, which specify certain processes intended to reduce the level of a contaminant.

Figure 12. Waterworks Violation Density.




Figure 12 shows the locations in Virginia that had the highest density of violations issued during CY 2023.

Figure 13A. Number of Violations by County.




Figure 13A shows that the most violations, designated by red, occurred at waterworks in Giles, Grayson, Floyd, Bedford, Albemarle, Middlesex and Northampton Counties in 2023. Counties colored orange have fewer violations but still indicate areas of concern.

Figure 13B. Number of Waterworks with Violations by County.




Figure 13B shows Giles, Bedford, Albemarle, Isle of Wight, Northampton and Accomack Counties have the highest number of water systems with violations in CY 2023.

B. Compliance Monitoring

In CY 2023, 2,252 of the 2,869 waterworks in Virginia had no violations. At least one violation occurred at the remaining 617 waterworks, 122 of which were health-based violations (acute and chronic), and 23 waterworks were serious violators under the EPA's ETT score. These statistics may include some violations that were issued prior to CY 2023. A violation may not be resolved in the same year it was issued. How long it takes a waterworks to return to compliance depends on the type of violation and the methods the waterworks takes to resolve the violation.

Figure 14 shows the number of waterworks with violations by waterworks type. In 2023, 21.5% of all waterworks monitored received violations and of those violations issued 33% were to CWS, 13% were to NTNC and 54% were to TNCs.

Figure 14. Waterworks with Violations by Public Water System Type.




Figure 15 indicates the owner and ownership type that were issued violations in CY2023. The data shows significantly more privately owned TNC waterworks received violations than other combinations of type of ownership and type of waterworks. By contrast, a similar number of community waterworks owned by local government and community waterworks owned by a private entity received violations.

Figure 15. Owner and Ownership Type with Violations





Figure 16A shows the number of violations issued by description, the number of waterworks with violations by description, and the number of violations that have been resolved by description. The discrepancy between the number of violations compared to the number of waterworks indicates that some of those waterworks are receiving more than one violation.

Figure 16A. Violation Summary by Description.



The Rules are abbreviated as follows: As – Arsenic Rule; CCR – Consumer Confidence Rule; GWR - Ground Water Rule; INO – Inorganic Chemicals; LCR – Lead and Copper Rule; N – Nitrate Rule; PN and Revised PN Rule – Public Notice and Revised Public Notice Rule; Rad and Revised Rad Rule – Radionuclides and Revised Radionuclides Rule; RTCR – Revised Total Coliform Rule; Stage 1 DBP – Stage 1 Disinfectants and Disinfections Byproducts Rule; Stage 2 DBP – State 2 Disinfectants and Disinfections Byproducts Rule; SWTR – Surface Water Treatment Rule; TCR – Total Coliform Rule; and VOC – Volatile Organic Chemicals.

Figure 16B. Types of Violations Issued in 2023.





Figure 17 shows the number of violations issued by Rule in Virginia for CY 2023. The Revised Total Coliform Rule had more violations than any other violation category, followed by the Public Notice Rule. Stage 2 Disinfectants and Disinfection Byproducts violations came in as the third most frequent.

Figure 17. Violations issued by Rule.




The Rules are abbreviated as follows: Stage 1 DBP Rule – Stage 1 Disinfectants and Disinfection Byproducts Rule, and Stage 2 DBP Rule – Stage 2 Disinfectants and Disinfection Byproducts Rule.

The majority of waterworks with violations return to compliance within the same year. Some health-based violations may require additional monitoring, changes to operation or treatment technology, or other repairs or infrastructure improvements that extend beyond one year. Violations that present a greater potential for harm to public health and require more than six months to return to compliance are more likely to be addressed with a formal enforcement action. ODW strives to respond to health-based violations before the waterworks becomes a serious violator. Violations that may be returned to compliance once the waterworks owner samples following a missed monitoring period or submits a

certification following a public notice or consumer confidence report requirement, are often addressed with an informal enforcement response. VDH monitors and tracks waterworks with ongoing or recurring violations to identify repeat violators that may require an elevated enforcement response.

Figure 18. Violations issued versus the violations resolved.



C. Enforcement Actions

After issuing an NOAV, ODW staff track the compliance status to see if the waterworks returns to compliance with assistance or if an elevated enforcement response is appropriate. In many instances, the waterworks owner resolves the violation soon after ODW issues the NOAV. ODW staff from the TCDO, DTS, and FCAP divisions often assist the waterworks owner with financial, managerial, or technical needs. In cases where the waterworks does not return to compliance voluntarily within a reasonable amount of time, ODW pursues enforcement measures, which may ultimately result in a formal enforcement action that often includes a monetary penalty, corrective action plan, and schedule for compliance.

Enforcement actions may be informal or formal, and are generally administrative in nature (i.e., non-judicial). For purposes of this report, ODW informal enforcement actions include NOAVs, requests for public notice, and return to compliance codes. ODW informal enforcement actions also include warning letters and letters of agreement, but they are not included in the data in this report. Warning letters identify outstanding violations and set forth a timeframe in which the owner is expected to return to compliance or else potentially face formal enforcement. Letters of agreement may be used for waterworks owners that have demonstrated a “good faith” effort to comply with the Regulations, are not listed on the ETT, and the corrective action can be completed in less than one year. Warning letters and letters of agreement may be actions that ODW takes between issuing an NOAV and initiating formal enforcement.

Formal enforcement includes administrative orders – consent orders and special orders – that may assess civil penalties and require corrective actions. Formal enforcement actions are binding and enforceable through the court system. Formal enforcement may be required when the waterworks is listed as a “serious violator” or Enforcement Priority on the ETT (i.e., the waterworks’ ETT score is greater than

10).

With administrative, civil, and criminal enforcement actions, ODW staff selects the most appropriate enforcement method for each situation and associated violations. In determining the appropriate enforcement action, ODW may consider the size and type of the waterworks, the risk of harm to public health, and the willingness of the waterworks owner to cooperate.


ODW resolves most noncompliance through the administrative process with the waterworks owner's consent. ODW strives to address and resolve all cases in a timely fashion, considering the nature of the case and the availability of resources; however, certain cases may take longer to resolve due to the complexity of the issues involved.

i. Informal Enforcement Actions

Informal enforcement is appropriate for waterworks that are responsive, cooperative, and demonstrate a "good faith" effort to comply with the regulations. ODW encourages informal enforcement for waterworks that are not listed on the ETT. If the waterworks has an ETT score greater than 5, formal enforcement (with or without consent) is generally more appropriate. In most cases, enforcement starts with informal actions and progresses to formal actions, as necessary.

Figure 19 shows that in CY 2023, 661 waterworks were given informal enforcement actions and 3 waterworks were placed under formal enforcement². Informal enforcement actions include NOAVs issued, public notices, boil water orders, and violations or reminder notices. When a waterworks receives a violation, it is required to complete the public notice requirement within a deadline. If a public notice is not posted and returned along with the certification form to ODW by the due date, then ODW sends an additional NOAV to the waterworks.

Figure 19. Waterworks with Informal, Formal, and Resolved Enforcement Actions in Virginia for Calendar Years 2019 - 2023.



² The number of formal enforcement actions includes those formal enforcement actions that became effective in 2023. It does not include pre-existing formal enforcement actions that became effective prior to 2023 and that are still in effect and being monitored by ODW.

ii. Formal Enforcement Actions


As described in Chapter II, the ERP defines formal enforcement as actions that require specific steps for the waterworks to return to compliance, cites specific violations, and is independently enforceable without having to prove the original violation. Formal enforcement includes administrative orders (with or without consent) and judicial actions through the civil or criminal court.

Consent orders are the most appropriate tool when the waterworks is cooperating with ODW to resolve noncompliance in a timely and appropriate manner. A consent order is an administrative order issued on behalf of the Board to a waterworks owner, with their consent, requiring that the waterworks perform a set of actions to return the waterworks to compliance. Consent orders allow the waterworks owner to participate in developing the corrective action plan and schedule for compliance, and usually results in quicker resolution.

If the waterworks is not cooperating or does not agree to the terms of a consent order, then ODW may hold an administrative proceeding to provide the waterworks owner with an opportunity to be heard and determine the fact basis for a case decision. Depending on the findings that result from the proceeding, ODW may issue a special order in which the Commissioner compels compliance unilaterally. An administrative hearing must be held before a special order can be issued. The data in this report does not distinguish between consent orders and special orders.

In CY 2023, three waterworks had formal enforcement actions. Depending on the nature of the violation, the size and sophistication of the waterworks, and the ability of the waterworks to comply with the requirements, formal actions may include a civil penalty, corrective action plan, and schedule for compliance. In CY 2023, ODW assessed \$4,550 in civil penalties and collected payment in that amount. In addition to the three new administrative orders issued in 2023, ODW continued to monitor compliance with existing administrative orders and court orders, bringing additional formal enforcement action as needed.

Figure 20. Waterworks with Formal Enforcement Actions for CY 2023. (“St AO” means State Administrative Order.)



iii. Trends in Compliance and Enforcement

ODW continues to carefully monitor compliance and adjust its policies and procedures as necessary to reduce the number of violations across the state. ODW continues to prioritize those systems with health-based violations, which is reflected in the lower number of health-based violations and serious violators for the compliance periods below (specifically from CY 2019 to 2023). ODW addresses problems proactively, as soon as a problem is known to exist, and uses administrative orders as a tool for accessing additional resources that may be necessary to address longer-term noncompliance.


In recent years, Virginia has been at or below the averages for violation percentages compared to EPA

Region 3 and nationally, as reflected in Figures 21 through 23. Percentages nationally for CY 2019 to 2023 report more formal enforcement than introduced in Virginia or Region 3. Historically, Virginia has responded more with informal enforcement actions, but a few years ago increased the use of formal enforcement actions in response to new enforcement policies and improvements in data management. With more formal enforcement actions over recent years, the number of serious violators over a 5-year period has declined, which has in turn resulted in a drop in the number of formal enforcement actions that were necessary in CY 2023. ODW's proactive enforcement efforts over the last few years resulted in a downward trend in the number of serious violators, thereby contributing to a reduction in the need for formal enforcement.

Figures 21 – 24 indicate that VDH-ODW staff are proactively working with waterworks which helps to lower the number of violations issued, decreases the number of acute and chronic health-based violations, decreases the number of monitoring and reporting violations, and decreases the number of serious violators that are on the ETT Report.

Figure 21 displays the percentage of waterworks in Virginia that received violations versus those within EPA Region 3 and the National Average.

Figure 21. Percentage of Waterworks with Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.³



³ EPA Region 3 (Mid-Atlantic) includes Delaware, the District of Columbia, Maryland, Pennsylvania, Virginia and West Virginia. Region 3 data includes Virginia in each Figure represented from 21 - 26.

Figures 22 A and B demonstrate Virginia's efforts to work with waterworks owners and operators as soon as sample results indicate a problem. Onsite inspections are performed quickly to assess issues and determine if additional disinfection and/or treatment is needed. These efforts have contributed to Virginia's rate of violations being below the national average and EPA Region 3.

Figure 22A. Percentage of Acute Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.




Figure 22B. Percentage of Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.





Figure 23 is evidence of the dedication of ODW staff working with owners and operators of public water systems to make sure samples are collected and reports are submitted on time, as Virginia's percentage of monitoring and reporting violations remains below the national and EPA Region 3 averages.

Figure 23. Percentage of Monitoring and Reporting Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.



As shown in Figure 24, Virginia continued to have a lower percentage of serious violators under the ETT than the national and EPA Region 3 averages in 2023.

Figure 24. Percentage of Serious Violator Waterworks in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.




Figure 25 reflects that in CY 2020 ODW staff increased formal enforcement actions. In CY 2021, the increase in these actions slowed down as staff were proactively working with waterworks owners and operators to bring the water systems back into compliance. In CY 2022, the number of formal enforcement actions in Virginia dropped below EPA's Region 3 and was well below the national average for formal enforcement cases. The frequency of formal enforcement actions remained fairly steady in CY 2023. Figure 25 indicates the dedicated and successful efforts of ODW to work with the owners of

public water systems to obtain compliance with the regulations in a timely manner to avoid the need for formal enforcement.

Figure 25. Percentage of Formal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.





Figure 26 highlights that Virginia exceeds the national average in taking informal enforcement actions. ODW’s use of informal enforcement is part of its effort to address violations quickly to prevent water systems from becoming formal enforcement cases. VDH-ODW staff work with waterworks owners to provide technical assistance and funding to bring these water systems back into compliance as quickly as possible.

Figure 26. Percentage of Informal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2019 to 2023.



V. Enforcement Program Oversight

This section describes initiatives that ODW is working on to improve its oversight, management, and strategic planning of compliance in Virginia. ODW first issued its Enforcement Manual in 2020 to create policies and procedures for monitoring, tracking, and prioritizing noncompliance, and referring for enforcement those waterworks that fail to return to compliance in a timely manner. A proposed revision to the Enforcement Manual provides additional structure to the enforcement program and improves guidance for ODW staff. ODW's enforcement program is also exploring additional improvements outside of the Enforcement Manual, such as focusing on the clarity of communications with the regulated community, optimizing communications within ODW, and identifying best practices for overseeing and tracking compliance.

A. Policy and Procedure Updates

VDH continues to develop, implement, and improve its enforcement program. In CY 2020, ODW published an Enforcement Manual to reflect ODW's mission to protect public health and help ensure that all waterworks in Virginia provide a safe and adequate supply of drinking water. The manual provides guidance on monitoring and tracking noncompliance, elevating noncompliance for enforcement, and ensuring waterworks return to compliance in a timely and appropriate manner.

In addition to ongoing process improvements internally, the Office of the State Inspector General (OSIG) audited ODW during CY 2020, issuing a performance audit report in June 2021. The report included several findings and recommendations related to the enforcement program.

ODW's capacity to fully address OSIG's findings and related recommendations was significantly affected in CY 2021 and CY 2022 by budgetary challenges that impacted, among other things, ODW's ability to fill certain vacant positions and hire staff for new positions. While ODW's budgetary challenges have been addressed in part, they continue to limit ODW's ability to fill all vacancies. ODW continues to explore additional possible sources of revenue for the program.

ODW is revising the Enforcement Manual to further address OSIG's recommendations related to ODW's enforcement program and to further improve the consistency and timeliness of ODW's enforcement efforts. Among the changes in the proposed revised Enforcement Manual are clearer processes and timelines for review and action on compliance and enforcement issues by ODW.

As new rules and regulations are issued, ODW's Compliance, Enforcement and Policy staff work closely with individuals from EPA and other ODW staff to develop and implement new policies and procedures to guide and train ODW staff. Additionally, ODW reviews existing policies and procedures on a regular basis to determine how they can be improved.

B. Strategic Planning

ODW actively engages in strategic planning to identify needs, develop objectives, and build program performance. Over the last several years, ODW's enforcement program has generally reduced the number of waterworks that qualify as serious violators under the ETT. However, new regulations, emerging contaminants, and aging infrastructure present continuing challenges that ODW must confront to continue the trendline of fewer serious violators. ODW is also preparing for additional compliance and enforcement challenges presented by new federal rules, such as the Lead and Copper Rule Revisions and Lead and Copper Rule Improvements, and the PFAS Rule. The strategic plan for the enforcement

program allows ODW to focus on near- and long-term goals based on needs and resources, set schedules for achieving those goals, and determine how best to utilize informal and formal enforcement measures to respond to these sorts of continuing challenges.

While the 15 largest waterworks in Virginia had a total of only eight violations in CY 2023, with five of the violations being for monitoring and reporting and three for health-based violations; there remains lurking threats due to failing infrastructure that may be unidentified or unaddressed. Additionally, water loss, water main breaks, boil water advisories, power outages, and inadequate reliability may not always result in a health-based violation but may require significant investment in the waterworks' infrastructure to provide good water quality and to prevent future harm to public health.

Achieving adequate reliability may be especially challenging for very small community and nontransient noncommunity waterworks that tend to have fewer resources. Additionally, very small waterworks may have more trouble attracting qualified licensed operators, which are in short supply and remain a continuing challenge. ODW employs a teamwork approach, where central office enforcement staff and field office staff frequently engage with ODW's capacity development staff, including during monthly enforcement meetings, to discuss what assistance and resources can be provided to help a waterworks address violations early in the process. ODW has also been employing enforcement of reliability standards in the Regulations as a basis to require certain upgrades and repairs to address infrastructure concerns.

ODW continues to use enforcement tools to achieve compliance voluntarily. Consent orders have been effective at achieving compliance and many violators are willing to agree to a corrective action plan and schedule for compliance, as well as a civil charge, for past noncompliance. As a result of the considerable compliance and technical assistance that ODW offers while trying to return a waterworks to compliance, waterworks owners seem to perceive a sense of fairness when presented with a proposed consent order. In turn, consent orders help waterworks owners qualify for funding in many cases to help them return to compliance. Due to ODW's success in having waterworks owners agree to consent orders, on only rare occasions must ODW proceed to an administrative hearing and seek issuance of a unilateral special order to compel compliance.

In CY 2023, ODW did not limit its formal enforcement efforts to administrative orders. ODW acted under Virginia statutory authority and had Virginia's Office of the Attorney General file a civil lawsuit for contempt of court against a community waterworks owner who failed to comply with a 2020 court order that was necessary to enforce a 2017 administrative order. The contempt of court action caused the waterworks owner to explore transferring ownership of the system. Additionally, the court issued an order placing the waterworks into receivership so the owner no longer had direct control of the system while the owner pursued selling the system. As 2023 came to an end, ODW was working with the Office of the Attorney General to pursue another civil lawsuit due to a community waterworks owner's failure to comply with an existing administrative order and, separately, to adequately maintain the system which resulted in a significant failure of the distribution system.

Each quarter, staff from ODW's Division of Compliance, Enforcement, and Policy meet with EPA Region 3 to discuss serious violators as identified by the most recent ETT report, progress on bringing those systems back into compliance with the Regulations, and possible formal enforcement. Typically, EPA Region 3 will provide assistance and support regarding the noncompliant cases and acknowledge if ODW's plan to achieve compliance for each case is acceptable. A special meeting appointment may occur if a situation regarding a water system is critical and ODW's Compliance and Enforcement team feel it is appropriate to alert EPA Region 3 and obtain feedback.

While most waterworks comply with the Regulations, very small and small waterworks represent a disproportionate share of the violations and often lack the technical, managerial, and financial capability to address violations. ODW is focusing on measures that it can take to help ensure that customers at small and very small waterworks receive equal access to a safe and adequate drinking water supply, regardless of waterworks size or location. This has included involving ODW's capacity development staff in monthly enforcement meetings.

Equal access to drinking water remains a priority given ODW's mission to ensure that Virginia's waterworks provide safe and adequate drinking water to their customers. In 2023, ODW used Virginia's Equitable Access to Drinking Water Fund to incentivize the consolidation or regionalization of underperforming waterworks. This effort is aimed at reducing health violations, improving economies of scale, and addressing resilience and reliability at small and disadvantaged systems, which will help equalize access to safe and adequate drinking water.

Lastly, ODW continues to explore ways to improve its comprehensive oversight of waterworks across Virginia. To this end, ODW continues to work towards digitizing its files, an effort that is going on at the field office level. ODW is developing a document management system combined with digital recordkeeping so ODW staff can access records remotely, easily share records among staff in different locations, and eliminate reliance upon physical files that are stored at individual field offices.

VI. Conclusion

ODW provides exceptional compliance and technical assistance to waterworks. Compliance and technical assistance build trust and partnership between ODW and the waterworks owner and operators that often returns violations to compliance as quickly as possible with no further action needed.

Waterworks that require enforcement action to achieve compliance represent only a small fraction of waterworks in Virginia and they tend to serve fewer people. For the fraction of waterworks that require formal enforcement action, administrative orders have successfully resulted in cooperation by the waterworks owners to take actions as needed to return to compliance.

ODW uses real-time data and proactive enforcement policies to identify and attempt to resolve noncompliance before the waterworks appears on the ETT report as a serious violator. ODW uses the Enforcement Targeting Tool Assistant (ETTA) database weekly to update compliance data and identify waterworks with new or ongoing violations for potential enforcement. The Enforcement Manual identifies tools for addressing noncompliance in a uniform, structured, and timely manner. Guidelines on timelines for referring a waterworks for enforcement, drafting administrative orders, and assessing civil penalties clarify the process for escalating the enforcement response to noncompliance.

Additionally, ODW's approach to enforcement combines the local expertise of ODW field office staff with CEP staff's focus on consistency in process and outcome so waterworks throughout Virginia are treated similarly. The proposed revised Enforcement Manual better defines the roles of the field office and CEP when it comes to addressing compliance and enforcement issues.

Based on the data presented in this report, ODW will continue to evaluate how it can reduce the number of violations, especially at transient non-community and community waterworks, which have proportionately more violations than non-transient non-community waterworks.

The ODW field offices use different methods to engage with waterworks owners to attempt to prevent violations before they occur. For instance, some field offices use an auto-dialer to send automated messages to waterworks owners to alert or remind them of upcoming deadlines or inform them of other important information. In addition, field offices use email to send reminders of monitoring deadlines and will reach out to owners and operators by telephone. Due to ODW field office staff's knowledge of the waterworks and personnel, they can determine the best means of engaging with a waterworks to maintain compliance and quickly address violations.

In 2023, ODW staff continued to improve communication within ODW related to enforcement. This included involving capacity development staff in monthly enforcement meetings between ODW central office enforcement staff and field office staff; collaborating with ODW's new Emergency Services Coordinator on urgent public health matters, which often include a regulatory compliance aspect; and ODW central office enforcement staff visiting field offices to discuss the field offices' processes, challenges, and ideas. By taking advantage of the full range of expertise within ODW, and not just relying on staff that strictly deals with enforcement, ODW aims to achieve higher rates of compliance, return systems to compliance more quickly, and create a more dependable and safer drinking water supply for Virginia.

Obtaining a Copy of the 2023 Annual Compliance Report

As required by the SDWA, Virginia has made the 2023 Annual Compliance Report available to the public. Interested individuals may review a copy of the 2023 Annual Compliance Report for Virginia by accessing the VDH, Office of Drinking Water's website at:

<https://www.vdh.virginia.gov/drinking-water/office-of-drinking-water/virginia-annual-pws-compliance-report/>

Telephone: (540) 817-5536

Fax Number: (540) 463-3892

E-mail: athena.vanlear@vdh.virginia.gov

Address: VDH-Office of Drinking Water Lexington Field
Office
131 Walker Street
Lexington, Virginia 24450

Contact Name: Athena Van Lear; Enforcement Coordinator

2023 Virginia Annual Compliance Summary Report

Violation Category	Rule Group	Rule Name	# of Viols	# of Resolved Viols	# of PWS in Viols
Maximum Contaminant Level Violation	Chemicals	Inorganic Chemicals	12	2	5
Maximum Contaminant Level Violation	Chemicals	Nitrate Rule	1	1	1
Maximum Contaminant Level Violation	Chemicals	Volatile Organic Chemicals	1	0	1
Maximum Contaminant Level Violation	Disinfectants and Disinfection Byproducts Rule	Stage 2 Disinfectants and Disinfection Byproducts Rule	43	28	20
Maximum Contaminant Level Violation	Microbials	Revised Total Coliform Rule	17	15	16
Monitoring Violation	Microbials	Revised Total Coliform Rule	524	417	320
Monitoring and Reporting	Chemicals	Arsenic Rule	1	0	1
Monitoring and Reporting	Chemicals	Inorganic Chemicals	15	3	4
Monitoring and Reporting	Chemicals	Lead and Copper Rule	77	45	65
Monitoring and Reporting	Chemicals	Nitrate Rule	61	2	61
Monitoring and Reporting	Chemicals	Radionuclides and Revised Rad Rule	3	0	1
Monitoring and Reporting	Chemicals	Volatile Organic Chemicals	105	0	4
Monitoring and Reporting	Disinfectants and Disinfection Byproducts Rule	Stage 1 Disinfectants and Disinfection Byproducts Rule	55	48	46
Monitoring and Reporting	Disinfectants and Disinfection Byproducts Rule	Stage 2 Disinfectants and Disinfection Byproducts Rule	80	18	41
Monitoring and Reporting	Microbials	Ground Water Rule	102	74	84
Monitoring and Reporting	Microbials	Total Coliform Rule	8	0	3
Other Violation	Microbials	Revised Total Coliform Rule	1	0	1
Other Violation	Other	Consumer Confidence Rule	23	17	22
Other Violation	Other	Public Notice Rule and Revised PN Rule	220	97	125
Treatment Technique Violation	Chemicals	Lead and Copper Rule	3	2	3
Treatment Technique Violation	Disinfectants and Disinfection Byproducts Rule	Stage 1 Disinfectants and Disinfection Byproducts Rule	8	5	8
Treatment Technique Violation	Microbials	Ground Water Rule	19	9	8
Treatment Technique Violation	Microbials	Revised Total Coliform Rule	17	11	17
Treatment Technique Violation	Microbials	Surface Water Treatment Rule	1	0	1

2023 Virginia Annual Compliance Report by Rule

Rule Name	Violation Code	Violation Type Description	# of Violations	# of Resolved Violations	# of PWS in Violation
Arsenic Rule	3	Monitoring, Regular	1	0	1
Consumer Confidence Rule	71	Consumer Confidence Report Complete Failure to Report	23	17	22
Ground Water Rule	34	Monitoring, Source Water (GWR)	102	74	84
Ground Water Rule	41	Treatment Technique (SWTR and GWR)	5	5	3
Ground Water Rule	45	Failure To Address Deficiency	14	4	5
Inorganic Chemicals	2	Maximum Contaminant Level Violation, Average	12	2	5
Inorganic Chemicals	3	Monitoring, Regular	15	3	4
Lead and Copper Rule	52	Follow-up Or Routine LCR Tap M/R	41	22	36
Lead and Copper Rule	53	Water Quality Parameter M/R	1	0	1
Lead and Copper Rule	58	OCCT/SOWT Treatment Installation/Demonstration	3	2	3
Lead and Copper Rule	66	Lead Consumer Notice	35	23	29
Nitrate Rule	1	Maximum Contaminant Level Violation, Single Sample	1	1	1
Nitrate Rule	3	Monitoring, Regular	61	2	61
Public Notice Rule and Revised PN Rule	75	Public Notification Violation for NPDWR Violation	220	97	125
Radionuclides and Revised Rad Rule	3	Monitoring, Regular	3	0	1
Revised Total Coliform Rule	1A	Maximum Contaminant Level Violation, E. coli (RTCR)	17	15	16
Revised Total Coliform Rule	2A	Treatment Technique, Level 1 Assessment (RTCR)	10	6	10
Revised Total Coliform Rule	2B	Treatment Technique, Level 2 Assessment (RTCR)	2	1	2
Revised Total Coliform Rule	2D	Treatment Technique Startup Procedures (RTCR)	5	4	5
Revised Total Coliform Rule	3A	Monitoring, Routine (RTCR)	489	384	296
Revised Total Coliform Rule	3B	Monitoring, Additional Routine (RTCR)	35	33	32

Revised Total Coliform Rule	5A	Sample Siting Plan Errors (RTCR)	1	0	1
Stage 1 Disinfectants and Disinfection Byproducts Rule	12	Treatment Technique No Certif. Operator	8	5	8
Stage 1 Disinfectants and Disinfection Byproducts Rule	27	Monitoring and Reporting (DBP)	55	48	46
Stage 2 Disinfectants and Disinfection Byproducts Rule	2	Maximum Contaminant Level Violation, Average	43	28	20
Stage 2 Disinfectants and Disinfection Byproducts Rule	30	Monitoring, Routine (IDSE)	74	13	37
Stage 2 Disinfectants and Disinfection Byproducts Rule	35	Failure Submit IDSE/Subpart V Plan Rpt	6	5	4
Surface Water Treatment Rule	42	Failure to Filter (SWTR)	1	0	1
Total Coliform Rule	23	Monitoring, Routine Major (TCR)	7	0	3
Total Coliform Rule	24	Monitoring, Routine Minor (TCR)	1	0	1
Volatile Organic Chemicals	2	Maximum Contaminant Level Violation, Average	1	0	1
Volatile Organic Chemicals	3	Monitoring, Regular	105	0	4

2023 Virginia Annual Compliance Report by Public Water System

PWS ID	PWS Type	Source	Population Served	Owner Type	Contaminant Name	Viol Type	Enfmnt Action Type	Enfmnt Date	Resolved Date	Viol Code	Violation Type Description
VA1021126	CWS	GW	41	Private	Chlorine	MR	SFJ	6/29/2023	6/8/2023	27	Monitoring and Reporting (DBP)
VA1021126	CWS	GW	41	Private	Chlorine	MR	SIE	6/29/2023	6/8/2023	27	Monitoring and Reporting (DBP)
VA1021126	CWS	GW	41	Private	Chlorine	MR	SOX	6/8/2023	6/8/2023	27	Monitoring and Reporting (DBP)
VA1021700	CWS	SWP	985	Local government	TTHM	MR	SFJ	11/1/2023		30	Monitoring, Routine (IDSE)
VA1021700	CWS	SWP	985	Local government	TTHM	MR	SIE	11/1/2023		30	Monitoring, Routine (IDSE)
VA1021700	CWS	SWP	985	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	12/4/2023	12/4/2023	30	Monitoring, Routine (IDSE)
VA1021700	CWS	SWP	985	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/1/2023	12/4/2023	30	Monitoring, Routine (IDSE)
VA1021700	CWS	SWP	985	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/1/2023	12/4/2023	30	Monitoring, Routine (IDSE)
VA1027061	CWS	SWP	19326	Local government	TTHM	MR	SFJ	6/28/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027061	CWS	SWP	19326	Local government	TTHM	MR	SOX	5/3/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027061	CWS	SWP	19326	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	6/28/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027061	CWS	SWP	19326	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	5/3/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027065	CWS	SWP	440	Local government	Public Notice	Other	SFJ	7/6/2023	6/29/2023	75	Public Notification Violation for NPDWR Violation
VA1027065	CWS	SWP	440	Local government	Public Notice	Other	SOX	6/29/2023	6/29/2023	75	Public Notification Violation for NPDWR Violation

VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SOX	9/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SIF	6/29/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SIE	4/25/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SFJ	4/25/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MR	SFJ	6/28/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027065	CWS	SWP	440	Local government	TTHM	MR	SOX	5/3/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SOX	8/20/2023	8/20/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SIF	7/12/2023	8/20/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SIE	7/6/2023	8/20/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	TTHM	MCL	SFJ	7/6/2023	8/20/2023	2	Maximum Contaminant Level Violation, Average
VA1027065	CWS	SWP	440	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	6/28/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1027065	CWS	SWP	440	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	5/3/2023	5/3/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA1035088	CWS	SWP	7500	Local government	TTHM	MR	SOX	8/8/2023	8/8/2023	30	Monitoring, Routine (IDSE)
VA1035088	CWS	SWP	7500	Local government	TTHM	MR	SFJ	7/17/2023	8/8/2023	30	Monitoring, Routine (IDSE)
VA1035088	CWS	SWP	7500	Local government	TTHM	MR	SIE	7/17/2023	8/8/2023	30	Monitoring, Routine (IDSE)
VA1035088	CWS	SWP	7500	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	8/8/2023	8/8/2023	30	Monitoring, Routine (IDSE)
VA1035088	CWS	SWP	7500	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	7/17/2023	8/8/2023	30	Monitoring, Routine (IDSE)
VA1035088	CWS	SWP	7500	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	7/17/2023	8/8/2023	30	Monitoring, Routine (IDSE)

VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	7/3/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/29/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/29/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	6/27/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	11/3/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/16/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA1035107	TNCWS	GW	120	Private	Nitrate-Nitrite	MCL	SOX	8/16/2023	8/16/2023	1	Maximum Contaminant Level Violation, Single Sample
VA1035107	TNCWS	GW	120	Private	Nitrate-Nitrite	MCL	SIF	7/10/2023	8/16/2023	1	Maximum Contaminant Level Violation, Single Sample
VA1035107	TNCWS	GW	120	Private	Nitrate-Nitrite	MCL	SFJ	7/5/2023	8/16/2023	1	Maximum Contaminant Level Violation, Single Sample
VA1035107	TNCWS	GW	120	Private	Nitrate-Nitrite	MCL	SIE	7/5/2023	8/16/2023	1	Maximum Contaminant Level Violation, Single Sample
VA1035227	NTNCWS	GW	137	Local government	Revised Total Coliform Rule	MON	SIE	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1035227	NTNCWS	GW	137	Local government	Revised Total Coliform Rule	MON	SFJ	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1035227	NTNCWS	GW	137	Local government	Revised Total Coliform Rule	MON	SOX	12/5/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1035303	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	7/10/2023	3A	Monitoring, Routine (RTCR)

VA1035303	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA1035303	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/28/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA1035303	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SOX	10/29/2023	10/29/2023	3	Monitoring, Regular
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SIE	10/23/2023	10/29/2023	3	Monitoring, Regular
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SFJ	10/23/2023	10/29/2023	3	Monitoring, Regular
VA1035450	TNCWS	GW	25	Private	Public Notice	Other	SOX	8/4/2023	8/4/2023	75	Public Notification Violation for NPDWR Violation
VA1035450	TNCWS	GW	25	Private	Public Notice	Other	SOX	8/4/2023	8/4/2023	75	Public Notification Violation for NPDWR Violation
VA1035450	TNCWS	GW	25	Private	Public Notice	Other	SFJ	7/25/2023	8/4/2023	75	Public Notification Violation for NPDWR Violation
VA1035475	CWS	SWP	325	Local government	Lead and Copper Rule	MR	SFJ	1/30/2023	1/19/2023	66	Lead Consumer Notice
VA1035475	CWS	SWP	325	Local government	Lead and Copper Rule	MR	SOX	1/19/2023	1/19/2023	66	Lead Consumer Notice
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SIF	11/27/2023	10/10/2023	27	Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SFJ	11/21/2023	10/10/2023	27	Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SIE	11/21/2023	10/10/2023	27	Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SOX	10/10/2023	10/10/2023	27	Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SOX	7/12/2023	7/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SIF	11/1/2022	7/12/2023	52	Follow-up Or Routine LCR Tap M/R

VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SIE	10/24/2022	7/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SFJ	10/24/2022	7/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SOX	2/7/2023	2/7/2023	66	Lead Consumer Notice
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SFJ	1/30/2023	2/7/2023	66	Lead Consumer Notice
VA1035578	NTNCWS	GW	230	Local government	Revised Total Coliform Rule	MON	SIE	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1035578	NTNCWS	GW	230	Local government	Revised Total Coliform Rule	MON	SFJ	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1035578	NTNCWS	GW	230	Local government	Revised Total Coliform Rule	MON	SOX	12/5/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1051100	CWS	SWP	4836	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	8/10/2023	8/10/2023	2	Maximum Contaminant Level Violation, Average
VA1051100	CWS	SWP	4836	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/27/2023	8/10/2023	2	Maximum Contaminant Level Violation, Average
VA1051100	CWS	SWP	4836	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/27/2023	8/10/2023	2	Maximum Contaminant Level Violation, Average
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SOX	9/19/2023	9/19/2023	52	Follow-up Or Routine LCR Tap M/R
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SIF	10/31/2022	9/19/2023	52	Follow-up Or Routine LCR Tap M/R
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SIE	10/24/2022	9/19/2023	52	Follow-up Or Routine LCR Tap M/R
VA1051721	CWS	SWP	2978	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	8/11/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051721	CWS	SWP	2978	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/21/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051721	CWS	SWP	2978	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/27/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051721	CWS	SWP	2978	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/27/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	11/14/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average

VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	6/26/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/14/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/14/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	11/14/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	11/13/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	11/2/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051725	CWS	SWP	1090	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	11/2/2023	11/14/2023	2	Maximum Contaminant Level Violation, Average
VA1051726	CWS	SWP	700	Local government	Public Notice	Other	SOX	2/1/2023	2/1/2023	75	Public Notification Violation for NPDWR Violation
VA1051727	CWS	SWP	175	Local government	TTHM	MCL	SOX	8/9/2023	8/9/2023	2	Maximum Contaminant Level Violation, Average
VA1051727	CWS	SWP	175	Local government	TTHM	MCL	SIF	6/26/2023	8/9/2023	2	Maximum Contaminant Level Violation, Average
VA1051727	CWS	SWP	175	Local government	TTHM	MCL	SIE	6/15/2023	8/9/2023	2	Maximum Contaminant Level Violation, Average
VA1051727	CWS	SWP	175	Local government	TTHM	MCL	SFJ	6/15/2023	8/9/2023	2	Maximum Contaminant Level Violation, Average
VA1051737	CWS	SWP	3660	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	8/11/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051737	CWS	SWP	3660	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/21/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051737	CWS	SWP	3660	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/28/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1051737	CWS	SWP	3660	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/28/2023	8/11/2023	2	Maximum Contaminant Level Violation, Average
VA1063030	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/19/2023	10/2/2023	3A	Monitoring, Routine (RTCR)

VA1063030	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1063030	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/2/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1063047	CWS	GW	60	Private	Chlorine	MR	SIE	10/23/2023	10/2/2023	27	Monitoring and Reporting (DBP)
VA1063047	CWS	GW	60	Private	Chlorine	MR	SFJ	10/23/2023	10/2/2023	27	Monitoring and Reporting (DBP)
VA1063047	CWS	GW	60	Private	Chlorine	MR	SOX	10/2/2023	10/2/2023	27	Monitoring and Reporting (DBP)
VA1063047	CWS	GW	60	Private	TTHM	MR	SFJ	10/25/2023		30	Monitoring, Routine (IDSE)
VA1063047	CWS	GW	60	Private	TTHM	MR	SIE	10/25/2023		30	Monitoring, Routine (IDSE)
VA1063047	CWS	GW	60	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	10/25/2023		30	Monitoring, Routine (IDSE)
VA1063047	CWS	GW	60	Private	Total Haloacetic Acids (HAA5)	MR	SIE	10/25/2023		30	Monitoring, Routine (IDSE)
VA1063140	TNCWS	GW	37	Private	Public Notice	Other	SFJ	1/30/2023		75	Public Notification Violation for NPDWR Violation
VA1063152	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA1063152	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	12/1/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA1063152	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	12/1/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA1063154	CWS	GW	95	Private	1,1,1-Trichloroethane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,1,1-Trichloroethane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,1,2-Trichloroethane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,1,2-Trichloroethane	MR				3	Monitoring, Regular

VA1063154	CWS	GW	95	Private	1,1-Dichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,1-Dichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2,4-Trichlorobenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2,4-Trichlorobenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2-Dichloroethane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2-Dichloroethane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2-Dichloropropane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	1,2-Dichloropropane	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Benzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Benzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	CHLOROBENZENE	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	CHLOROBENZENE	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Carbon tetrachloride	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Carbon tetrachloride	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	DICHLOROMETHANE	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	DICHLOROMETHANE	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Ethylbenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Ethylbenzene	MR				3	Monitoring, Regular

VA1063154	CWS	GW	95	Private	Styrene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Styrene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Tetrachloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Tetrachloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Toluene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Toluene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Trichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Trichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Vinyl chloride	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Vinyl chloride	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Xylenes, Total	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	Xylenes, Total	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	cis-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	cis-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	o-Dichlorobenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	o-Dichlorobenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	p-Dichlorobenzene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	p-Dichlorobenzene	MR				3	Monitoring, Regular

VA1063154	CWS	GW	95	Private	trans-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA1063154	CWS	GW	95	Private	trans-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA1063742	TNCWS	GW	50	Private	Public Notice	Other	SFJ	8/17/2023		75	Public Notification Violation for NPDWR Violation
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/18/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA1063760	TNCWS	GW	25	Private	Public Notice	Other	SO6	12/6/2021		75	Public Notification Violation for NPDWR Violation
VA1063775	TNCWS	GW	500	Private	Public Notice	Other	SOX	12/11/2023	12/11/2023	75	Public Notification Violation for NPDWR Violation
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	12/21/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIF	12/21/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA1071095	TNCWS	GW	200	Private	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071095	TNCWS	GW	200	Private	Public Notice	Other	SFJ	11/9/2022		75	Public Notification Violation for NPDWR Violation
VA1071120	CWS	GUP	88	Local government	TTHM	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071120	CWS	GUP	88	Local government	TTHM	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)

VA1071120	CWS	GUP	88	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071120	CWS	GUP	88	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071200	CWS	GUP	124	Private	TTHM	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071200	CWS	GUP	124	Private	TTHM	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071200	CWS	GUP	124	Private	Total Haloacetic Acids (HAA5)	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071200	CWS	GUP	124	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SOX	9/27/2023	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIF	10/24/2022	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIE	10/26/2021	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SOX	9/27/2023	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIE	10/24/2022	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022	9/27/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Public Notice	Other	SFJ	12/7/2023		75	Public Notification Violation for NPDWR Violation
VA1071260	CWS	GUP	193	Local government	TTHM	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071260	CWS	GUP	193	Local government	TTHM	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071260	CWS	GUP	193	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)

VA1071260	CWS	GUP	193	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071300	CWS	GUP	1114	Local government	TTHM	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071300	CWS	GUP	1114	Local government	TTHM	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071300	CWS	GUP	1114	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071300	CWS	GUP	1114	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	12/27/2023		75	Public Notification Violation for NPDWR Violation
VA1071460	TNCWS	GW	25	Federal government	E. COLI	MR	SIE	10/19/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA1071460	TNCWS	GW	25	Federal government	E. COLI	MR	SFJ	10/19/2023	9/5/2023	34	Monitoring, Source Water (GWR)

VA1071460	TNCWS	GW	25	Federal government	E. COLI	MR	SOX	9/5/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	6/27/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	6/20/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	6/20/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	8/24/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	8/24/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	8/7/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	10/31/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	10/23/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	10/23/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	TT	SIE	12/1/2023	10/31/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	TT	SFJ	12/1/2023	10/31/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	TT	SOX	10/31/2023	10/31/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071520	CWS	GUP	48	Local government	TTHM	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071520	CWS	GUP	48	Local government	TTHM	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071520	CWS	GUP	48	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071520	CWS	GUP	48	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)

VA1071550	TNCWS	GW	125	State government	Public Notice	Other	SFJ	6/20/2023		75	Public Notification Violation for NPDWR Violation
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SIF	9/18/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SFJ	7/24/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SIE	7/24/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA1071551	NTNCWS	GW	150	Private	Public Notice	Other	SFJ	12/4/2023		75	Public Notification Violation for NPDWR Violation
VA1071568	CWS	GW	160	Private	Chlorine	MR	SFJ	6/28/2023	6/13/2023	27	Monitoring and Reporting (DBP)
VA1071568	CWS	GW	160	Private	Chlorine	MR	SIE	6/28/2023	6/13/2023	27	Monitoring and Reporting (DBP)
VA1071568	CWS	GW	160	Private	Chlorine	MR	SOX	6/13/2023	6/13/2023	27	Monitoring and Reporting (DBP)
VA1071568	CWS	GW	160	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA1071568	CWS	GW	160	Private	Revised Total Coliform Rule	MON	SIE	6/28/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA1071568	CWS	GW	160	Private	Revised Total Coliform Rule	MON	SOX	6/13/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	E. COLI	MR	SIF	11/28/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA1071576	TNCWS	GW	60	Private	E. COLI	MR	SIE	11/15/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA1071576	TNCWS	GW	60	Private	E. COLI	MR	SFJ	11/15/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA1071576	TNCWS	GW	60	Private	E. COLI	MR	SOX	10/11/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA1071576	TNCWS	GW	60	Private	Public Notice	Other	SOX	1/3/2023	1/3/2023	75	Public Notification Violation for NPDWR Violation

VA1071576	TNCWS	GW	60	Private	Public Notice	Other	SFJ	12/30/2022	1/3/2023	75	Public Notification Violation for NPDWR Violation
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	11/28/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	9/25/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	9/20/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	E. COLI	MR	SOX	10/30/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA1071650	TNCWS	GW	25	Private	E. COLI	MR	SFJ	2/22/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA1071650	TNCWS	GW	25	Private	E. COLI	MR	SIE	2/22/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA1071650	TNCWS	GW	25	Private	Public Notice	Other	SFJ	6/20/2023		75	Public Notification Violation for NPDWR Violation
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023		3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023		3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1071665	CWS	GUP	1167	Local government	Chlorine	MR	SFJ	10/16/2023	9/5/2023	27	Monitoring and Reporting (DBP)
VA1071665	CWS	GUP	1167	Local government	Chlorine	MR	SIE	10/16/2023	9/5/2023	27	Monitoring and Reporting (DBP)

VA1071665	CWS	GUP	1167	Local government	Chlorine	MR	SOX	9/5/2023	9/5/2023	27	Monitoring and Reporting (DBP)
VA1071665	CWS	GUP	1167	Local government	Chlorine	MR				27	Monitoring and Reporting (DBP)
VA1071665	CWS	GUP	1167	Local government	Lead and Copper Rule	MR	SIE	11/17/2023		52	Follow-up Or Routine LCR Tap M/R
VA1071665	CWS	GUP	1167	Local government	Lead and Copper Rule	MR	SFJ	11/17/2023		52	Follow-up Or Routine LCR Tap M/R
VA1071675	CWS	GUP	48	Local government	TTHM	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071675	CWS	GUP	48	Local government	TTHM	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071675	CWS	GUP	48	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071675	CWS	GUP	48	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/4/2023		30	Monitoring, Routine (IDSE)
VA1071710	CWS	GUP	295	Local government	TTHM	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071710	CWS	GUP	295	Local government	TTHM	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071710	CWS	GUP	295	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071710	CWS	GUP	295	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SOX	9/22/2023	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIF	10/24/2022	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIE	10/26/2021	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SOX	9/22/2023	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIE	10/24/2022	9/22/2023	52	Follow-up Or Routine LCR Tap M/R

VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022	9/22/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Public Notice	Other	SFJ	12/7/2023		75	Public Notification Violation for NPDWR Violation
VA1071845	CWS	GUP	84	Local government	TTHM	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071845	CWS	GUP	84	Local government	TTHM	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071845	CWS	GUP	84	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071845	CWS	GUP	84	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071850	CWS	GUP	430	Local government	Lead and Copper Rule	MR	SFJ	2/9/2023		66	Lead Consumer Notice
VA1071850	CWS	GUP	430	Local government	TTHM	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071850	CWS	GUP	430	Local government	TTHM	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071850	CWS	GUP	430	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071850	CWS	GUP	430	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/3/2023		30	Monitoring, Routine (IDSE)
VA1071910	TNCWS	GW	25	Federal government	Public Notice	Other	SFJ	8/18/2023		75	Public Notification Violation for NPDWR Violation
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SOX	9/26/2023	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIF	10/24/2022	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIE	10/26/2021	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SOX	9/26/2023	9/26/2023	52	Follow-up Or Routine LCR Tap M/R

VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIE	10/24/2022	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022	9/26/2023	52	Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Public Notice	Other	SFJ	12/7/2023		75	Public Notification Violation for NPDWR Violation
VA1071920	CWS	GUP	147	Local government	TTHM	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071920	CWS	GUP	147	Local government	TTHM	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071920	CWS	GUP	147	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071920	CWS	GUP	147	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071970	CWS	GUP	212	Local government	TTHM	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071970	CWS	GUP	212	Local government	TTHM	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071970	CWS	GUP	212	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/2/2023		30	Monitoring, Routine (IDSE)
VA1071970	CWS	GUP	212	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/2/2023		30	Monitoring, Routine (IDSE)
VA1077070	TNCWS	GW	70	Private	Public Notice	Other	SFJ	11/20/2023		75	Public Notification Violation for NPDWR Violation
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SOX	12/19/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SFJ	1/30/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SIE	1/30/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SOX	12/19/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SIE	8/18/2023	12/19/2023	34	Monitoring, Source Water (GWR)

VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SFJ	8/18/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SFJ	10/24/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SIE	10/24/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SOX	10/23/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SOX	12/19/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SIE	10/24/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	E. COLI	MR	SFJ	10/24/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077098	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/26/2023		75	Public Notification Violation for NPDWR Violation
VA1077098	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/26/2023		75	Public Notification Violation for NPDWR Violation
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	5/23/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	5/17/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA1077098	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA1077135	TNCWS	GW	25	Private	Public Notice	Other	SOX	10/4/2023	10/4/2023	75	Public Notification Violation for NPDWR Violation

VA1077135	TNCWS	GW	25	Private	Public Notice	Other	SFJ	3/6/2023	10/4/2023	75	Public Notification Violation for NPDWR Violation
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	11/8/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/2/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA1077240	CWS	SW	484	Local government	Fluoride	MR				3	Monitoring, Regular
VA1077335	CWS	GUP	971	Local government	Chlorine	MR	SIE	8/30/2023	8/9/2023	27	Monitoring and Reporting (DBP)
VA1077335	CWS	GUP	971	Local government	Chlorine	MR	SFJ	8/30/2023	8/9/2023	27	Monitoring and Reporting (DBP)
VA1077335	CWS	GUP	971	Local government	Chlorine	MR	SOX	8/9/2023	8/9/2023	27	Monitoring and Reporting (DBP)
VA1077411	TNCWS	GW	75	Private	Public Notice	Other	SFJ	10/16/2023		75	Public Notification Violation for NPDWR Violation
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	4/28/2023	4/28/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	4/13/2023	4/28/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	4/13/2023	4/28/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	12/15/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	12/15/2023	12/15/2023	3A	Monitoring, Routine (RTCR)

VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	12/1/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	12/1/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	12/15/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	1,1,1-Trichloroethane	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,1,1-Trichloroethane	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,1,2-Trichloroethane	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,1,2-Trichloroethane	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,1-Dichloroethylene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,1-Dichloroethylene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2,4-Trichlorobenzene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2,4-Trichlorobenzene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2-Dichloroethane	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2-Dichloroethane	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2-Dichloropropane	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	1,2-Dichloropropane	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Benzene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Benzene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	CHLOROBENZENE	MR	SFJ	8/14/2023		3	Monitoring, Regular

VA1077539	CWS	GW	225	Private	CHLOROBENZENE	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Carbon tetrachloride	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Carbon tetrachloride	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Chlorine	MR	SIE	6/29/2023	6/22/2023	27	Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	Chlorine	MR	SFJ	6/29/2023	6/22/2023	27	Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	Chlorine	MR	SOX	6/22/2023	6/22/2023	27	Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	DICHLOROMETHANE	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	DICHLOROMETHANE	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	E. COLI	MR	SIF	6/28/2023	4/28/2023	34	Monitoring, Source Water (GWR)
VA1077539	CWS	GW	225	Private	E. COLI	MR	SIE	5/22/2023	4/28/2023	34	Monitoring, Source Water (GWR)
VA1077539	CWS	GW	225	Private	E. COLI	MR	SFJ	5/22/2023	4/28/2023	34	Monitoring, Source Water (GWR)
VA1077539	CWS	GW	225	Private	E. COLI	MR	SOX	4/28/2023	4/28/2023	34	Monitoring, Source Water (GWR)
VA1077539	CWS	GW	225	Private	Ethylbenzene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Ethylbenzene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SFJ	6/29/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SIE	6/29/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SOX	6/22/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Styrene	MR	SFJ	8/14/2023		3	Monitoring, Regular

VA1077539	CWS	GW	225	Private	Styrene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Tetrachloroethylene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Tetrachloroethylene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Toluene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Toluene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Trichloroethylene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Trichloroethylene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Vinyl chloride	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Vinyl chloride	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Xylenes, Total	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	Xylenes, Total	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	cis-1,2-Dichloroethylene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	cis-1,2-Dichloroethylene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	o-Dichlorobenzene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	o-Dichlorobenzene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	p-Dichlorobenzene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	p-Dichlorobenzene	MR	SIE	8/14/2023		3	Monitoring, Regular
VA1077539	CWS	GW	225	Private	trans-1,2-Dichloroethylene	MR	SIE	8/14/2023		3	Monitoring, Regular

VA1077539	CWS	GW	225	Private	trans-1,2-Dichloroethylene	MR	SFJ	8/14/2023		3	Monitoring, Regular
VA1077750	CWS	GW	25	Private	E. COLI	MR	SOX	12/19/2023	12/19/2023	34	Monitoring, Source Water (GWR)
VA1077851	TNCWS	GW	85	Private	Public Notice	Other	SFJ	4/26/2023		75	Public Notification Violation for NPDWR Violation
VA1077851	TNCWS	GW	85	Private	Public Notice	Other	SFJ	4/26/2023		75	Public Notification Violation for NPDWR Violation
VA1121034	NTNCWS	GW	350	Private	Chlorine	MR	SOX	12/12/2023	12/12/2023	27	Monitoring and Reporting (DBP)
VA1121034	NTNCWS	GW	350	Private	Public Notice	Other	SFJ	5/8/2023		75	Public Notification Violation for NPDWR Violation
VA1121034	NTNCWS	GW	350	Private	Public Notice	Other	SFJ	5/8/2023		75	Public Notification Violation for NPDWR Violation
VA1121034	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA1121090	CWS	SWP	22000	Local government	TTHM	MR	SFJ	12/5/2023		30	Monitoring, Routine (IDSE)
VA1121090	CWS	SWP	22000	Local government	TTHM	MR	SIE	12/5/2023		30	Monitoring, Routine (IDSE)
VA1121090	CWS	SWP	22000	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	12/5/2023		30	Monitoring, Routine (IDSE)
VA1121090	CWS	SWP	22000	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	12/5/2023		30	Monitoring, Routine (IDSE)
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SOX	8/21/2023	8/21/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SIF	6/15/2022	8/21/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SFO	6/5/2021	8/21/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SFJ	12/30/2019	8/21/2023	58	OCCT/SOWT Treatment Installation/Demonstration

VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SIE	12/30/2019	8/21/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SOX	8/21/2023	8/21/2023	66	Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFO	6/5/2021	8/21/2023	66	Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	7/6/2020	8/21/2023	66	Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SOX	8/21/2023	8/21/2023	66	Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFO	6/5/2021	8/21/2023	66	Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	7/6/2020	8/21/2023	66	Lead Consumer Notice
VA1121230	CWS	SWP	130	Private	Chlorine	MR	SFJ	12/20/2023	12/11/2023	27	Monitoring and Reporting (DBP)
VA1121230	CWS	SWP	130	Private	Chlorine	MR	SIE	12/20/2023	12/11/2023	27	Monitoring and Reporting (DBP)
VA1121230	CWS	SWP	130	Private	Chlorine	MR	SOX	12/11/2023	12/11/2023	27	Monitoring and Reporting (DBP)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SOX	12/11/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SOX	12/11/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/11/2023	3A	Monitoring, Routine (RTCR)

VA1121230	CWS	SWP	130	Private	Revised Total Coliform Rule	MON	SOX	12/11/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	5/4/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/28/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/28/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	4/19/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1121508	TNCWS	GW	25	Private	Public Notice	Other	SOX	12/7/2023	12/7/2023	75	Public Notification Violation for NPDWR Violation
VA1121508	TNCWS	GW	25	Private	Public Notice	Other	SFJ	12/6/2023	12/7/2023	75	Public Notification Violation for NPDWR Violation
VA1121681	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL				1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	2/2/2022		75	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021		75	Public Notification Violation for NPDWR Violation
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SOX	9/18/2023	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SIF	11/16/2022	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SFJ	11/16/2022	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SIE	11/16/2022	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA1155055	CWS	SWP	100	Local government	Public Notice	Other	SOX	8/18/2023	8/18/2023	75	Public Notification Violation for NPDWR Violation

VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIF	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFJ	4/28/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIE	4/28/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFL	3/18/2022		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIF	8/17/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFJ	7/10/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIE	7/10/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFL	3/18/2022		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIF	11/3/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIE	10/25/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFJ	10/25/2023		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFL	3/18/2022		2	Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFL	3/18/2022		2	Maximum Contaminant Level Violation, Average
VA1155082	TNCWS	GW	900	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1155089	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1155090	TNCWS	GW	900	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1155315	TNCWS	GW	320	Private	Public Notice	Other	SOX	8/1/2023	8/1/2023	75	Public Notification Violation for NPDWR Violation

VA1155315	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1155500	TNCWS	GW	75	Private	Nitrite	MR				3	Monitoring, Regular
VA1155500	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1155500	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1155500	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	12/5/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA1155505	CWS	SWP	345	Local government	Lead and Copper Rule	MR	SIF	11/6/2023		52	Follow-up Or Routine LCR Tap M/R
VA1155505	CWS	SWP	345	Local government	Lead and Copper Rule	MR	SFJ	11/1/2023		52	Follow-up Or Routine LCR Tap M/R
VA1155505	CWS	SWP	345	Local government	Lead and Copper Rule	MR	SIE	11/1/2023		52	Follow-up Or Routine LCR Tap M/R
VA1155542	TNCWS	GW	500	Private	Public Notice	Other	SOX	3/14/2023	3/14/2023	75	Public Notification Violation for NPDWR Violation
VA1155542	TNCWS	GW	500	Private	Public Notice	Other	SFJ	3/3/2023	3/14/2023	75	Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	6/13/2023	6/13/2023	75	Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SFJ	5/17/2023	6/13/2023	75	Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SFJ	9/20/2023	6/13/2023	75	Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	6/13/2023	6/13/2023	75	Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	6/13/2023	6/13/2023	75	Public Notification Violation for NPDWR Violation

VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/23/2023	2/22/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	3/3/2023	2/22/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	3/3/2023	2/22/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	2/22/2023	2/22/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	6/26/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/23/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	4/14/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	4/14/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	TT	SIF	6/23/2023		2B	Treatment Technique, Level 2 Assessment (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	TT	SFJ	5/16/2023		2B	Treatment Technique, Level 2 Assessment (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	TT	SIE	5/16/2023		2B	Treatment Technique, Level 2 Assessment (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	6/26/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/23/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	7/6/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	7/6/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	6/26/2023	6/26/2023	3A	Monitoring, Routine (RTCR)

VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/13/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	12/27/2023	12/27/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	12/20/2023	12/27/2023	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2023	12/27/2023	3A	Monitoring, Routine (RTCR)
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021		75	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	2/3/2021		75	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021		75	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	2/3/2021		75	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021		75	Public Notification Violation for NPDWR Violation
VA1155771	TNCWS	GW	250	Private	Public Notice	Other	SFJ	3/3/2023	2/23/2023	75	Public Notification Violation for NPDWR Violation
VA1155771	TNCWS	GW	250	Private	Public Notice	Other	SOX	2/23/2023	2/23/2023	75	Public Notification Violation for NPDWR Violation
VA1167050	CWS	GU	5565	Local government	Lead and Copper Rule	MR	SFJ	1/6/2022		66	Lead Consumer Notice
VA1167051	CWS	SWP	1575	Local government	Chlorine	MR	SIF	7/31/2023	5/8/2023	27	Monitoring and Reporting (DBP)
VA1167051	CWS	SWP	1575	Local government	Chlorine	MR	SIE	6/9/2023	5/8/2023	27	Monitoring and Reporting (DBP)
VA1167051	CWS	SWP	1575	Local government	Chlorine	MR	SFJ	6/9/2023	5/8/2023	27	Monitoring and Reporting (DBP)

VA1167051	CWS	SWP	1575	Local government	Chlorine	MR	SOX	5/8/2023	5/8/2023	27	Monitoring and Reporting (DBP)
VA1167051	CWS	SWP	1575	Local government	Lead and Copper Rule	MR	SOX	4/25/2023	4/25/2023	66	Lead Consumer Notice
VA1167051	CWS	SWP	1575	Local government	Lead and Copper Rule	MR	SFJ	2/13/2023	4/25/2023	66	Lead Consumer Notice
VA1167051	CWS	SWP	1575	Local government	Revised Total Coliform Rule	MON	SIF	7/31/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA1167051	CWS	SWP	1575	Local government	Revised Total Coliform Rule	MON	SIE	6/9/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA1167051	CWS	SWP	1575	Local government	Revised Total Coliform Rule	MON	SFJ	6/9/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA1167051	CWS	SWP	1575	Local government	Revised Total Coliform Rule	MON	SOX	5/8/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Chlorine	MR	SOX	8/28/2023	8/28/2023	27	Monitoring and Reporting (DBP)
VA1167115	CWS	GW	340	Local government	Chlorine	MR	SIF	8/24/2023	8/28/2023	27	Monitoring and Reporting (DBP)
VA1167115	CWS	GW	340	Local government	Chlorine	MR	SIE	8/23/2023	8/28/2023	27	Monitoring and Reporting (DBP)
VA1167115	CWS	GW	340	Local government	Chlorine	MR	SFJ	8/23/2023	8/28/2023	27	Monitoring and Reporting (DBP)
VA1167115	CWS	GW	340	Local government	Chlorine	MR	SOX	12/20/2023	12/20/2023	27	Monitoring and Reporting (DBP)
VA1167115	CWS	GW	340	Local government	Public Notice	Other	SFJ	10/24/2022		75	Public Notification Violation for NPDWR Violation
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SOX	8/28/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SIF	8/24/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SFJ	8/23/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SIE	8/23/2023	8/28/2023	3A	Monitoring, Routine (RTCR)

VA1167121	NTNCWS	GW	150	Local government	Lead and Copper Rule	MR	SOX	2/10/2023	2/10/2023	66	Lead Consumer Notice
VA1167121	NTNCWS	GW	150	Local government	Lead and Copper Rule	MR	SFJ	2/9/2023	2/10/2023	66	Lead Consumer Notice
VA1167200	CWS	SWP	113	Local government	Public Notice	Other	SFJ	8/23/2023		75	Public Notification Violation for NPDWR Violation
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SOX	8/22/2023	8/22/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	1/7/2021	8/22/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SOX	8/22/2023	8/22/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	1/7/2022	8/22/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SOX	4/25/2023	4/25/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	2/13/2023	4/25/2023	66	Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Public Notice	Other	SOX	9/6/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167275	CWS	SWP	1048	Local government	Public Notice	Other	SFJ	8/23/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167300	CWS	GW	2250	Local government	Lead and Copper Rule	MR	SFJ	2/13/2023	2/13/2023	66	Lead Consumer Notice
VA1167300	CWS	GW	2250	Local government	Lead and Copper Rule	MR	SOX	2/13/2023	2/13/2023	66	Lead Consumer Notice
VA1167385	NTNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIF	10/19/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1167385	NTNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SOX	6/27/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1167385	NTNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	6/20/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA1167385	NTNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	6/20/2023	6/27/2023	3A	Monitoring, Routine (RTCR)

VA1167540	CWS	GWP	375	Local government	Public Notice	Other	SOX	9/6/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167540	CWS	GWP	375	Local government	Public Notice	Other	SFJ	8/23/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167540	CWS	GWP	375	Local government	Public Notice	Other	SFJ	12/29/2023		75	Public Notification Violation for NPDWR Violation
VA1167540	CWS	GWP	375	Local government	Public Notice	Other	SFJ	11/9/2022		75	Public Notification Violation for NPDWR Violation
VA1167718	NTNCWS	GW	191	Private	Lead and Copper Rule	MR	SFJ	2/9/2023	1/5/2023	66	Lead Consumer Notice
VA1167718	NTNCWS	GW	191	Private	Lead and Copper Rule	MR	SOX	1/5/2023	1/5/2023	66	Lead Consumer Notice
VA1167740	TNCWS	GW	28	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA1167814	CWS	GWP	125	Local government	Public Notice	Other	SOX	9/6/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167814	CWS	GWP	125	Local government	Public Notice	Other	SFJ	8/23/2023	9/6/2023	75	Public Notification Violation for NPDWR Violation
VA1167885	CWS	GW	223	Private	Chlorine	MR	SFJ	5/15/2023	5/9/2023	27	Monitoring and Reporting (DBP)
VA1167885	CWS	GW	223	Private	Chlorine	MR	SIE	5/15/2023	5/9/2023	27	Monitoring and Reporting (DBP)
VA1167885	CWS	GW	223	Private	Chlorine	MR	SOX	5/9/2023	5/9/2023	27	Monitoring and Reporting (DBP)
VA1167885	CWS	GW	223	Private	Chlorine	MR	SOX	12/11/2023	12/11/2023	27	Monitoring and Reporting (DBP)
VA1167885	CWS	GW	223	Private	Lead and Copper Rule	MR	SOX	12/27/2023	12/27/2023	66	Lead Consumer Notice
VA1167885	CWS	GW	223	Private	Lead and Copper Rule	MR	SFJ	2/13/2023	12/27/2023	66	Lead Consumer Notice

VA1167885	CWS	GW	223	Private	Revised Total Coliform Rule	MON	SOX	12/11/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA1167900	CWS	SWP	3233	Local government	Lead and Copper Rule	MR	SOX	4/26/2023	4/26/2023	66	Lead Consumer Notice
VA1167900	CWS	SWP	3233	Local government	Lead and Copper Rule	MR	SFJ	2/13/2023	4/26/2023	66	Lead Consumer Notice
VA1169011	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	7/19/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1169011	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	7/17/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1169011	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	7/17/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1169011	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	6/1/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Public Notice	Other	SOX	4/25/2023	4/25/2023	75	Public Notification Violation for NPDWR Violation
VA1169015	TNCWS	GW	60	Private	Public Notice	Other	SFJ	11/5/2021	4/25/2023	75	Public Notification Violation for NPDWR Violation
VA1169015	TNCWS	GW	60	Private	Public Notice	Other	SFJ	5/16/2023	4/25/2023	75	Public Notification Violation for NPDWR Violation
VA1169015	TNCWS	GW	60	Private	Public Notice	Other	SOX	4/25/2023	4/25/2023	75	Public Notification Violation for NPDWR Violation
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	5/4/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	2/13/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	2/13/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	2/13/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SIF	5/23/2023	4/1/2023	41	Treatment Technique (SWTR and GWR)

VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SIE	5/2/2023	4/1/2023	41	Treatment Technique (SWTR and GWR)
VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SFJ	5/2/2023	4/1/2023	41	Treatment Technique (SWTR and GWR)
VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SOX	4/1/2023	4/1/2023	41	Treatment Technique (SWTR and GWR)
VA1169225	CWS	GU	410	Local government	TTHM	MR	SIE	10/31/2023		30	Monitoring, Routine (IDSE)
VA1169225	CWS	GU	410	Local government	TTHM	MR	SFJ	10/31/2023		30	Monitoring, Routine (IDSE)
VA1169225	CWS	GU	410	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/31/2023		30	Monitoring, Routine (IDSE)
VA1169225	CWS	GU	410	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/31/2023		30	Monitoring, Routine (IDSE)
VA1169380	CWS	SWP	144	Local government	Lead and Copper Rule	MR	SFJ	11/21/2023	10/26/2023	66	Lead Consumer Notice
VA1169380	CWS	SWP	144	Local government	Lead and Copper Rule	MR	SOX	10/26/2023	10/26/2023	66	Lead Consumer Notice
VA1169405	CWS	SW	2034	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/16/2023		35	Failure Submit IDSE/Subpart V Plan Rpt
VA1169868	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SIF	4/5/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA1169868	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SFJ	3/29/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA1169868	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SIE	3/29/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA1169868	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SOX	3/15/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA1169929	NTNCWS	GW	275	Local government	Chlorine	MR	SIF	9/13/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA1169929	NTNCWS	GW	275	Local government	Chlorine	MR	SOX	7/31/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA1169929	NTNCWS	GW	275	Local government	Chlorine	MR	SIE	7/31/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA1169929	NTNCWS	GW	275	Local government	Chlorine	MR	SFJ	7/31/2023	7/31/2023	27	Monitoring and Reporting (DBP)

VA1169929	NTNCWS	GW	275	Local government	Revised Total Coliform Rule	MON	SIF	9/13/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA1169929	NTNCWS	GW	275	Local government	Revised Total Coliform Rule	MON	SOX	7/31/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA1169929	NTNCWS	GW	275	Local government	Revised Total Coliform Rule	MON	SIE	7/31/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA1169929	NTNCWS	GW	275	Local government	Revised Total Coliform Rule	MON	SFJ	7/31/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA1173271	TNCWS	GU	25	Local government	Surface Water Treatment Rule	TT	SIF	7/28/2023		42	Failure to Filter (SWTR)
VA1173271	TNCWS	GU	25	Local government	Surface Water Treatment Rule	TT	SFJ	7/20/2023		42	Failure to Filter (SWTR)
VA1173271	TNCWS	GU	25	Local government	Surface Water Treatment Rule	TT	SIE	7/20/2023		42	Failure to Filter (SWTR)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SOX	10/26/2023	10/26/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SFJ	10/25/2023	10/26/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SIE	10/25/2023	10/26/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SOX	12/21/2023	12/21/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SFJ	12/21/2023	12/21/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Chlorine	MR	SIE	12/21/2023	12/21/2023	27	Monitoring and Reporting (DBP)
VA1173742	CWS	GU	1276	Local government	Revised Total Coliform Rule	MON	SOX	10/26/2023	10/26/2023	3A	Monitoring, Routine (RTCR)
VA1173742	CWS	GU	1276	Local government	Revised Total Coliform Rule	MON	SFJ	10/25/2023	10/26/2023	3A	Monitoring, Routine (RTCR)
VA1173742	CWS	GU	1276	Local government	Revised Total Coliform Rule	MON	SIE	10/25/2023	10/26/2023	3A	Monitoring, Routine (RTCR)
VA1173783	CWS	GUP	1135	Local government	Lead and Copper Rule	MR	SIF	12/26/2023		52	Follow-up Or Routine LCR Tap M/R
VA1173783	CWS	GUP	1135	Local government	Lead and Copper Rule	MR	SFJ	11/21/2023		52	Follow-up Or Routine LCR Tap M/R

VA1173783	CWS	GUP	1135	Local government	Lead and Copper Rule	MR	SIE	11/21/2023		52	Follow-up Or Routine LCR Tap M/R
VA1185061	CWS	SW	5811	Local government	Nitrate-Nitrite	MR	SIF	6/5/2023		3	Monitoring, Regular
VA1185061	CWS	SW	5811	Local government	Nitrate-Nitrite	MR	SIE	4/28/2023		3	Monitoring, Regular
VA1185061	CWS	SW	5811	Local government	Nitrate-Nitrite	MR	SFJ	4/28/2023		3	Monitoring, Regular
VA1185755	CWS	SWP	4470	Local government	Chlorine	MR	SFJ	12/19/2023	11/8/2023	27	Monitoring and Reporting (DBP)
VA1185755	CWS	SWP	4470	Local government	Chlorine	MR	SIE	12/19/2023	11/8/2023	27	Monitoring and Reporting (DBP)
VA1185755	CWS	SWP	4470	Local government	Chlorine	MR	SOX	11/8/2023	11/8/2023	27	Monitoring and Reporting (DBP)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	6/21/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/24/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/24/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA1191150	CWS	SWP	150	Local government	Chlorine	MR	SIE	12/29/2023	12/1/2023	27	Monitoring and Reporting (DBP)
VA1191150	CWS	SWP	150	Local government	Chlorine	MR	SFJ	12/29/2023	12/1/2023	27	Monitoring and Reporting (DBP)
VA1191150	CWS	SWP	150	Local government	Chlorine	MR	SOX	12/1/2023	12/1/2023	27	Monitoring and Reporting (DBP)
VA1191150	CWS	SWP	150	Local government	Revised Total Coliform Rule	MON	SIE	12/29/2023	12/1/2023	3A	Monitoring, Routine (RTCR)
VA1191150	CWS	SWP	150	Local government	Revised Total Coliform Rule	MON	SFJ	12/29/2023	12/1/2023	3A	Monitoring, Routine (RTCR)
VA1191150	CWS	SWP	150	Local government	Revised Total Coliform Rule	MON	SOX	12/1/2023	12/1/2023	3A	Monitoring, Routine (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Public Notice	Other	SFJ	11/21/2023		75	Public Notification Violation for NPDWR Violation

VA1195376	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	7/13/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1195376	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	7/10/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1195376	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	7/10/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1195376	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	6/1/2023	6/1/2023	3A	Monitoring, Routine (RTCR)
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	11/13/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/26/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/28/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/28/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	11/13/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	10/12/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	10/2/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197810	CWS	SW	7804	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	10/2/2023	11/13/2023	2	Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Chlorine	MR	SIE	12/6/2023	11/1/2023	27	Monitoring and Reporting (DBP)
VA1197880	CWS	SWP	1001	Local government	Chlorine	MR	SFJ	12/6/2023	11/1/2023	27	Monitoring and Reporting (DBP)
VA1197880	CWS	SWP	1001	Local government	Chlorine	MR	SOX	11/1/2023	11/1/2023	27	Monitoring and Reporting (DBP)
VA2003060	TNCWS	GW	25	Local government	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2003075	NTNCWS	GW	120	Private	Lead and Copper Rule	MR				66	Lead Consumer Notice

VA2003168	NTNCWS	GW	60	Private	Lead and Copper Rule	MR	SIE	11/9/2022		52	Follow-up Or Routine LCR Tap M/R
VA2003168	NTNCWS	GW	60	Private	Lead and Copper Rule	MR	SFJ	11/9/2022		52	Follow-up Or Routine LCR Tap M/R
VA2003168	NTNCWS	GW	60	Private	Lead and Copper Rule	MR	SIE	11/14/2023		52	Follow-up Or Routine LCR Tap M/R
VA2003168	NTNCWS	GW	60	Private	Lead and Copper Rule	MR	SFJ	11/14/2023		52	Follow-up Or Routine LCR Tap M/R
VA2003170	NTNCWS	GW	306	Local government	Chlorine	MR	SFJ	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003170	NTNCWS	GW	306	Local government	Chlorine	MR	SIE	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003170	NTNCWS	GW	306	Local government	Chlorine	MR	SOX	10/18/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003170	NTNCWS	GW	306	Local government	Revised Total Coliform Rule	MON	SIE	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003170	NTNCWS	GW	306	Local government	Revised Total Coliform Rule	MON	SFJ	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003170	NTNCWS	GW	306	Local government	Revised Total Coliform Rule	MON	SOX	10/18/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003230	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2023		3A	Monitoring, Routine (RTCR)
VA2003230	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	11/2/2023		3A	Monitoring, Routine (RTCR)
VA2003230	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2003253	TNCWS	GW	25	Federal government	Coliform (TCR)	MR	SFJ	1/27/1997		23	Monitoring, Routine Major (TCR)
VA2003253	TNCWS	GW	25	Federal government	Coliform (TCR)	MR	SIE	1/27/1997		23	Monitoring, Routine Major (TCR)
VA2003259	NTNCWS	GW	80	Private	E. COLI	MR	SIE	9/20/2023	9/18/2023	34	Monitoring, Source Water (GWR)
VA2003259	NTNCWS	GW	80	Private	E. COLI	MR	SFJ	9/20/2023	9/18/2023	34	Monitoring, Source Water (GWR)
VA2003259	NTNCWS	GW	80	Private	E. COLI	MR	SOX	9/18/2023	9/18/2023	34	Monitoring, Source Water (GWR)

VA2003270	NTNCWS	GW	90	Private	Chlorine	MR	SIF	10/16/2023	7/10/2023	27	Monitoring and Reporting (DBP)
VA2003270	NTNCWS	GW	90	Private	Chlorine	MR	SIE	7/27/2023	7/10/2023	27	Monitoring and Reporting (DBP)
VA2003270	NTNCWS	GW	90	Private	Chlorine	MR	SFJ	7/27/2023	7/10/2023	27	Monitoring and Reporting (DBP)
VA2003270	NTNCWS	GW	90	Private	Chlorine	MR	SOX	7/10/2023	7/10/2023	27	Monitoring and Reporting (DBP)
VA2003400	CWS	GW	504	Private	1,1,1-Trichloroethane	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	1,1,2-Trichloroethane	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	1,1-Dichloroethylene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	1,2,4-Trichlorobenzene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	1,2-Dichloroethane	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	1,2-Dichloropropane	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Benzene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	CHLOROBENZENE	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Carbon tetrachloride	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	DICHLOROMETHANE	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Ethylbenzene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Styrene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Tetrachloroethylene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Toluene	MR				3	Monitoring, Regular

VA2003400	CWS	GW	504	Private	Trichloroethylene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Vinyl chloride	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	Xylenes, Total	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	cis-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	o-Dichlorobenzene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	p-Dichlorobenzene	MR				3	Monitoring, Regular
VA2003400	CWS	GW	504	Private	trans-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA2003463	TNCWS	GW	105	Private	E. COLI	MR	SIE	12/20/2023		34	Monitoring, Source Water (GWR)
VA2003463	TNCWS	GW	105	Private	E. COLI	MR	SFJ	12/20/2023		34	Monitoring, Source Water (GWR)
VA2003463	TNCWS	GW	105	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2003463	TNCWS	GW	105	Private	Public Notice	Other	SFJ	2/22/2023		75	Public Notification Violation for NPDWR Violation
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SIE	11/2/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SOX	10/30/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA2003485	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/25/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)
VA2003485	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/25/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)
VA2003485	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/24/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)

VA2003522	NTNCWS	GW	225	Private	TTHM	MR	SFJ	12/19/2023		30	Monitoring, Routine (IDSE)
VA2003522	NTNCWS	GW	225	Private	TTHM	MR	SIE	12/19/2023		30	Monitoring, Routine (IDSE)
VA2003522	NTNCWS	GW	225	Private	Tetrachloroethylene	MCL	SIE	12/19/2023		2	Maximum Contaminant Level Violation, Average
VA2003522	NTNCWS	GW	225	Private	Tetrachloroethylene	MCL	SFJ	12/19/2023		2	Maximum Contaminant Level Violation, Average
VA2003522	NTNCWS	GW	225	Private	Total Haloacetic Acids (HAA5)	MR	SIE	12/19/2023		30	Monitoring, Routine (IDSE)
VA2003522	NTNCWS	GW	225	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	12/19/2023		30	Monitoring, Routine (IDSE)
VA2003622	TNCWS	GW	47	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2003622	TNCWS	GW	47	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2003622	TNCWS	GW	47	Private	Revised Total Coliform Rule	MON	SOX	7/11/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2003653	TNCWS	GW	290	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA2003653	TNCWS	GW	290	Private	Revised Total Coliform Rule	MON	SIE	11/2/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA2003653	TNCWS	GW	290	Private	Revised Total Coliform Rule	MON	SOX	10/4/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA2003654	TNCWS	GW	50	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2003680	NTNCWS	GW	292	Local government	Chlorine	MR	SIE	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003680	NTNCWS	GW	292	Local government	Chlorine	MR	SFJ	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003680	NTNCWS	GW	292	Local government	Chlorine	MR	SOX	10/18/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003680	NTNCWS	GW	292	Local government	Revised Total Coliform Rule	MON	SIE	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)

VA2003680	NTNCWS	GW	292	Local government	Revised Total Coliform Rule	MON	SFJ	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003680	NTNCWS	GW	292	Local government	Revised Total Coliform Rule	MON	SOX	10/18/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Public Notice	Other	SFJ	12/28/2023	12/28/2023	75	Public Notification Violation for NPDWR Violation
VA2003691	TNCWS	GW	30	Private	Public Notice	Other	SOX	12/28/2023	12/28/2023	75	Public Notification Violation for NPDWR Violation
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	4/19/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	4/18/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	6/22/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/21/2023	6/21/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	12/5/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	12/5/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	11/1/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA2003810	NTNCWS	GW	277	Local government	Chlorine	MR	SIE	11/6/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003810	NTNCWS	GW	277	Local government	Chlorine	MR	SFJ	11/6/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003810	NTNCWS	GW	277	Local government	Chlorine	MR	SOX	10/24/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003810	NTNCWS	GW	277	Local government	Revised Total Coliform Rule	MON	SFJ	11/6/2023	10/24/2023	3A	Monitoring, Routine (RTCR)

VA2003810	NTNCWS	GW	277	Local government	Revised Total Coliform Rule	MON	SIE	11/6/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2003810	NTNCWS	GW	277	Local government	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2003850	CWS	GW	27	Private	Lead and Copper Rule	MR	SIE	11/14/2023		52	Follow-up Or Routine LCR Tap M/R
VA2003850	CWS	GW	27	Private	Lead and Copper Rule	MR	SFJ	11/14/2023		52	Follow-up Or Routine LCR Tap M/R
VA2003850	CWS	GW	27	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2003850	CWS	GW	27	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2003877	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SIF	7/25/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2003877	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2003877	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2003877	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MON	SOX	7/20/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2003880	NTNCWS	GW	433	Local government	Chlorine	MR	SIE	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003880	NTNCWS	GW	433	Local government	Chlorine	MR	SFJ	11/6/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003880	NTNCWS	GW	433	Local government	Chlorine	MR	SOX	10/18/2023	10/18/2023	27	Monitoring and Reporting (DBP)
VA2003880	NTNCWS	GW	433	Local government	Revised Total Coliform Rule	MON	SFJ	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003880	NTNCWS	GW	433	Local government	Revised Total Coliform Rule	MON	SIE	11/6/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003880	NTNCWS	GW	433	Local government	Revised Total Coliform Rule	MON	SOX	10/18/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA2003882	TNCWS	GW	100	Private	E. COLI	MR	SIE	12/5/2023		34	Monitoring, Source Water (GWR)
VA2003882	TNCWS	GW	100	Private	E. COLI	MR	SFJ	12/5/2023		34	Monitoring, Source Water (GWR)

VA2003885	NTNCWS	GW	330	Local government	Chlorine	MR	SIE	11/6/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003885	NTNCWS	GW	330	Local government	Chlorine	MR	SFJ	11/6/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003885	NTNCWS	GW	330	Local government	Chlorine	MR	SOX	10/24/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2003885	NTNCWS	GW	330	Local government	Revised Total Coliform Rule	MON	SIE	11/6/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2003885	NTNCWS	GW	330	Local government	Revised Total Coliform Rule	MON	SFJ	11/6/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2003885	NTNCWS	GW	330	Local government	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2005042	TNCWS	GW	25	Private	Public Notice	Other	SFJ	11/28/2023		75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	E. COLI	MR	SFJ	9/15/2023	8/8/2023	34	Monitoring, Source Water (GWR)
VA2005070	TNCWS	GW	50	Private	E. COLI	MR	SIE	9/15/2023	8/8/2023	34	Monitoring, Source Water (GWR)
VA2005070	TNCWS	GW	50	Private	E. COLI	MR	SOX	8/8/2023	8/8/2023	34	Monitoring, Source Water (GWR)
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SIE	5/9/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SFJ	5/9/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation

VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SFJ	4/18/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other	SIE	4/18/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	12/21/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	6/26/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	4/28/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	4/28/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SIF	12/21/2023	11/29/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SOX	11/29/2023	11/29/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SFJ	11/1/2023	11/29/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SIE	11/1/2023	11/29/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	12/21/2023	10/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/1/2023	10/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2023	10/17/2023	3B	Monitoring, Additional Routine (RTCR)

VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/17/2023	10/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIF	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SOX	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIE	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SFJ	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIF	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SOX	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIE	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SFJ	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIF	10/5/2023	9/28/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SOX	9/28/2023	9/28/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SFJ	9/25/2023	9/28/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIE	9/25/2023	9/28/2023	75	Public Notification Violation for NPDWR Violation

VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIF	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SOX	10/5/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SFJ	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005631	TNCWS	GWP	250	Federal government	Public Notice	Other	SIE	9/25/2023	10/5/2023	75	Public Notification Violation for NPDWR Violation
VA2005950	CWS	SWP	288	Local government	Chlorine	MR	SIE	12/8/2023	11/6/2023	27	Monitoring and Reporting (DBP)
VA2005950	CWS	SWP	288	Local government	Chlorine	MR	SFJ	12/8/2023	11/6/2023	27	Monitoring and Reporting (DBP)
VA2005950	CWS	SWP	288	Local government	Chlorine	MR	SOX	11/6/2023	11/6/2023	27	Monitoring and Reporting (DBP)
VA2005950	CWS	SWP	288	Local government	Revised Total Coliform Rule	MON	SIE	12/8/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA2005950	CWS	SWP	288	Local government	Revised Total Coliform Rule	MON	SFJ	12/8/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA2005950	CWS	SWP	288	Local government	Revised Total Coliform Rule	MON	SOX	11/6/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA2005950	CWS	SWP	288	Local government	TTHM	MR	SFJ	11/30/2023		30	Monitoring, Routine (IDSE)
VA2005950	CWS	SWP	288	Local government	TTHM	MR	SIE	11/30/2023		30	Monitoring, Routine (IDSE)
VA2005950	CWS	SWP	288	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/30/2023		30	Monitoring, Routine (IDSE)
VA2005950	CWS	SWP	288	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/30/2023		30	Monitoring, Routine (IDSE)
VA2015050	CWS	GW	150	Private	Chlorine	MR	SFJ	11/1/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2015050	CWS	GW	150	Private	Chlorine	MR	SIE	11/1/2023	10/24/2023	27	Monitoring and Reporting (DBP)

VA2015050	CWS	GW	150	Private	Chlorine	MR	SOX	10/24/2023	10/24/2023	27	Monitoring and Reporting (DBP)
VA2015050	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2015050	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	11/1/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2015050	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2015085	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA2015085	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	8/8/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA2015085	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	8/8/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA2015110	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2023	9/5/2023	3A	Monitoring, Routine (RTCR)
VA2015110	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	9/26/2023	9/5/2023	3A	Monitoring, Routine (RTCR)
VA2015110	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	9/5/2023	9/5/2023	3A	Monitoring, Routine (RTCR)
VA2015119	CWS	GW	36	Private	Lead and Copper Rule	MR	SIE	11/13/2023		52	Follow-up Or Routine LCR Tap M/R
VA2015119	CWS	GW	36	Private	Lead and Copper Rule	MR	SFJ	11/13/2023		52	Follow-up Or Routine LCR Tap M/R
VA2015123	TNCWS	GW	50	Private	E. COLI	MR	SFJ	9/19/2023	5/9/2023	34	Monitoring, Source Water (GWR)
VA2015123	TNCWS	GW	50	Private	E. COLI	MR	SIE	9/19/2023	5/9/2023	34	Monitoring, Source Water (GWR)
VA2015123	TNCWS	GW	50	Private	E. COLI	MR	SOX	5/9/2023	5/9/2023	34	Monitoring, Source Water (GWR)
VA2015123	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	6/22/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)
VA2015123	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)
VA2015123	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	5/24/2023	5/24/2023	3B	Monitoring, Additional Routine (RTCR)

VA2015760	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	5/25/2023	5/25/2023	3A	Monitoring, Routine (RTCR)
VA2015760	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	5/25/2023	3A	Monitoring, Routine (RTCR)
VA2015760	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	5/25/2023	3A	Monitoring, Routine (RTCR)
VA2015821	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	12/11/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA2015821	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	11/13/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA2015821	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	11/13/2023	12/11/2023	3A	Monitoring, Routine (RTCR)
VA2023080	TNCWS	GW	225	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2023080	TNCWS	GW	225	Private	Revised Total Coliform Rule	MON	SIE	4/28/2023	4/18/2023	3A	Monitoring, Routine (RTCR)
VA2023080	TNCWS	GW	225	Private	Revised Total Coliform Rule	MON	SFJ	4/28/2023	4/18/2023	3A	Monitoring, Routine (RTCR)
VA2023080	TNCWS	GW	225	Private	Revised Total Coliform Rule	MON	SOX	4/18/2023	4/18/2023	3A	Monitoring, Routine (RTCR)
VA2023165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA2023165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIF	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA2023165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA2023165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA2023172	NTNCWS	GW	50	Private	Lead and Copper Rule	MR	SFJ	1/31/2023	1/3/2023	66	Lead Consumer Notice
VA2023172	NTNCWS	GW	50	Private	Lead and Copper Rule	MR	SOX	1/3/2023	1/3/2023	66	Lead Consumer Notice
VA2023178	TNCWS	GW	200	Private	Public Notice	Other	SFJ	12/11/2023		75	Public Notification Violation for NPDWR Violation

VA2023178	TNCWS	GW	200	Private	Public Notice	Other	SFJ	12/11/2023		75	Public Notification Violation for NPDWR Violation
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	2/24/2023	2/24/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	2/16/2023	2/24/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	2/16/2023	2/24/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	6/29/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	5/31/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	5/31/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	6/29/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	6/26/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	6/26/2023	6/29/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	9/1/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	9/1/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	9/25/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	9/25/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA2023390	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/20/2023	3A	Monitoring, Routine (RTCR)

VA2023390	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2023390	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/20/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2023420	CWS	SWP	175	Private	Lead and Copper Rule	MR	SFJ	1/31/2023		66	Lead Consumer Notice
VA2023420	CWS	SWP	175	Private	Revised Total Coliform Rule	Other	SFJ	9/16/2022		5A	Sample Siting Plan Errors (RTCR)
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SOX	8/15/2023	8/15/2023	52	Follow-up Or Routine LCR Tap M/R
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SIF	6/30/2023	8/15/2023	52	Follow-up Or Routine LCR Tap M/R
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SFJ	11/15/2022	8/15/2023	52	Follow-up Or Routine LCR Tap M/R
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SIE	11/15/2022	8/15/2023	52	Follow-up Or Routine LCR Tap M/R
VA2023462	TNCWS	GW	300	Private	Public Notice	Other	SFJ	12/11/2023		75	Public Notification Violation for NPDWR Violation
VA2023462	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2023462	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2023462	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	3/21/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	3/21/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	3/6/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)

VA2023464	NTNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SIF	12/21/2023	1/27/2023	34	Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SOX	1/27/2023	1/27/2023	34	Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SIE	9/16/2022	1/27/2023	34	Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SFJ	9/16/2022	1/27/2023	34	Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	6/17/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	6/17/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	6/17/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	6/17/2022	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation

VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	12/12/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	12/12/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SOX	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIF	12/21/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	12/12/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	12/12/2023	12/21/2023	75	Public Notification Violation for NPDWR Violation
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	12/21/2023		3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	12/21/2023		3A	Monitoring, Routine (RTCR)

VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2023720	CWS	GW	500	Local government	Chlorine	MR	SIE	12/8/2023		27	Monitoring and Reporting (DBP)
VA2023720	CWS	GW	500	Local government	Chlorine	MR	SFJ	12/8/2023		27	Monitoring and Reporting (DBP)
VA2023736	TNCWS	GW	300	Private	Public Notice	Other	SFJ	11/28/2023		75	Public Notification Violation for NPDWR Violation
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023	12/6/2023	3A	Monitoring, Routine (RTCR)
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023	12/6/2023	3A	Monitoring, Routine (RTCR)
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	12/6/2023	12/6/2023	3A	Monitoring, Routine (RTCR)
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/5/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/8/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/8/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	10/31/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	10/12/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	10/12/2023		2	Maximum Contaminant Level Violation, Average
VA2043125	CWS	SW	4185	Local government	Total Haloacetic Acids (HAA5)	MCL				2	Maximum Contaminant Level Violation, Average
VA2043140	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/25/2023	8/16/2023	3B	Monitoring, Additional Routine (RTCR)
VA2043140	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2023	8/16/2023	3B	Monitoring, Additional Routine (RTCR)
VA2043140	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	8/16/2023	8/16/2023	3B	Monitoring, Additional Routine (RTCR)

VA2043725	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Public Notice	Other	SOX	6/7/2023	6/7/2023	75	Public Notification Violation for NPDWR Violation
VA2043942	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/21/2023	6/7/2023	75	Public Notification Violation for NPDWR Violation
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	6/7/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	5/17/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA2045160	CWS	GW	1238	Local government	TTHM	MR	SFJ	11/28/2023		30	Monitoring, Routine (IDSE)
VA2045160	CWS	GW	1238	Local government	TTHM	MR	SIE	11/28/2023		30	Monitoring, Routine (IDSE)
VA2045160	CWS	GW	1238	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/28/2023		30	Monitoring, Routine (IDSE)
VA2045160	CWS	GW	1238	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/28/2023		30	Monitoring, Routine (IDSE)
VA2045165	TNCWS	GW	200	Private	Public Notice	Other	SIF	12/8/2023	12/8/2023	75	Public Notification Violation for NPDWR Violation
VA2045165	TNCWS	GW	200	Private	Public Notice	Other	SOX	12/8/2023	12/8/2023	75	Public Notification Violation for NPDWR Violation
VA2045165	TNCWS	GW	200	Private	Public Notice	Other	SFJ	11/28/2023	12/8/2023	75	Public Notification Violation for NPDWR Violation
VA2045165	TNCWS	GW	200	Private	Public Notice	Other	SIE	11/28/2023	12/8/2023	75	Public Notification Violation for NPDWR Violation

VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MCL	SOX	6/15/2023	6/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MCL	SFJ	6/2/2023	6/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MCL	SFH	6/2/2023	6/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MCL	SIE	6/2/2023	6/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MCL	SIF	6/2/2023	6/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2045225	TNCWS	GW	100	Private	Public Notice	Other	SIF	12/27/2023	12/27/2023	75	Public Notification Violation for NPDWR Violation
VA2045225	TNCWS	GW	100	Private	Public Notice	Other	SOX	12/27/2023	12/27/2023	75	Public Notification Violation for NPDWR Violation
VA2045225	TNCWS	GW	100	Private	Public Notice	Other	SIE	11/28/2023	12/27/2023	75	Public Notification Violation for NPDWR Violation
VA2045225	TNCWS	GW	100	Private	Public Notice	Other	SFJ	11/28/2023	12/27/2023	75	Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SOX	9/19/2023	9/19/2023	34	Monitoring, Source Water (GWR)
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SIE	8/1/2023	9/19/2023	34	Monitoring, Source Water (GWR)
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SFJ	8/1/2023	9/19/2023	34	Monitoring, Source Water (GWR)
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SOX	9/19/2023	9/19/2023	34	Monitoring, Source Water (GWR)
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SFJ	9/15/2023	9/19/2023	34	Monitoring, Source Water (GWR)
VA2045253	TNCWS	GW	25	Federal government	E. COLI	MR	SIE	9/15/2023	9/19/2023	34	Monitoring, Source Water (GWR)

VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SFJ	10/31/2022		75	Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SFJ	10/31/2022		75	Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SOX	9/19/2023	9/19/2023	75	Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SFJ	6/26/2023		75	Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	4/19/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	3/21/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	3/21/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	3/6/2023	3/6/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	6/27/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	6/26/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	6/26/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	12/8/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	12/8/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	10/31/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA2045254	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA2045254	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023	10/4/2023	3A	Monitoring, Routine (RTCR)

VA2045254	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/4/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA2065195	NTNCWS	GW	65	Local government	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2065265	CWS	SWP	25	Local government	TTHM	MR				30	Monitoring, Routine (IDSE)
VA2065265	CWS	SWP	25	Local government	Total Haloacetic Acids (HAA5)	MR				30	Monitoring, Routine (IDSE)
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SOX	7/30/2023	7/30/2023	52	Follow-up Or Routine LCR Tap M/R
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIF	10/28/2022	7/30/2023	52	Follow-up Or Routine LCR Tap M/R
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SFJ	10/19/2022	7/30/2023	52	Follow-up Or Routine LCR Tap M/R
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIE	10/19/2022	7/30/2023	52	Follow-up Or Routine LCR Tap M/R
VA2065600	CWS	GW	80	Private	Chlorine	MR	SOX	4/28/2023	4/28/2023	27	Monitoring and Reporting (DBP)
VA2065600	CWS	GW	80	Private	Chlorine	MR	SIF	4/26/2023	4/28/2023	27	Monitoring and Reporting (DBP)
VA2065600	CWS	GW	80	Private	Chlorine	MR	SIE	4/18/2023	4/28/2023	27	Monitoring and Reporting (DBP)
VA2065600	CWS	GW	80	Private	Chlorine	MR	SFJ	4/18/2023	4/28/2023	27	Monitoring and Reporting (DBP)
VA2065600	CWS	GW	80	Private	E. COLI	MR	SIE	6/14/2023	5/25/2023	34	Monitoring, Source Water (GWR)
VA2065600	CWS	GW	80	Private	E. COLI	MR	SFJ	6/14/2023	5/25/2023	34	Monitoring, Source Water (GWR)
VA2065600	CWS	GW	80	Private	E. COLI	MR	SOX	5/25/2023	5/25/2023	34	Monitoring, Source Water (GWR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	8/1/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/28/2023	7/25/2023	3A	Monitoring, Routine (RTCR)

VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2069208	TNCWS	GW	200	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2069208	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SOX	8/22/2023	8/22/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SOX	8/22/2023	8/22/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SFJ	7/28/2023	8/22/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SIE	7/28/2023	8/22/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SOX	8/22/2023	8/15/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SOX	8/15/2023	8/15/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SOX	8/15/2023	8/15/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SFJ	7/28/2023	8/15/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SIE	7/28/2023	8/15/2023	75	Public Notification Violation for NPDWR Violation
VA2069216	TNCWS	GW	52	Private	Public Notice	Other	SFJ	10/25/2023		75	Public Notification Violation for NPDWR Violation

VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIF	8/22/2023	3/29/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	3/29/2023	3/29/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	3/13/2023	3/29/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	3/13/2023	3/29/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIF	8/22/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	6/28/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	5/18/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	5/18/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIF	8/15/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	6/28/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	6/16/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	6/16/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	11/13/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	8/25/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIF	8/22/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	11/13/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	9/6/2023	11/13/2023	3A	Monitoring, Routine (RTCR)

VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	9/6/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	11/13/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	10/25/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	12/18/2023		3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	12/18/2023		3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2069300	CWS	GW	25	Private	Chlorine	MR	SIE	9/15/2023	9/15/2023	27	Monitoring and Reporting (DBP)
VA2069300	CWS	GW	25	Private	Chlorine	MR	SFJ	9/15/2023	9/15/2023	27	Monitoring and Reporting (DBP)
VA2069300	CWS	GW	25	Private	Chlorine	MR	SOX	9/15/2023	9/15/2023	27	Monitoring and Reporting (DBP)
VA2069300	CWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	9/15/2023	9/15/2023	3A	Monitoring, Routine (RTCR)
VA2069300	CWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	9/15/2023	9/15/2023	3A	Monitoring, Routine (RTCR)
VA2069300	CWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	9/15/2023	9/15/2023	3A	Monitoring, Routine (RTCR)
VA2069421	NTNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SFJ	12/26/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA2069421	NTNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SIE	12/26/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA2069421	NTNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SOX	12/15/2023	12/15/2023	3A	Monitoring, Routine (RTCR)
VA2069634	CWS	SWP	1967	Local government	Chlorine	MR	SIE	4/19/2023	4/7/2023	27	Monitoring and Reporting (DBP)
VA2069634	CWS	SWP	1967	Local government	Chlorine	MR	SFJ	4/19/2023	4/7/2023	27	Monitoring and Reporting (DBP)

VA2069634	CWS	SWP	1967	Local government	Chlorine	MR	SOX	4/7/2023	4/7/2023	27	Monitoring and Reporting (DBP)
VA2069634	CWS	SWP	1967	Local government	Revised Total Coliform Rule	MON	SFJ	4/19/2023	4/7/2023	3A	Monitoring, Routine (RTCR)
VA2069634	CWS	SWP	1967	Local government	Revised Total Coliform Rule	MON	SIE	4/19/2023	4/7/2023	3A	Monitoring, Routine (RTCR)
VA2069634	CWS	SWP	1967	Local government	Revised Total Coliform Rule	MON	SOX	4/7/2023	4/7/2023	3A	Monitoring, Routine (RTCR)
VA2069805	NTNCWS	GW	55	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIF	6/13/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIE	4/27/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SFJ	4/27/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SOX	4/11/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2079580	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	5/15/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA2079580	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA2079580	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA2079580	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	4/10/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA2079590	CWS	GW	2141	Private	Chlorine	MR	SIE	9/6/2023	7/19/2023	27	Monitoring and Reporting (DBP)
VA2079590	CWS	GW	2141	Private	Chlorine	MR	SFJ	9/6/2023	7/19/2023	27	Monitoring and Reporting (DBP)
VA2079590	CWS	GW	2141	Private	Chlorine	MR	SOX	7/19/2023	7/19/2023	27	Monitoring and Reporting (DBP)
VA2079590	CWS	GW	2141	Private	E. COLI	MR	SIE	9/6/2023		34	Monitoring, Source Water (GWR)

VA2079590	CWS	GW	2141	Private	E. COLI	MR	SFJ	9/6/2023		34	Monitoring, Source Water (GWR)
VA2079590	CWS	GW	2141	Private	Revised Total Coliform Rule	TT	SFJ	12/1/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA2079590	CWS	GW	2141	Private	Revised Total Coliform Rule	TT	SIE	12/1/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA2109025	NTNCWS	GW	610	Local government	Lead and Copper Rule	MR	SFJ	4/6/2022		66	Lead Consumer Notice
VA2109060	NTNCWS	GW	50	Private	Lead and Copper Rule	MR	SFJ	4/6/2022		66	Lead Consumer Notice
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	9/26/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/29/2023	3A	Monitoring, Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/29/2023	3A	Monitoring, Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/29/2023	10/29/2023	3A	Monitoring, Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	12/28/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	12/28/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/21/2023	12/21/2023	3A	Monitoring, Routine (RTCR)
VA2109600	NTNCWS	GW	1200	Private	Revised Total Coliform Rule	MCL	SOX	3/15/2023	3/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109600	NTNCWS	GW	1200	Private	Revised Total Coliform Rule	MCL	SIE	2/21/2023	3/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109600	NTNCWS	GW	1200	Private	Revised Total Coliform Rule	MCL	SFJ	2/21/2023	3/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA2109600	NTNCWS	GW	1200	Private	Revised Total Coliform Rule	MCL	SFH	2/21/2023	3/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SOX	7/31/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SFJ	7/10/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SIE	7/10/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SIF	9/22/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SFJ	9/11/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SIE	9/11/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SOX	9/5/2023	9/5/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SIE	9/27/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SFJ	9/27/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	E. COLI	MR	SOX	7/31/2023	7/31/2023	34	Monitoring, Source Water (GWR)
VA2109635	TNCWS	GW	25	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	5/12/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/10/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/4/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MCL	SIF	8/10/2023	8/7/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MCL	SOX	8/7/2023	8/7/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MCL	SFJ	7/31/2023	8/7/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109635	TNCWS	GW	25	Private	Revised Total Coliform Rule	MCL	SIE	7/31/2023	8/7/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR				66	Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SOX	5/24/2023	5/24/2023	66	Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SFJ	12/15/2021	5/24/2023	66	Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SOX	5/17/2023	5/17/2023	66	Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SFJ	12/15/2021	5/17/2023	66	Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Public Notice	Other	SOX	5/24/2023	5/24/2023	75	Public Notification Violation for NPDWR Violation
VA2109648	NTNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA2109648	NTNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SIE	12/19/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA2109648	NTNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SOX	12/5/2023	12/5/2023	3A	Monitoring, Routine (RTCR)
VA2109650	CWS	GW	950	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR				66	Lead Consumer Notice
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR				66	Lead Consumer Notice
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR				53	Water Quality Parameter M/R

VA2109800	CWS	GW	61	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA2109800	CWS	GW	61	Private	Revised Total Coliform Rule	MON	SIE	8/7/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2109800	CWS	GW	61	Private	Revised Total Coliform Rule	MON	SFJ	8/7/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2109800	CWS	GW	61	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2109825	CWS	GW	70	Private	Consumer Confidence Rule	Other	SOX	7/25/2023	7/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA2109825	CWS	GW	70	Private	Consumer Confidence Rule	Other	SFJ	7/24/2023	7/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	12/28/2023		3A	Monitoring, Routine (RTCR)
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	12/28/2023		3A	Monitoring, Routine (RTCR)
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SIF	5/9/2023	4/13/2023	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2023	4/13/2023	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SIE	4/18/2023	4/13/2023	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SOX	4/13/2023	4/13/2023	3A	Monitoring, Routine (RTCR)
VA2125065	CWS	GW	51	Local government	Chlorine	MR	SIE	7/26/2023	6/12/2023	27	Monitoring and Reporting (DBP)
VA2125065	CWS	GW	51	Local government	Chlorine	MR	SFJ	7/26/2023	6/12/2023	27	Monitoring and Reporting (DBP)
VA2125065	CWS	GW	51	Local government	Chlorine	MR	SOX	6/12/2023	6/12/2023	27	Monitoring and Reporting (DBP)
VA2125065	CWS	GW	51	Local government	Revised Total Coliform Rule	MON	SFJ	6/22/2023	6/10/2023	3A	Monitoring, Routine (RTCR)

VA2125065	CWS	GW	51	Local government	Revised Total Coliform Rule	MON	SIE	6/22/2023	6/10/2023	3A	Monitoring, Routine (RTCR)
VA2125065	CWS	GW	51	Local government	Revised Total Coliform Rule	MON	SOX	6/10/2023	6/10/2023	3A	Monitoring, Routine (RTCR)
VA2125325	CWS	SW	2493	Local government	Chlorine	MR	SIE	12/20/2023		27	Monitoring and Reporting (DBP)
VA2125325	CWS	SW	2493	Local government	Chlorine	MR	SFJ	12/20/2023		27	Monitoring and Reporting (DBP)
VA2125325	CWS	SW	2493	Local government	Revised Total Coliform Rule	MON	SIE	12/20/2023		3A	Monitoring, Routine (RTCR)
VA2125325	CWS	SW	2493	Local government	Revised Total Coliform Rule	MON	SFJ	12/20/2023		3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SOX	8/1/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SIE	4/18/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SOX	8/1/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125365	TNCWS	GW	260	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2125380	TNCWS	GW	95	Local government	Revised Total Coliform Rule	MON	SIE	12/20/2023		3A	Monitoring, Routine (RTCR)
VA2125380	TNCWS	GW	95	Local government	Revised Total Coliform Rule	MON	SFJ	12/20/2023		3A	Monitoring, Routine (RTCR)
VA2125382	CWS	SWP	405	Local government	Chlorine	MR	SFJ	12/20/2023		27	Monitoring and Reporting (DBP)
VA2125382	CWS	SWP	405	Local government	Chlorine	MR	SIE	12/20/2023		27	Monitoring and Reporting (DBP)
VA2125382	CWS	SWP	405	Local government	Revised Total Coliform Rule	MON	SIE	12/20/2023		3A	Monitoring, Routine (RTCR)
VA2125382	CWS	SWP	405	Local government	Revised Total Coliform Rule	MON	SFJ	12/20/2023		3A	Monitoring, Routine (RTCR)

VA2125398	TNCWS	GW	370	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2125530	TNCWS	GW	400	Local government	E. COLI	MR	SFJ	11/16/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA2125530	TNCWS	GW	400	Local government	E. COLI	MR	SIE	11/16/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA2125530	TNCWS	GW	400	Local government	E. COLI	MR	SOX	11/8/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA2125530	TNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SIF	9/27/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2125530	TNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2125530	TNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2125530	TNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SOX	7/11/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA2125530	TNCWS	GW	400	Local government	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SOX	9/30/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SFL	7/27/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SIF	5/1/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SIE	4/6/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SFJ	4/6/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SOX	9/30/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SFL	7/27/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SIF	6/20/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	480	Local government	TTHM	MCL	SFJ	6/14/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average

VA2125650	CWS	SW	480	Local government	TTHM	MCL	SIE	6/14/2023	9/30/2023	2	Maximum Contaminant Level Violation, Average
VA2125900	TNCWS	GW	25	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	4/18/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/16/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/16/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA2125900	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2125901	TNCWS	GW	45	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2125901	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125901	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125901	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA2125910	CWS	SW	6861	Local government	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA2139017	CWS	GW	55	Private	Chlorine	MR	SIE	7/7/2023	6/13/2023	27	Monitoring and Reporting (DBP)

VA2139017	CWS	GW	55	Private	Chlorine	MR	SFJ	7/7/2023	6/13/2023	27	Monitoring and Reporting (DBP)
VA2139017	CWS	GW	55	Private	Chlorine	MR	SOX	6/13/2023	6/13/2023	27	Monitoring and Reporting (DBP)
VA2139017	CWS	GW	55	Private	Chlorine	MR	SIE	12/27/2023		27	Monitoring and Reporting (DBP)
VA2139017	CWS	GW	55	Private	Chlorine	MR	SFJ	12/27/2023		27	Monitoring and Reporting (DBP)
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SFJ	11/28/2023		71	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SIE	11/28/2023		71	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	7/7/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA2139017	CWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	7/7/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA2139017	CWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	6/13/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA2139017	CWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2139017	CWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/17/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/17/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/2/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Public Notice	Other	SFJ	9/11/2023		75	Public Notification Violation for NPDWR Violation
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SFJ	11/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SIE	11/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)

VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/25/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/25/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation

VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/21/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/25/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIE	8/25/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SOX	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Public Notice	Other	SIF	8/24/2023	8/24/2023	75	Public Notification Violation for NPDWR Violation
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	6/9/2023	6/9/2023	3A	Monitoring, Routine (RTCR)

VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	5/18/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	5/18/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/7/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/7/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	6/9/2023	6/9/2023	3A	Monitoring, Routine (RTCR)
VA2139165	TNCWS	GW	25	Private	Public Notice	Other	SIF	8/23/2023	8/23/2023	75	Public Notification Violation for NPDWR Violation
VA2139165	TNCWS	GW	25	Private	Public Notice	Other	SOX	8/23/2023	8/23/2023	75	Public Notification Violation for NPDWR Violation
VA2139165	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023	8/23/2023	75	Public Notification Violation for NPDWR Violation
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SIF	8/2/2023	7/27/2023	34	Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SFJ	7/27/2023	7/27/2023	34	Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SOX	7/27/2023	7/27/2023	34	Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SIE	7/27/2023	7/27/2023	34	Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIF	8/2/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)

VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SOX	8/15/2023	8/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIF	8/2/2023	8/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFH	7/31/2023	8/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFJ	7/31/2023	8/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIE	7/31/2023	8/15/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIF	12/6/2023		1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFH	12/1/2023		1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIE	12/1/2023		1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFJ	12/1/2023		1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139400	NTNCWS	GW	150	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2139770	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	6/6/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA2139770	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA2139770	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA2139935	CWS	GW	4185	Local government	E. COLI	MR	SIE	7/18/2023	5/17/2023	34	Monitoring, Source Water (GWR)
VA2139935	CWS	GW	4185	Local government	E. COLI	MR	SFJ	7/18/2023	5/17/2023	34	Monitoring, Source Water (GWR)

VA2139935	CWS	GW	4185	Local government	E. COLI	MR	SOX	5/17/2023	5/17/2023	34	Monitoring, Source Water (GWR)
VA2161042	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SIE	12/8/2023	11/9/2023	3A	Monitoring, Routine (RTCR)
VA2161042	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SFJ	12/8/2023	11/9/2023	3A	Monitoring, Routine (RTCR)
VA2161042	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SOX	11/9/2023	11/9/2023	3A	Monitoring, Routine (RTCR)
VA2161046	CWS	SWP	194	Local government	Chlorine	MR	SIE	8/1/2023	7/20/2023	27	Monitoring and Reporting (DBP)
VA2161046	CWS	SWP	194	Local government	Chlorine	MR	SFJ	8/1/2023	7/20/2023	27	Monitoring and Reporting (DBP)
VA2161046	CWS	SWP	194	Local government	Chlorine	MR	SOX	7/20/2023	7/20/2023	27	Monitoring and Reporting (DBP)
VA2161046	CWS	SWP	194	Local government	Revised Total Coliform Rule	MON	SFJ	8/1/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2161046	CWS	SWP	194	Local government	Revised Total Coliform Rule	MON	SIE	8/1/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2161046	CWS	SWP	194	Local government	Revised Total Coliform Rule	MON	SOX	7/20/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA2161103	TNCWS	GW	344	Local government	Revised Total Coliform Rule	MON	SIE	5/31/2023	5/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2161103	TNCWS	GW	344	Local government	Revised Total Coliform Rule	MON	SFJ	5/31/2023	5/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2161103	TNCWS	GW	344	Local government	Revised Total Coliform Rule	MON	SOX	5/17/2023	5/17/2023	3B	Monitoring, Additional Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SOX	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SFJ	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation

VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SFJ	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SOX	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SFJ	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Public Notice	Other	SOX	9/25/2023	9/25/2023	75	Public Notification Violation for NPDWR Violation
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SIF	10/5/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SFJ	8/2/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SIE	8/2/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	E. COLI	MR	SFJ	9/1/2023		34	Monitoring, Source Water (GWR)
VA2161283	TNCWS	GW	80	Private	E. COLI	MR	SIE	9/1/2023		34	Monitoring, Source Water (GWR)
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIF	7/20/2023	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SOX	5/1/2023	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIF	7/20/2023	5/1/2023	75	Public Notification Violation for NPDWR Violation

VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SOX	5/1/2023	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022	5/1/2023	75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022		75	Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	7/20/2023	2/6/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	2/16/2023	2/6/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	2/16/2023	2/6/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	2/6/2023	2/6/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	8/2/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	8/2/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	12/8/2023	10/13/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2023	10/13/2023	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	10/13/2023	10/13/2023	3A	Monitoring, Routine (RTCR)
VA2161598	TNCWS	GW	300	Private	Public Notice	Other	SFJ	9/25/2023		75	Public Notification Violation for NPDWR Violation
VA2161668	CWS	GW	71	Private	Chlorine	MR	SIE	8/2/2023	7/12/2023	27	Monitoring and Reporting (DBP)

VA2161668	CWS	GW	71	Private	Chlorine	MR	SOX	7/12/2023	7/12/2023	27	Monitoring and Reporting (DBP)
VA2161668	CWS	GW	71	Private	Chlorine	MR	SIE	10/19/2023	2/7/2023	27	Monitoring and Reporting (DBP)
VA2161668	CWS	GW	71	Private	Chlorine	MR	SFJ	10/19/2023	2/7/2023	27	Monitoring and Reporting (DBP)
VA2161668	CWS	GW	71	Private	Chlorine	MR	SOX	2/7/2023	2/7/2023	27	Monitoring and Reporting (DBP)
VA2161680	CWS	GW	78	Private	Chlorine	MR	SOX	7/17/2023	7/17/2023	27	Monitoring and Reporting (DBP)
VA2161680	CWS	GW	78	Private	Chlorine	MR	SIE	6/26/2023	7/17/2023	27	Monitoring and Reporting (DBP)
VA2161680	CWS	GW	78	Private	Chlorine	MR	SFJ	6/26/2023	7/17/2023	27	Monitoring and Reporting (DBP)
VA2161680	CWS	GW	78	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161680	CWS	GW	78	Private	Revised Total Coliform Rule	MON	SIE	6/26/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA2161755	TNCWS	GW	100	Private	E. COLI	MR	SIE	9/15/2023	8/24/2023	34	Monitoring, Source Water (GWR)
VA2161755	TNCWS	GW	100	Private	E. COLI	MR	SFJ	9/15/2023	8/24/2023	34	Monitoring, Source Water (GWR)
VA2161755	TNCWS	GW	100	Private	E. COLI	MR	SOX	8/24/2023	8/24/2023	34	Monitoring, Source Water (GWR)
VA2161755	TNCWS	GW	100	Private	Public Notice	Other	SFJ	9/25/2023		75	Public Notification Violation for NPDWR Violation
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/2/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/2/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/25/2023	7/25/2023	3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	E. COLI	MR	SOX	4/19/2023	4/19/2023	34	Monitoring, Source Water (GWR)

VA2163185	TNCWS	GW	350	Private	E. COLI	MR	SFJ	4/6/2023	4/19/2023	34	Monitoring, Source Water (GWR)
VA2163185	TNCWS	GW	350	Private	E. COLI	MR	SIE	4/6/2023	4/19/2023	34	Monitoring, Source Water (GWR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	12/27/2023		3A	Monitoring, Routine (RTCR)
VA2163225	CWS	GW	1133	Local government	Chlorine	MR				27	Monitoring and Reporting (DBP)
VA2163225	CWS	GW	1133	Local government	Chlorine	MR				27	Monitoring and Reporting (DBP)
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SOX	8/2/2023	8/2/2023	52	Follow-up Or Routine LCR Tap M/R
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SIF	4/11/2023	8/2/2023	52	Follow-up Or Routine LCR Tap M/R
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SIE	12/21/2022	8/2/2023	52	Follow-up Or Routine LCR Tap M/R
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SFJ	12/21/2022	8/2/2023	52	Follow-up Or Routine LCR Tap M/R
VA2163260	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	6/5/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2163260	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	5/18/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2163260	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2163260	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	6/5/2023	3A	Monitoring, Routine (RTCR)

VA2163310	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	9/29/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163310	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163310	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163310	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	8/3/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163353	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	8/1/2023	5/2/2023	3A	Monitoring, Routine (RTCR)
VA2163353	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	5/2/2023	5/2/2023	3A	Monitoring, Routine (RTCR)
VA2163353	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	5/2/2023	3A	Monitoring, Routine (RTCR)
VA2163353	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	5/2/2023	3A	Monitoring, Routine (RTCR)
VA2163615	NTNCWS	GU	560	Private	Public Notice	Other	SFJ	9/11/2023		75	Public Notification Violation for NPDWR Violation
VA2163615	NTNCWS	GU	560	Private	Public Notice	Other	SFJ	9/11/2023		75	Public Notification Violation for NPDWR Violation
VA2163615	NTNCWS	GU	560	Private	Public Notice	Other	SFJ	9/11/2023		75	Public Notification Violation for NPDWR Violation
VA2163615	NTNCWS	GU	560	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	6/7/2023	6/7/2023	12	Treatment Technique No Certif. Operator
VA2163615	NTNCWS	GU	560	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	8/5/2022	6/7/2023	12	Treatment Technique No Certif. Operator
VA2163615	NTNCWS	GU	560	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	11/23/2021	6/7/2023	12	Treatment Technique No Certif. Operator

VA2163615	NTNCWS	GU	560	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	11/23/2021	6/7/2023	12	Treatment Technique No Certif. Operator
VA2163657	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	12/19/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2163657	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	12/8/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2163657	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	12/8/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2163657	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	10/2/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA2163884	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	3/21/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	3/21/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	4/28/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	4/28/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	5/18/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	5/18/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	7/7/2023	8/30/2023	3A	Monitoring, Routine (RTCR)

VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	7/7/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON	SIE	8/24/2023	8/30/2023	3A	Monitoring, Routine (RTCR)
VA2163890	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIF	8/30/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163890	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	8/30/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163890	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163890	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	8/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA2163897	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIF	9/1/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163897	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163897	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2163897	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	8/3/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA2165045	CWS	SW	6177	Local government	Chlorine	MR	SFJ	10/26/2023	2/14/2023	27	Monitoring and Reporting (DBP)
VA2165045	CWS	SW	6177	Local government	Chlorine	MR	SIE	10/26/2023	2/14/2023	27	Monitoring and Reporting (DBP)
VA2165045	CWS	SW	6177	Local government	Chlorine	MR	SOX	2/14/2023	2/14/2023	27	Monitoring and Reporting (DBP)

VA2165114	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	9/27/2023	9/27/2023	3B	Monitoring, Additional Routine (RTCR)
VA2165114	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3B	Monitoring, Additional Routine (RTCR)
VA2165114	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	9/27/2023	9/27/2023	3B	Monitoring, Additional Routine (RTCR)
VA2165117	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2165117	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2165117	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SIF	9/12/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SFJ	8/23/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SIE	8/23/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SOX	8/1/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SFJ	10/26/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SIE	10/26/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Chlorine	MR	SOX	8/1/2023	8/1/2023	27	Monitoring and Reporting (DBP)
VA2165155	NTNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIF	9/12/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2165155	NTNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2165155	NTNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2165155	NTNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	8/1/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA2165226	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	10/29/2023	10/29/2023	3A	Monitoring, Routine (RTCR)

VA2165226	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	10/29/2023	3A	Monitoring, Routine (RTCR)
VA2165226	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	10/29/2023	3A	Monitoring, Routine (RTCR)
VA2165565	TNCWS	GW	140	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023		3A	Monitoring, Routine (RTCR)
VA2165565	TNCWS	GW	140	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023		3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation

VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/25/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Public Notice	Other	SFJ	9/11/2023		75	Public Notification Violation for NPDWR Violation
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	7/7/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	7/7/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/5/2023	6/5/2023	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	9/14/2023	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	9/14/2023	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	9/14/2023	9/14/2023	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation

VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	4/28/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	4/28/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	4/12/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Public Notice	Other	SFJ	8/22/2023		75	Public Notification Violation for NPDWR Violation
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SOX	5/8/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SIF	4/25/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SIE	3/24/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SFJ	3/24/2023	5/8/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SFJ	11/17/2023	10/23/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SIE	11/17/2023	10/23/2023	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SOX	10/23/2023	10/23/2023	3A	Monitoring, Routine (RTCR)
VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SOX	8/31/2023	8/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SIF	5/31/2023	8/31/2023	52	Follow-up Or Routine LCR Tap M/R

VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SIE	12/21/2022	8/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SFJ	12/21/2022	8/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SIE	6/22/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SFJ	6/22/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SIE	9/7/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SFJ	9/7/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SFJ	12/6/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	TTHM	MCL	SIE	12/6/2023		2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	8/2/2023	8/2/2023	2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/22/2023	8/2/2023	2	Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/22/2023	8/2/2023	2	Maximum Contaminant Level Violation, Average
VA2187110	TNCWS	GW	1000	Private	Revised Total Coliform Rule	MCL	SOX	10/17/2023	10/17/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2187110	TNCWS	GW	1000	Private	Revised Total Coliform Rule	MCL	SIF	10/12/2023	10/17/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2187110	TNCWS	GW	1000	Private	Revised Total Coliform Rule	MCL	SFJ	10/4/2023	10/17/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2187110	TNCWS	GW	1000	Private	Revised Total Coliform Rule	MCL	SIE	10/4/2023	10/17/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2187110	TNCWS	GW	1000	Private	Revised Total Coliform Rule	MCL	SFH	10/4/2023	10/17/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA2187250	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/13/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA2187250	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/13/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA2187250	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/5/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SOX	9/18/2023	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SIF	6/18/2023	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SIE	11/21/2022	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SFJ	11/21/2022	9/18/2023	52	Follow-up Or Routine LCR Tap M/R
VA2187406	CWS	SW	15000	Local government	TTHM	MR	SFJ	8/25/2023	8/25/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA2187406	CWS	SW	15000	Local government	TTHM	MR	SIE	8/25/2023	8/25/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA2187406	CWS	SW	15000	Local government	TTHM	MR	SOX	8/25/2023	8/25/2023	35	Failure Submit IDSE/Subpart V Plan Rpt
VA2187515	CWS	GW	111	Private	TTHM	MR				30	Monitoring, Routine (IDSE)
VA2187515	CWS	GW	111	Private	Total Haloacetic Acids (HAA5)	MR				30	Monitoring, Routine (IDSE)
VA2187590	CWS	GW	100	Private	Chlorine	MR	SOX	7/31/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA2187590	CWS	GW	100	Private	Chlorine	MR	SIE	7/28/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA2187590	CWS	GW	100	Private	Chlorine	MR	SFJ	7/28/2023	7/31/2023	27	Monitoring and Reporting (DBP)
VA2187622	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA2187622	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA2187622	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)

VA2187623	CWS	GW	100	Private	E. COLI	MR	SOX	8/25/2023	8/25/2023	34	Monitoring, Source Water (GWR)
VA2187623	CWS	GW	100	Private	E. COLI	MR	SIF	8/21/2023	8/25/2023	34	Monitoring, Source Water (GWR)
VA2187623	CWS	GW	100	Private	E. COLI	MR	SFJ	8/17/2023	8/25/2023	34	Monitoring, Source Water (GWR)
VA2187623	CWS	GW	100	Private	E. COLI	MR	SIE	8/17/2023	8/25/2023	34	Monitoring, Source Water (GWR)
VA2187754	CWS	GW	265	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA2530125	CWS	GU	6650	Local government	Chlorine	MR	SFJ	9/19/2023	9/12/2023	27	Monitoring and Reporting (DBP)
VA2530125	CWS	GU	6650	Local government	Chlorine	MR	SIE	9/19/2023	9/12/2023	27	Monitoring and Reporting (DBP)
VA2530125	CWS	GU	6650	Local government	Chlorine	MR	SOX	9/12/2023	9/12/2023	27	Monitoring and Reporting (DBP)
VA2530125	CWS	GU	6650	Local government	Revised Total Coliform Rule	MON	SFJ	9/19/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA2530125	CWS	GU	6650	Local government	Revised Total Coliform Rule	MON	SIE	9/19/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA2530125	CWS	GU	6650	Local government	Revised Total Coliform Rule	MON	SOX	9/12/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA2560100	CWS	SW	3884	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	12/21/2023		12	Treatment Technique No Certif. Operator
VA2560100	CWS	SW	3884	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	12/21/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	1,1,1-Trichloroethane	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	1,1,2-Trichloroethane	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	1,1-Dichloroethylene	MR				3	Monitoring, Regular

VA2580100	CWS	SW	5961	Local government	1,2,4-Trichlorobenzene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	1,2-Dichloroethane	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	1,2-Dichloropropane	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Antimony, Total	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Arsenic	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Barium	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Benzene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Beryllium, Total	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	CHLOROBENZENE	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Cadmium	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Carbon tetrachloride	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Chromium	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	DICHLOROMETHANE	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Ethylbenzene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Fluoride	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Mercury	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Nickel	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Nitrate-Nitrite	MR				3	Monitoring, Regular

VA2580100	CWS	SW	5961	Local government	Selenium	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	12/4/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	12/1/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	9/1/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	7/6/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	6/1/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	6/1/2023		12	Treatment Technique No Certif. Operator
VA2580100	CWS	SW	5961	Local government	Styrene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Tetrachloroethylene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Thallium, Total	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Toluene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Trichloroethylene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	Vinyl chloride	MR				3	Monitoring, Regular

VA2580100	CWS	SW	5961	Local government	Xylenes, Total	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	cis-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	o-Dichlorobenzene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	p-Dichlorobenzene	MR				3	Monitoring, Regular
VA2580100	CWS	SW	5961	Local government	trans-1,2-Dichloroethylene	MR				3	Monitoring, Regular
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	8/1/2023	7/13/2023	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	8/1/2023	7/13/2023	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/13/2023	7/13/2023	3A	Monitoring, Routine (RTCR)
VA3001003	NTNCWS	GW	95	Local government	Revised Total Coliform Rule	MON	SIE	11/20/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA3001003	NTNCWS	GW	95	Local government	Revised Total Coliform Rule	MON	SOX	11/1/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA3001014	NTNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3001014	NTNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3001014	NTNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SOX	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3001034	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA3001034	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA3001034	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3A	Monitoring, Routine (RTCR)
VA3001054	TNCWS	GW	30	Private	E. COLI	MR	SIF	8/15/2023	7/26/2023	34	Monitoring, Source Water (GWR)
VA3001054	TNCWS	GW	30	Private	E. COLI	MR	SOX	7/26/2023	7/26/2023	34	Monitoring, Source Water (GWR)

VA3001054	TNCWS	GW	30	Private	E. COLI	MR	SFJ	7/25/2023	7/26/2023	34	Monitoring, Source Water (GWR)
VA3001054	TNCWS	GW	30	Private	E. COLI	MR	SIE	7/25/2023	7/26/2023	34	Monitoring, Source Water (GWR)
VA3001054	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	10/27/2023	9/28/2023	3B	Monitoring, Additional Routine (RTCR)
VA3001054	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	9/28/2023	9/28/2023	3B	Monitoring, Additional Routine (RTCR)
VA3001054	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/28/2023	3B	Monitoring, Additional Routine (RTCR)
VA3001054	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/28/2023	3B	Monitoring, Additional Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SOX	10/25/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SOX	10/25/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SOX	10/25/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001150	NTNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	10/25/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	5/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	5/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)

VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001216	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001216	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001216	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001217	TNCWS	GW	40	Local government	Revised Total Coliform Rule	MON	SFJ	10/24/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001217	TNCWS	GW	40	Local government	Revised Total Coliform Rule	MON	SIE	10/24/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001217	TNCWS	GW	40	Local government	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3001334	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/13/2023	12/13/2023	3A	Monitoring, Routine (RTCR)
VA3001334	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	12/13/2023	3A	Monitoring, Routine (RTCR)
VA3001334	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	12/13/2023	3A	Monitoring, Routine (RTCR)

VA3001432	TNCWS	GW	360	Private	E. COLI	MR	SFJ	9/19/2022		34	Monitoring, Source Water (GWR)
VA3001432	TNCWS	GW	360	Private	E. COLI	MR	SIE	9/19/2022		34	Monitoring, Source Water (GWR)
VA3001432	TNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SIE	12/19/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA3001432	TNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA3001432	TNCWS	GW	360	Private	Revised Total Coliform Rule	MON	SOX	12/4/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SFJ	10/24/2023	9/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SIE	10/24/2023	9/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SOX	9/26/2023	9/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SIF	12/7/2023	11/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SIE	12/7/2023	11/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SFJ	12/7/2023	11/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SOX	11/26/2023	11/26/2023	41	Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SOX	11/15/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SFJ	3/14/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SIE	3/14/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SOX	11/15/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SIE	6/30/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SFJ	6/30/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average

VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SOX	11/15/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SIF	10/2/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SIE	9/25/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL	SFJ	9/25/2023	11/15/2023	2	Maximum Contaminant Level Violation, Average
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SIE	10/24/2023	10/2/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SFJ	10/24/2023	10/2/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SFH	10/24/2023	10/2/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SOX	10/2/2023	10/2/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SIF	12/7/2023	12/6/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SFJ	12/7/2023	12/6/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SIE	12/7/2023	12/6/2023	41	Treatment Technique (SWTR and GWR)
VA3001535	NTNCWS	GW	400	Federal government	Groundwater Rule	TT	SOX	12/6/2023	12/6/2023	41	Treatment Technique (SWTR and GWR)
VA3001588	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	8/7/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA3001588	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/31/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA3001588	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA3001588	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/31/2023	3A	Monitoring, Routine (RTCR)
VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/5/2023	3A	Monitoring, Routine (RTCR)

VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SOX	7/5/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SFJ	10/24/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SIE	10/24/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA3001620	CWS	GW	1525	Local government	Revised Total Coliform Rule	MON	SOX	10/18/2023	10/18/2023	3A	Monitoring, Routine (RTCR)
VA3001625	NTNCWS	GW	33	Private	E. COLI	MR	SFJ	7/25/2023	7/11/2023	34	Monitoring, Source Water (GWR)
VA3001625	NTNCWS	GW	33	Private	E. COLI	MR	SIE	7/25/2023	7/11/2023	34	Monitoring, Source Water (GWR)
VA3001625	NTNCWS	GW	33	Private	E. COLI	MR	SOX	7/11/2023	7/11/2023	34	Monitoring, Source Water (GWR)
VA3001717	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	11/15/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA3001717	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	11/13/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA3001717	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA3001717	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023	11/13/2023	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SIF	5/2/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SOX	4/19/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA3001745	CWS	GW	170	Private	Revised Total Coliform Rule	MON	SIF	12/21/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA3001745	CWS	GW	170	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA3001745	CWS	GW	170	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/6/2023	3A	Monitoring, Routine (RTCR)

VA3001745	CWS	GW	170	Private	Revised Total Coliform Rule	MON	SOX	9/6/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA3001810	TNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001810	TNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001810	TNCWS	GW	160	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3001820	NTNCWS	GW	540	Private	Revised Total Coliform Rule	MON	SIE	7/26/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3001820	NTNCWS	GW	540	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3001820	NTNCWS	GW	540	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	E. COLI	MR	SIF	10/6/2023	9/14/2023	34	Monitoring, Source Water (GWR)
VA3001896	TNCWS	GW	94	Private	E. COLI	MR	SIE	9/18/2023	9/14/2023	34	Monitoring, Source Water (GWR)
VA3001896	TNCWS	GW	94	Private	E. COLI	MR	SFJ	9/18/2023	9/14/2023	34	Monitoring, Source Water (GWR)
VA3001896	TNCWS	GW	94	Private	E. COLI	MR	SOX	9/14/2023	9/14/2023	34	Monitoring, Source Water (GWR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SOX	8/1/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SOX	8/1/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001896	TNCWS	GW	94	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	8/1/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Lead and Copper Rule	MR	SFJ	10/24/2023		52	Follow-up Or Routine LCR Tap M/R

VA3001982	NTNCWS	GW	385	Private	Lead and Copper Rule	MR	SIE	10/24/2023		52	Follow-up Or Routine LCR Tap M/R
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3053420	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	11/20/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA3053420	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	11/20/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA3053420	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	11/14/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA3053435	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA3053435	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA3053435	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	4/5/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SOX	6/13/2023	6/13/2023	3A	Monitoring, Routine (RTCR)

VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	6/13/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SOX	9/28/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIE	8/29/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIE	10/6/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SFJ	10/6/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SOX	9/28/2023	9/28/2023	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3093190	CWS	GW	600	Private	Consumer Confidence Rule	Other	SOX	10/12/2023	10/12/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093190	CWS	GW	600	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/12/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093210	CWS	GW	104	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023		71	Consumer Confidence Report Complete Failure to Report
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	7/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIF	5/10/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	5/2/2023		2	Maximum Contaminant Level Violation, Average

VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIF	8/5/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	7/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	7/26/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	7/26/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL				2	Maximum Contaminant Level Violation, Average
VA3093300	NTNCWS	GW	2400	Private	E. COLI	MR	SIF	11/8/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093300	NTNCWS	GW	2400	Private	E. COLI	MR	SFJ	10/6/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093300	NTNCWS	GW	2400	Private	E. COLI	MR	SIE	10/6/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093300	NTNCWS	GW	2400	Private	E. COLI	MR	SOX	9/20/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093306	CWS	GW	110	Private	Consumer Confidence Rule	Other	SOX	10/30/2023	10/30/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093306	CWS	GW	110	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/30/2023	71	Consumer Confidence Report Complete Failure to Report

VA3093306	CWS	GW	110	Private	Fluoride	MR	SIE	8/8/2023	7/10/2023	3	Monitoring, Regular
VA3093306	CWS	GW	110	Private	Fluoride	MR	SFJ	8/8/2023	7/10/2023	3	Monitoring, Regular
VA3093306	CWS	GW	110	Private	Fluoride	MR	SOX	7/10/2023	7/10/2023	3	Monitoring, Regular
VA3093306	CWS	GW	110	Private	Fluoride	MCL				2	Maximum Contaminant Level Violation, Average
VA3093380	CWS	GW	116	Private	Consumer Confidence Rule	Other	SOX	10/24/2023	10/24/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093380	CWS	GW	116	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/24/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093400	CWS	GW	203	Private	Consumer Confidence Rule	Other	SOX	10/25/2023	10/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093400	CWS	GW	203	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	7/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIF	5/25/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	5/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIF	8/15/2023		2	Maximum Contaminant Level Violation, Average

VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	7/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	7/25/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	7/25/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIF	11/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL				2	Maximum Contaminant Level Violation, Average
VA3093540	CWS	GW	138	Private	Consumer Confidence Rule	Other	SOX	10/25/2023	10/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093540	CWS	GW	138	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/25/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093600	NTNCWS	GW	49	Private	E. COLI	MR	SIF	11/8/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093600	NTNCWS	GW	49	Private	E. COLI	MR	SFJ	10/6/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093600	NTNCWS	GW	49	Private	E. COLI	MR	SIE	10/6/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093600	NTNCWS	GW	49	Private	E. COLI	MR	SOX	9/20/2023	9/20/2023	34	Monitoring, Source Water (GWR)
VA3093650	CWS	GW	93	Local government	Lead and Copper Rule	MR	SFJ	11/20/2023		52	Follow-up Or Routine LCR Tap M/R
VA3093650	CWS	GW	93	Local government	Lead and Copper Rule	MR	SIE	11/20/2023		52	Follow-up Or Routine LCR Tap M/R
VA3093700	CWS	GW	80	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023		71	Consumer Confidence Report Complete Failure to Report

VA3093850	CWS	GW	31	Private	Consumer Confidence Rule	Other	SOX	10/9/2023	10/9/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093850	CWS	GW	31	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/9/2023	71	Consumer Confidence Report Complete Failure to Report
VA3093850	CWS	GW	31	Private	E. COLI	MR	SOX	9/26/2023	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	8/1/2022	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	8/1/2022	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	5/29/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	12/9/2020	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	12/1/2020	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	12/1/2020	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SOX	9/26/2023	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	2/11/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	1/12/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	1/12/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SOX	9/26/2023	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	2/11/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	2/2/2021	9/26/2023	34	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	2/2/2021	9/26/2023	34	Monitoring, Source Water (GWR)

VA3093850	CWS	GW	31	Private	Fluoride	MR	SOX	9/26/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SFJ	4/27/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SIE	4/27/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SOX	9/26/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SFJ	7/25/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SIE	7/25/2023	9/26/2023	3	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFL	11/27/2023		2	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFJ	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SIE	11/2/2023		2	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MR				3	Monitoring, Regular
VA3093905	NTNCWS	GW	800	Local government	E. COLI	MR	SIE	11/8/2023	10/25/2023	34	Monitoring, Source Water (GWR)
VA3093905	NTNCWS	GW	800	Local government	E. COLI	MR	SFJ	11/8/2023	10/25/2023	34	Monitoring, Source Water (GWR)
VA3093905	NTNCWS	GW	800	Local government	E. COLI	MR	SOX	10/25/2023	10/25/2023	34	Monitoring, Source Water (GWR)
VA3093910	TNCWS	GW	150	Private	E. COLI	MR	SIE	8/29/2023		34	Monitoring, Source Water (GWR)
VA3093910	TNCWS	GW	150	Private	E. COLI	MR	SFJ	8/29/2023		34	Monitoring, Source Water (GWR)
VA3093910	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/10/2023	7/10/2023	3B	Monitoring, Additional Routine (RTCR)
VA3093910	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	7/10/2023	3B	Monitoring, Additional Routine (RTCR)
VA3093910	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	7/10/2023	3B	Monitoring, Additional Routine (RTCR)

VA3093915	CWS	GW	372	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023		71	Consumer Confidence Report Complete Failure to Report
VA3095025	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SIF	12/4/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3095025	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3095025	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3095025	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA3095045	CWS	GW	29	Private	Revised Total Coliform Rule	MON	SFJ	7/20/2023	7/6/2023	3A	Monitoring, Routine (RTCR)
VA3095045	CWS	GW	29	Private	Revised Total Coliform Rule	MON	SIE	7/20/2023	7/6/2023	3A	Monitoring, Routine (RTCR)
VA3095045	CWS	GW	29	Private	Revised Total Coliform Rule	MON	SOX	7/6/2023	7/6/2023	3A	Monitoring, Routine (RTCR)
VA3095045	CWS	GW	29	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3095325	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA3095325	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA3095325	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	4/10/2023	4/10/2023	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SIF	12/1/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SOX	11/22/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA3131008	CWS	GW	45	Private	Consumer Confidence Rule	Other	SOX	10/30/2023	10/30/2023	71	Consumer Confidence Report Complete Failure to Report

VA3131008	CWS	GW	45	Private	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/30/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131042	TNCWS	GW	420	Private	Revised Total Coliform Rule	MON	SIF	8/14/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3131042	TNCWS	GW	420	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3131042	TNCWS	GW	420	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3131042	TNCWS	GW	420	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA3131061	CWS	GW	160	Local government	Consumer Confidence Rule	Other	SFJ	11/20/2023	9/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131061	CWS	GW	160	Local government	Consumer Confidence Rule	Other	SIE	11/20/2023	9/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131061	CWS	GW	160	Local government	Consumer Confidence Rule	Other	SOX	9/8/2023	9/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131095	NTNCWS	GW	456	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131097	TNCWS	GW	112	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3131097	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIF	5/12/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA3131097	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	5/4/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA3131097	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA3131097	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	E. COLI	MR	SIE	10/6/2023		34	Monitoring, Source Water (GWR)
VA3131100	TNCWS	GW	46	Private	E. COLI	MR	SFJ	10/6/2023		34	Monitoring, Source Water (GWR)

VA3131100	TNCWS	GW	46	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	5/30/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	5/30/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIF	7/10/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131137	NTNCWS	GW	80	Private	E. COLI	MR	SIE	11/8/2023	10/2/2023	34	Monitoring, Source Water (GWR)
VA3131137	NTNCWS	GW	80	Private	E. COLI	MR	SFJ	11/8/2023	10/2/2023	34	Monitoring, Source Water (GWR)
VA3131137	NTNCWS	GW	80	Private	E. COLI	MR	SOX	10/2/2023	10/2/2023	34	Monitoring, Source Water (GWR)

VA3131210	CWS	GW	2000	Local government	Consumer Confidence Rule	Other	SOX	10/17/2023	10/17/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131210	CWS	GW	2000	Local government	Consumer Confidence Rule	Other	SFJ	10/6/2023	10/17/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131210	CWS	GW	2000	Local government	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA3131300	CWS	GW	80	Private	Consumer Confidence Rule	Other	SFJ	11/8/2023	11/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131300	CWS	GW	80	Private	Consumer Confidence Rule	Other	SOX	11/8/2023	11/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	6/28/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	5/30/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	5/30/2023	6/28/2023	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131350	TNCWS	GW	40	Private	Revised Total Coliform Rule	MCL	SOX	8/21/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131350	TNCWS	GW	40	Private	Revised Total Coliform Rule	MCL	SIF	8/18/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131350	TNCWS	GW	40	Private	Revised Total Coliform Rule	MCL	SFH	8/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131350	TNCWS	GW	40	Private	Revised Total Coliform Rule	MCL	SIE	8/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131350	TNCWS	GW	40	Private	Revised Total Coliform Rule	MCL	SFJ	8/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131372	TNCWS	GW	76	Private	E. COLI	MR	SIE	7/25/2023		34	Monitoring, Source Water (GWR)

VA3131372	TNCWS	GW	76	Private	E. COLI	MR	SFJ	7/25/2023		34	Monitoring, Source Water (GWR)
VA3131372	TNCWS	GW	76	Private	E. COLI	MR	SIE	10/6/2023		34	Monitoring, Source Water (GWR)
VA3131372	TNCWS	GW	76	Private	E. COLI	MR	SFJ	10/6/2023		34	Monitoring, Source Water (GWR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	5/31/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	5/30/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	5/30/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	10/6/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	10/6/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	11/8/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	11/8/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131373	TNCWS	GW	555	State government	E. COLI	MR	SFJ	11/8/2023	10/16/2023	34	Monitoring, Source Water (GWR)
VA3131373	TNCWS	GW	555	State government	E. COLI	MR	SIE	11/8/2023	10/16/2023	34	Monitoring, Source Water (GWR)

VA3131373	TNCWS	GW	555	State government	E. COLI	MR	SOX	10/16/2023	10/16/2023	34	Monitoring, Source Water (GWR)
VA3131391	NTNCWS	GW	145	Private	E. COLI	MR	SIF	5/10/2023	4/17/2023	34	Monitoring, Source Water (GWR)
VA3131391	NTNCWS	GW	145	Private	E. COLI	MR	SIE	4/27/2023	4/17/2023	34	Monitoring, Source Water (GWR)
VA3131391	NTNCWS	GW	145	Private	E. COLI	MR	SFJ	4/27/2023	4/17/2023	34	Monitoring, Source Water (GWR)
VA3131391	NTNCWS	GW	145	Private	E. COLI	MR	SOX	4/17/2023	4/17/2023	34	Monitoring, Source Water (GWR)
VA3131420	NTNCWS	GW	90	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3131554	CWS	GW	64	Local government	Consumer Confidence Rule	Other	SFJ	11/20/2023	11/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131554	CWS	GW	64	Local government	Consumer Confidence Rule	Other	SIE	11/20/2023	11/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131554	CWS	GW	64	Local government	Consumer Confidence Rule	Other	SOX	11/8/2023	11/8/2023	71	Consumer Confidence Report Complete Failure to Report
VA3131554	CWS	GW	64	Local government	E. COLI	MR	SFJ	10/6/2023	8/23/2023	34	Monitoring, Source Water (GWR)
VA3131554	CWS	GW	64	Local government	E. COLI	MR	SIE	10/6/2023	8/23/2023	34	Monitoring, Source Water (GWR)
VA3131554	CWS	GW	64	Local government	E. COLI	MR	SOX	8/23/2023	8/23/2023	34	Monitoring, Source Water (GWR)
VA3131610	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	11/8/2023		3A	Monitoring, Routine (RTCR)
VA3131610	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	11/8/2023		3A	Monitoring, Routine (RTCR)
VA3131610	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3131825	TNCWS	GW	500	Private	E. COLI	MR	SFJ	6/21/2023	6/16/2023	34	Monitoring, Source Water (GWR)
VA3131825	TNCWS	GW	500	Private	E. COLI	MR	SIE	6/21/2023	6/16/2023	34	Monitoring, Source Water (GWR)

VA3131825	TNCWS	GW	500	Private	E. COLI	MR	SOX	6/16/2023	6/16/2023	34	Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SIF	5/10/2023	3/20/2023	34	Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SFJ	3/28/2023	3/20/2023	34	Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SIE	3/28/2023	3/20/2023	34	Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SOX	3/20/2023	3/20/2023	34	Monitoring, Source Water (GWR)
VA3131857	TNCWS	GW	40	State government	Revised Total Coliform Rule	MON	SIF	8/7/2023	8/2/2023	3A	Monitoring, Routine (RTCR)
VA3131857	TNCWS	GW	40	State government	Revised Total Coliform Rule	MON	SOX	8/2/2023	8/2/2023	3A	Monitoring, Routine (RTCR)
VA3131857	TNCWS	GW	40	State government	Revised Total Coliform Rule	MON	SIE	7/25/2023	8/2/2023	3A	Monitoring, Routine (RTCR)
VA3131857	TNCWS	GW	40	State government	Revised Total Coliform Rule	MON	SFJ	7/25/2023	8/2/2023	3A	Monitoring, Routine (RTCR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SOX	10/30/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SIF	10/16/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SFJ	10/6/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SIE	10/6/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SIF	12/4/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SIE	11/8/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SFJ	11/8/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SOX	10/30/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR	SIF	1/14/2023		34	Monitoring, Source Water (GWR)

VA3131875	NTNCWS	GW	425	Local government	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA3131875	NTNCWS	GW	425	Local government	Revised Total Coliform Rule	MON	SIF	12/4/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA3131875	NTNCWS	GW	425	Local government	Revised Total Coliform Rule	MON	SFJ	11/8/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA3131875	NTNCWS	GW	425	Local government	Revised Total Coliform Rule	MON	SIE	11/8/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA3131875	NTNCWS	GW	425	Local government	Revised Total Coliform Rule	MON	SOX	10/31/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	5/31/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	5/31/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	7/26/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	7/11/2023	7/11/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	10/6/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	10/6/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	11/28/2023		3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	1/3/2023	1/3/2023	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)

VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SOX	6/14/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SFJ	6/1/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SIE	6/1/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SOX	6/14/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	3/1/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	2/21/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	2/21/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	3/15/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	3/15/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	3/1/2023	3/1/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	6/1/2023	5/23/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	6/1/2023	5/23/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	5/23/2023	5/23/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	10/30/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/30/2023	3A	Monitoring, Routine (RTCR)

VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	12/21/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	12/21/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	12/20/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA3149370	TNCWS	GW	1400	State government	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3149370	TNCWS	GW	1400	State government	Revised Total Coliform Rule	MON	SIE	9/21/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3149370	TNCWS	GW	1400	State government	Revised Total Coliform Rule	MON	SFJ	9/21/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA3149440	TNCWS	GW	292	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SO6	8/14/2023		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SFJ	3/30/2015		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SIE	3/30/2015		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SO6	8/14/2023		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SIE	8/3/2015		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Public Notice	Other	SFJ	8/3/2015		75	Public Notification Violation for NPDWR Violation
VA3149440	TNCWS	GW	292	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023		3A	Monitoring, Routine (RTCR)
VA3149440	TNCWS	GW	292	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023		3A	Monitoring, Routine (RTCR)
VA3149440	TNCWS	GW	292	Private	Revised Total Coliform Rule	MON	SOX	1/25/2023	1/25/2023	3A	Monitoring, Routine (RTCR)

VA3149700	CWS	SWP	10054	Local government	Revised Total Coliform Rule	MON	SFJ	6/1/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA3149700	CWS	SWP	10054	Local government	Revised Total Coliform Rule	MON	SIE	6/1/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA3149700	CWS	SWP	10054	Local government	Revised Total Coliform Rule	MON	SOX	5/10/2023	5/10/2023	3A	Monitoring, Routine (RTCR)
VA3149700	CWS	SWP	10054	Local government	TTHM	MR	SOX	8/31/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149700	CWS	SWP	10054	Local government	TTHM	MR	SFJ	7/20/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149700	CWS	SWP	10054	Local government	TTHM	MR	SIE	7/20/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149700	CWS	SWP	10054	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	8/31/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149700	CWS	SWP	10054	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	7/20/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149700	CWS	SWP	10054	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	7/20/2023	8/31/2023	30	Monitoring, Routine (IDSE)
VA3149846	NTNCWS	GW	250	Local government	Revised Total Coliform Rule	MON	SIE	8/22/2023	8/16/2023	3A	Monitoring, Routine (RTCR)
VA3149846	NTNCWS	GW	250	Local government	Revised Total Coliform Rule	MON	SFJ	8/22/2023	8/16/2023	3A	Monitoring, Routine (RTCR)
VA3149846	NTNCWS	GW	250	Local government	Revised Total Coliform Rule	MON	SOX	8/16/2023	8/16/2023	3A	Monitoring, Routine (RTCR)
VA3149958	TNCWS	GW	200	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3149958	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023		3A	Monitoring, Routine (RTCR)
VA3149958	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023		3A	Monitoring, Routine (RTCR)
VA3149958	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SFJ	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SIE	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)

VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SOX	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SOX	12/5/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SIF	4/27/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SIE	3/28/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SFJ	3/28/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SOX	12/5/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SIF	10/26/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SFJ	9/19/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175220	CWS	GW	1284	Local government	Fluoride	MCL	SIE	9/19/2023	12/5/2023	2	Maximum Contaminant Level Violation, Average
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	6/27/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	6/27/2023	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SFL	3/8/2017		45	Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SIF	3/24/2014		45	Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SFJ	10/4/2013		45	Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SIE	10/4/2013		45	Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SIF	9/1/2020		2A	Treatment Technique, Level 1 Assessment (RTCR)

VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SF9	7/10/2019		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SFJ	1/28/2019		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SIE	1/28/2019		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175461	CWS	GW	64	Private	Lead and Copper Rule	MR	SOX	8/1/2023	8/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA3175461	CWS	GW	64	Private	Lead and Copper Rule	MR	SFJ	11/4/2022	8/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA3175461	CWS	GW	64	Private	Lead and Copper Rule	MR	SIE	11/4/2022	8/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SIE	2/27/2023	2/23/2023	3A	Monitoring, Routine (RTCR)
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SFJ	2/27/2023	2/23/2023	3A	Monitoring, Routine (RTCR)
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SOX	2/23/2023	2/23/2023	3A	Monitoring, Routine (RTCR)
VA3175530	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA3175530	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA3175530	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SOX	9/12/2023	9/12/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SOX	4/26/2023	4/26/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	4/26/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	4/26/2023	3A	Monitoring, Routine (RTCR)

VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SOX	6/12/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	3/8/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	2/17/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	3/15/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	3/15/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	3/8/2023	3/8/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	6/6/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	5/24/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	5/24/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	6/6/2023	6/6/2023	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	8/23/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023		3A	Monitoring, Routine (RTCR)

VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	10/24/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	12/18/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	12/18/2023		3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3181180	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/3/2023	3A	Monitoring, Routine (RTCR)
VA3181180	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/3/2023	3A	Monitoring, Routine (RTCR)
VA3181180	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	10/3/2023	10/3/2023	3A	Monitoring, Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SIF	9/27/2023	9/12/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SFJ	9/19/2023	9/12/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SIE	9/19/2023	9/12/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SOX	9/12/2023	9/12/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SIF	11/28/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SFJ	11/20/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SIE	11/20/2023	11/8/2023	34	Monitoring, Source Water (GWR)

VA3181181	TNCWS	GW	200	Private	E. COLI	MR	SOX	11/8/2023	11/8/2023	34	Monitoring, Source Water (GWR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA3181700	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA3181700	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA3181700	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/18/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA3181700	CWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3199190	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SOX	11/14/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199190	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIF	11/2/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199190	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIE	9/25/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199190	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SFJ	9/25/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199850	TNCWS	GW	315	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3199860	TNCWS	GW	805	Private	E. COLI	MR	SFJ	10/26/2023	9/29/2023	34	Monitoring, Source Water (GWR)
VA3199860	TNCWS	GW	805	Private	E. COLI	MR	SIE	10/26/2023	9/29/2023	34	Monitoring, Source Water (GWR)
VA3199860	TNCWS	GW	805	Private	E. COLI	MR	SOX	9/29/2023	9/29/2023	34	Monitoring, Source Water (GWR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SIF	7/7/2023	7/5/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SOX	7/5/2023	7/5/2023	3B	Monitoring, Additional Routine (RTCR)

VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	7/5/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	7/5/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SIF	11/16/2023	11/1/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SOX	11/1/2023	11/1/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/1/2023	3B	Monitoring, Additional Routine (RTCR)
VA3199860	TNCWS	GW	805	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/1/2023	3B	Monitoring, Additional Routine (RTCR)
VA3550800	CWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA3550800	CWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	11/27/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA3550800	CWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	11/27/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA3550800	CWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SOX	12/6/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SFL	4/3/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SFJ	3/15/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SIE	3/15/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SOX	12/6/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SIE	6/30/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SFJ	6/30/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	12/6/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average

VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	3/15/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	12/6/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/30/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/30/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	12/6/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	9/19/2023	12/6/2023	2	Maximum Contaminant Level Violation, Average
VA3620350	CWS	GW	9000	Local government	TTHM	MR	SOX	11/1/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3620350	CWS	GW	9000	Local government	TTHM	MR	SIE	10/26/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3620350	CWS	GW	9000	Local government	TTHM	MR	SFJ	10/26/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3620350	CWS	GW	9000	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	11/1/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3620350	CWS	GW	9000	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/26/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3620350	CWS	GW	9000	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/26/2023	11/1/2023	30	Monitoring, Routine (IDSE)
VA3650350	CWS	SWP	10886	Federal government	Revised Total Coliform Rule	MON	SOX	3/21/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA3650350	CWS	SWP	10886	Federal government	Revised Total Coliform Rule	MON	SFJ	3/15/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA3650350	CWS	SWP	10886	Federal government	Revised Total Coliform Rule	MON	SIE	3/15/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SOX	10/13/2023	10/13/2023	75	Public Notification Violation for NPDWR Violation

VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SOX	10/13/2023	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SOX	10/13/2023	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SOX	10/13/2023	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022	10/13/2023	75	Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SOX	6/15/2023	6/15/2023	75	Public Notification Violation for NPDWR Violation
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SFJ	2/23/2021	6/15/2023	75	Public Notification Violation for NPDWR Violation
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SOX	6/15/2023	6/15/2023	75	Public Notification Violation for NPDWR Violation
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SFJ	5/9/2022	6/15/2023	75	Public Notification Violation for NPDWR Violation
VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SOX	10/31/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SFJ	2/23/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R

VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SIE	2/23/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SOX	10/31/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SIE	7/25/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA3810016	NTNCWS	GW	55	Private	Lead and Copper Rule	MR	SFJ	7/25/2023	10/31/2023	52	Follow-up Or Routine LCR Tap M/R
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	2/23/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	2/23/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	3/28/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	3/28/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	5/30/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	5/30/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	7/26/2023	3A	Monitoring, Routine (RTCR)

VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	12/18/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	11/28/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	11/28/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	12/18/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA3810040	TNCWS	GW	340	Private	E. COLI	MR	SIF	5/8/2023	5/3/2023	34	Monitoring, Source Water (GWR)
VA3810040	TNCWS	GW	340	Private	E. COLI	MR	SOX	5/3/2023	5/3/2023	34	Monitoring, Source Water (GWR)
VA3810040	TNCWS	GW	340	Private	E. COLI	MR	SIE	4/27/2023	5/3/2023	34	Monitoring, Source Water (GWR)
VA3810040	TNCWS	GW	340	Private	E. COLI	MR	SFJ	4/27/2023	5/3/2023	34	Monitoring, Source Water (GWR)
VA3810270	TNCWS	GW	700	Private	Revised Total Coliform Rule	MON	SOX	8/23/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3810270	TNCWS	GW	700	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3810270	TNCWS	GW	700	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	8/23/2023	3A	Monitoring, Routine (RTCR)
VA3810277	TNCWS	GW	300	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA3810297	TNCWS	GW	125	Private	E. COLI	MR	SIE	7/27/2023	7/14/2023	34	Monitoring, Source Water (GWR)
VA3810297	TNCWS	GW	125	Private	E. COLI	MR	SFJ	7/27/2023	7/14/2023	34	Monitoring, Source Water (GWR)

VA3810297	TNCWS	GW	125	Private	E. COLI	MR	SOX	7/14/2023	7/14/2023	3A	Monitoring, Source Water (GWR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	3/28/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	3/28/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	5/30/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	5/30/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	6/21/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MCL	SFJ	7/27/2023	7/14/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MCL	SFH	7/27/2023	7/14/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MCL	SIE	7/27/2023	7/14/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MCL	SOX	7/14/2023	7/14/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	11/8/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	11/8/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/2/2023	10/2/2023	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SOX	5/30/2023	5/30/2023	3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2023	5/30/2023	3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SIE	4/27/2023	5/30/2023	3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SFJ	11/8/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SIE	11/8/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA4036100	NTNCWS	GW	80	Local government	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4036180	TNCWS	GW	49	Private	E. COLI	MR	SFJ	10/18/2023		34	Monitoring, Source Water (GWR)
VA4036180	TNCWS	GW	49	Private	E. COLI	MR	SIE	10/18/2023		34	Monitoring, Source Water (GWR)
VA4036340	TNCWS	GW	150	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4036860	CWS	GW	48	Private	Lead and Copper Rule	MR	SOX	3/1/2023	3/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA4036860	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	2/16/2023	3/1/2023	52	Follow-up Or Routine LCR Tap M/R

VA4036860	CWS	GW	48	Private	Lead and Copper Rule	MR	SIE	2/16/2023	3/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA4036860	CWS	GW	48	Private	Public Notice	Other	SOX	10/23/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA4036860	CWS	GW	48	Private	Public Notice	Other	SFJ	9/25/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA4036910	TNCWS	GW	82	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4036910	TNCWS	GW	82	Private	Public Notice	Other	SOX	1/13/2023	1/13/2023	75	Public Notification Violation for NPDWR Violation
VA4036910	TNCWS	GW	82	Private	Public Notice	Other	SFJ	8/16/2022	1/13/2023	75	Public Notification Violation for NPDWR Violation
VA4041250	TNCWS	GW	110	Private	E. COLI	MR	SIE	12/20/2023	11/9/2023	34	Monitoring, Source Water (GWR)
VA4041250	TNCWS	GW	110	Private	E. COLI	MR	SFJ	12/20/2023	11/9/2023	34	Monitoring, Source Water (GWR)
VA4041250	TNCWS	GW	110	Private	E. COLI	MR	SOX	11/9/2023	11/9/2023	34	Monitoring, Source Water (GWR)
VA4041260	TNCWS	GW	55	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	10/27/2023	10/27/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	12/13/2022	10/27/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	6/22/2023	3/15/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SIE	6/22/2023	3/15/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	3/15/2023	3/15/2023	75	Public Notification Violation for NPDWR Violation

VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	11/21/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	8/18/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	10/16/2023	10/16/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	9/18/2023	10/16/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	12/1/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	11/21/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SIF	11/21/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SOX	11/21/2023	11/21/2023	75	Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SOX	2/28/2023	2/28/2023	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	2/14/2023	2/28/2023	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	2/14/2023	2/28/2023	3A	Monitoring, Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	E. COLI	MR	SIE	8/18/2023		34	Monitoring, Source Water (GWR)
VA4057050	TNCWS	GW	50	Private	E. COLI	MR	SFJ	8/18/2023		34	Monitoring, Source Water (GWR)
VA4057050	TNCWS	GW	50	Private	E. COLI	MR	SIE	10/19/2023		34	Monitoring, Source Water (GWR)
VA4057050	TNCWS	GW	50	Private	E. COLI	MR	SFJ	10/19/2023		34	Monitoring, Source Water (GWR)

VA4057050	TNCWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4057050	TNCWS	GW	50	Private	Public Notice	Other	SFJ	2/2/2023		75	Public Notification Violation for NPDWR Violation
VA4057050	TNCWS	GW	50	Private	Public Notice	Other	SFJ	4/12/2023		75	Public Notification Violation for NPDWR Violation
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	11/19/2023	11/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/4/2023	11/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/4/2023	11/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/29/2023	11/19/2023	3A	Monitoring, Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/29/2023	11/19/2023	3A	Monitoring, Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	11/19/2023	11/19/2023	3A	Monitoring, Routine (RTCR)
VA4057300	CWS	GW	65	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA4057450	TNCWS	GW	70	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4057800	CWS	GW	2375	Local government	E. COLI	MR	SIF	11/13/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA4057800	CWS	GW	2375	Local government	E. COLI	MR	SOX	10/23/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA4057800	CWS	GW	2375	Local government	E. COLI	MR	SIE	10/23/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA4057800	CWS	GW	2375	Local government	E. COLI	MR	SFJ	10/23/2023	10/23/2023	34	Monitoring, Source Water (GWR)
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	9/6/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	9/6/2023	3A	Monitoring, Routine (RTCR)

VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	9/6/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	9/6/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	4/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	4/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	8/22/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	8/22/2023	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023		3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023		3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	11/27/2023		3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	11/27/2023		3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)

VA4073300	TNCWS	GW	50	Private	Public Notice	Other	SFJ	2/2/2021		75	Public Notification Violation for NPDWR Violation
VA4073302	NTNCWS	GW	135	Private	Lead and Copper Rule	MR	SOX	9/28/2023	9/28/2023	52	Follow-up Or Routine LCR Tap M/R
VA4073302	NTNCWS	GW	135	Private	Lead and Copper Rule	MR	SIE	11/3/2022	9/28/2023	52	Follow-up Or Routine LCR Tap M/R
VA4073302	NTNCWS	GW	135	Private	Lead and Copper Rule	MR	SFJ	11/3/2022	9/28/2023	52	Follow-up Or Routine LCR Tap M/R
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SFJ	11/27/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIE	11/27/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SOX	11/14/2023	11/14/2023	3A	Monitoring, Routine (RTCR)
VA4073330	TNCWS	GW	250	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4073510	CWS	GW	210	Private	Consumer Confidence Rule	Other	SIE	8/30/2022		71	Consumer Confidence Report Complete Failure to Report
VA4073510	CWS	GW	210	Private	Consumer Confidence Rule	Other	SFJ	8/30/2022		71	Consumer Confidence Report Complete Failure to Report
VA4073510	CWS	GW	210	Private	Consumer Confidence Rule	Other	SFJ	8/18/2023		71	Consumer Confidence Report Complete Failure to Report
VA4073510	CWS	GW	210	Private	E. COLI	MR	SOX	2/16/2023	2/16/2023	34	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SIE	1/31/2023	2/16/2023	34	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFJ	1/31/2023	2/16/2023	34	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SIE	10/26/2023		34	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFJ	10/26/2023		34	Monitoring, Source Water (GWR)

VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SFJ	2/24/2023	2/16/2023	3A	Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SIE	2/24/2023	2/16/2023	3A	Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SOX	2/16/2023	2/16/2023	3A	Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	11/9/2023	11/9/2023	12	Treatment Technique No Certif. Operator
VA4073510	CWS	GW	210	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	8/28/2023	11/9/2023	12	Treatment Technique No Certif. Operator
VA4073880	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/6/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA4073880	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA4073880	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/6/2023	3A	Monitoring, Routine (RTCR)
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SOX	1/27/2023	1/27/2023	75	Public Notification Violation for NPDWR Violation
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SFJ	2/2/2021	1/27/2023	75	Public Notification Violation for NPDWR Violation
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SOX	1/27/2023	1/27/2023	75	Public Notification Violation for NPDWR Violation
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SFJ	5/9/2022	1/27/2023	75	Public Notification Violation for NPDWR Violation
VA4075140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3B	Monitoring, Additional Routine (RTCR)
VA4075140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	9/26/2023	3B	Monitoring, Additional Routine (RTCR)
VA4075140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	9/26/2023	3B	Monitoring, Additional Routine (RTCR)

VA4075240	TNCWS	GW	46	Private	Public Notice	Other	SFJ	3/8/2023		75	Public Notification Violation for NPDWR Violation
VA4075240	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2023	10/12/2023	3A	Monitoring, Routine (RTCR)
VA4075240	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	11/1/2023	10/12/2023	3A	Monitoring, Routine (RTCR)
VA4075240	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	10/12/2023	10/12/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	E. COLI	MR	SIE	6/28/2023		34	Monitoring, Source Water (GWR)
VA4075368	TNCWS	GW	112	Private	E. COLI	MR	SFJ	6/28/2023		34	Monitoring, Source Water (GWR)
VA4075368	TNCWS	GW	112	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4075368	TNCWS	GW	112	Private	Public Notice	Other	SIE	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4075368	TNCWS	GW	112	Private	Public Notice	Other	SFJ	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIF	5/5/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	5/4/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	4/12/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	4/12/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	8/20/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	8/20/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	8/20/2023	8/20/2023	3A	Monitoring, Routine (RTCR)

VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	11/1/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	10/19/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Public Notice	Other	SFJ	1/27/2023		75	Public Notification Violation for NPDWR Violation
VA4075462	TNCWS	GW	110	Private	Public Notice	Other	SOX	11/6/2023	11/6/2023	75	Public Notification Violation for NPDWR Violation
VA4075462	TNCWS	GW	110	Private	Public Notice	Other	SFJ	11/1/2023	11/6/2023	75	Public Notification Violation for NPDWR Violation
VA4075462	TNCWS	GW	110	Private	Public Notice	Other	SOX	11/6/2023	11/6/2023	75	Public Notification Violation for NPDWR Violation
VA4075462	TNCWS	GW	110	Private	Public Notice	Other	SFJ	11/1/2023	11/6/2023	75	Public Notification Violation for NPDWR Violation
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023	11/8/2023	3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023	11/8/2023	3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SOX	11/8/2023	11/8/2023	3A	Monitoring, Routine (RTCR)
VA4085292	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/23/2023	8/23/2023	75	Public Notification Violation for NPDWR Violation
VA4085292	TNCWS	GW	26	Private	Public Notice	Other	SFJ	6/1/2022	8/23/2023	75	Public Notification Violation for NPDWR Violation
VA4085345	NTNCWS	GW	25	Local government	TTHM	MR	SFJ	10/25/2023		30	Monitoring, Routine (IDSE)
VA4085345	NTNCWS	GW	25	Local government	TTHM	MR	SIE	10/25/2023		30	Monitoring, Routine (IDSE)

VA4085345	NTNCWS	GW	25	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/25/2023		30	Monitoring, Routine (IDSE)
VA4085345	NTNCWS	GW	25	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/25/2023		30	Monitoring, Routine (IDSE)
VA4085411	TNCWS	GW	200	Private	Public Notice	Other	SOX	8/30/2023	8/30/2023	75	Public Notification Violation for NPDWR Violation
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	3/15/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	2/17/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	3/15/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	3/13/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	3/13/2023	3/15/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	10/31/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/25/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIF	6/14/2023	6/9/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SOX	6/9/2023	6/9/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SIE	6/6/2023	6/9/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFJ	6/6/2023	6/9/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MCL	SFH	6/1/2023	6/9/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4085427	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	12/28/2023	12/28/2023	3A	Monitoring, Routine (RTCR)
VA4085550	CWS	GW	208	Private	Nitrate-Nitrite	MR	SFJ	9/28/2023	9/14/2023	3	Monitoring, Regular
VA4085550	CWS	GW	208	Private	Nitrate-Nitrite	MR	SIE	9/28/2023	9/14/2023	3	Monitoring, Regular
VA4085550	CWS	GW	208	Private	Nitrate-Nitrite	MR	SOX	9/14/2023	9/14/2023	3	Monitoring, Regular
VA4085562	TNCWS	GW	510	Private	E. COLI	MR	SIF	7/16/2023	2/27/2023	34	Monitoring, Source Water (GWR)
VA4085562	TNCWS	GW	510	Private	E. COLI	MR	SOX	2/27/2023	2/27/2023	34	Monitoring, Source Water (GWR)
VA4085562	TNCWS	GW	510	Private	E. COLI	MR	SFJ	2/1/2023	2/27/2023	34	Monitoring, Source Water (GWR)
VA4085562	TNCWS	GW	510	Private	E. COLI	MR	SIE	2/1/2023	2/27/2023	34	Monitoring, Source Water (GWR)
VA4085562	TNCWS	GW	510	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4085562	TNCWS	GW	510	Private	Public Notice	Other	SOX	11/22/2023	11/22/2023	75	Public Notification Violation for NPDWR Violation
VA4085562	TNCWS	GW	510	Private	Public Notice	Other	SFJ	10/18/2023	11/22/2023	75	Public Notification Violation for NPDWR Violation
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SIF	7/26/2023	3/21/2023	3B	Monitoring, Additional Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SOX	3/21/2023	3/21/2023	3B	Monitoring, Additional Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SIE	2/10/2023	3/21/2023	3B	Monitoring, Additional Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SFJ	2/10/2023	3/21/2023	3B	Monitoring, Additional Routine (RTCR)

VA4087098	TNCWS	GW	42	Private	Public Notice	Other	SFJ	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4087098	TNCWS	GW	42	Private	Public Notice	Other	SIE	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4087240	NTNCWS	GW	130	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4087850	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	9/11/2023	9/11/2023	3B	Monitoring, Additional Routine (RTCR)
VA4087850	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	9/11/2023	3B	Monitoring, Additional Routine (RTCR)
VA4087850	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	9/11/2023	3B	Monitoring, Additional Routine (RTCR)
VA4097210	TNCWS	GW	100	Private	Public Notice	Other	SFJ	6/28/2023	6/11/2023	75	Public Notification Violation for NPDWR Violation
VA4097210	TNCWS	GW	100	Private	Public Notice	Other	SIE	6/28/2023	6/11/2023	75	Public Notification Violation for NPDWR Violation
VA4097210	TNCWS	GW	100	Private	Public Notice	Other	SOX	6/11/2023	6/11/2023	75	Public Notification Violation for NPDWR Violation
VA4097800	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	9/28/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA4097800	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	9/28/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA4097800	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA4097850	CWS	GW	90	Private	E. COLI	MR	SFJ	12/19/2023	11/28/2023	34	Monitoring, Source Water (GWR)
VA4097850	CWS	GW	90	Private	E. COLI	MR	SIE	12/19/2023	11/28/2023	34	Monitoring, Source Water (GWR)
VA4097850	CWS	GW	90	Private	E. COLI	MR	SOX	11/28/2023	11/28/2023	34	Monitoring, Source Water (GWR)
VA4101085	TNCWS	GW	220	Private	E. COLI	MR	SIE	11/28/2023	11/2/2023	34	Monitoring, Source Water (GWR)

VA4101085	TNCWS	GW	220	Private	E. COLI	MR	SFJ	11/28/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4101085	TNCWS	GW	220	Private	E. COLI	MR	SOX	11/2/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	5/5/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIF	4/17/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	4/12/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIF	10/2/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	9/26/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4103870	CWS	GW	451	Private	E. COLI	MR	SFJ	9/28/2023	8/16/2023	34	Monitoring, Source Water (GWR)
VA4103870	CWS	GW	451	Private	E. COLI	MR	SIE	9/28/2023	8/16/2023	34	Monitoring, Source Water (GWR)
VA4103870	CWS	GW	451	Private	E. COLI	MR	SOX	8/16/2023	8/16/2023	34	Monitoring, Source Water (GWR)
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SOX	6/12/2023	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIF	12/14/2022	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SFJ	11/15/2022	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIE	11/15/2022	6/12/2023	45	Failure To Address Deficiency

VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SOX	6/12/2023	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIF	12/14/2022	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIE	11/15/2022	6/12/2023	45	Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SFJ	11/15/2022	6/12/2023	45	Failure To Address Deficiency
VA4115002	TNCWS	GW	32	Local government	Public Notice	Other	SFJ	5/9/2022		75	Public Notification Violation for NPDWR Violation
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SOX	6/26/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SFJ	4/24/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SIE	4/24/2023	6/26/2023	3A	Monitoring, Routine (RTCR)
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SOX	11/27/2023	11/27/2023	3A	Monitoring, Routine (RTCR)
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/27/2023	3A	Monitoring, Routine (RTCR)
VA4115002	TNCWS	GW	32	Local government	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/27/2023	3A	Monitoring, Routine (RTCR)
VA4115525	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	10/5/2023	3A	Monitoring, Routine (RTCR)
VA4115525	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	10/5/2023	3A	Monitoring, Routine (RTCR)
VA4115525	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/5/2023	10/5/2023	3A	Monitoring, Routine (RTCR)
VA4115526	TNCWS	GW	15	Private	Revised Total Coliform Rule	MON	SOX	8/14/2023	8/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115526	TNCWS	GW	15	Private	Revised Total Coliform Rule	MON	SIF	8/10/2023	8/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115526	TNCWS	GW	15	Private	Revised Total Coliform Rule	MON	SIE	7/24/2023	8/14/2023	3B	Monitoring, Additional Routine (RTCR)

VA4115526	TNCWS	GW	15	Private	Revised Total Coliform Rule	MON	SFJ	7/24/2023	8/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115651	NTNCWS	GW	36	Federal government	TTHM	MR	SIE	10/26/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115651	NTNCWS	GW	36	Federal government	TTHM	MR	SFJ	10/26/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115651	NTNCWS	GW	36	Federal government	TTHM	MR	SOX	10/25/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115651	NTNCWS	GW	36	Federal government	TTHM	MCL	SIE	11/27/2023		2	Maximum Contaminant Level Violation, Average
VA4115651	NTNCWS	GW	36	Federal government	TTHM	MCL	SFJ	11/27/2023		2	Maximum Contaminant Level Violation, Average
VA4115651	NTNCWS	GW	36	Federal government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/26/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115651	NTNCWS	GW	36	Federal government	Total Haloacetic Acids (HAA5)	MR	SIE	10/26/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115651	NTNCWS	GW	36	Federal government	Total Haloacetic Acids (HAA5)	MR	SOX	10/25/2023	10/25/2023	30	Monitoring, Routine (IDSE)
VA4115720	TNCWS	GW	25	Private	E. COLI	MR	SOX	3/21/2023	3/21/2023	34	Monitoring, Source Water (GWR)
VA4115720	TNCWS	GW	25	Private	E. COLI	MR	SIF	2/13/2023	3/21/2023	34	Monitoring, Source Water (GWR)
VA4115720	TNCWS	GW	25	Private	E. COLI	MR	SFJ	1/30/2023	3/21/2023	34	Monitoring, Source Water (GWR)
VA4115720	TNCWS	GW	25	Private	E. COLI	MR	SIE	1/30/2023	3/21/2023	34	Monitoring, Source Water (GWR)
VA4115720	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	3/21/2023	2/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115720	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	2/24/2023	2/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115720	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	2/24/2023	2/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA4115720	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	2/13/2023	2/13/2023	3B	Monitoring, Additional Routine (RTCR)

VA4115851	TNCWS	GW	100	Private	Public Notice	Other	SFJ	5/9/2022		75	Public Notification Violation for NPDWR Violation
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/9/2023	2/14/2023	3A	Monitoring, Routine (RTCR)
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/9/2023	2/14/2023	3A	Monitoring, Routine (RTCR)
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	2/14/2023	2/14/2023	3A	Monitoring, Routine (RTCR)
VA4119277	CWS	GW	400	Private	Groundwater Rule	TT	SFJ	12/4/2023		45	Failure To Address Deficiency
VA4119277	CWS	GW	400	Private	Groundwater Rule	TT	SIE	12/4/2023		45	Failure To Address Deficiency
VA4119277	CWS	GW	400	Private	Groundwater Rule	TT	SFJ	12/4/2023		45	Failure To Address Deficiency
VA4119277	CWS	GW	400	Private	Groundwater Rule	TT	SIE	12/4/2023		45	Failure To Address Deficiency
VA4119280	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	12/4/2023	12/4/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	E. COLI	MR	SOX	10/11/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA4119412	TNCWS	GW	25	Private	E. COLI	MR	SIE	10/6/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA4119412	TNCWS	GW	25	Private	E. COLI	MR	SFJ	10/6/2023	10/11/2023	34	Monitoring, Source Water (GWR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	7/20/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/7/2022	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/7/2022	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)

VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/22/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/7/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/7/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SIE	11/20/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SFJ	11/20/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119555	TNCWS	GW	40	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4119556	TNCWS	GW	40	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4119565	TNCWS	GW	100	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SIF	7/20/2023	2/2/2023	34	Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SOX	2/2/2023	2/2/2023	34	Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SFJ	7/21/2022	2/2/2023	34	Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SIE	7/21/2022	2/2/2023	34	Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	Public Notice	Other	SOX	3/27/2023	3/27/2023	75	Public Notification Violation for NPDWR Violation
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIF	3/27/2023	3/27/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SOX	3/27/2023	3/27/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)

VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	10/5/2022	3/27/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	10/5/2022	3/27/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	7/20/2023	2/2/2023	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	3/9/2023	2/2/2023	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	3/9/2023	2/2/2023	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	2/2/2023	2/2/2023	3A	Monitoring, Routine (RTCR)
VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOO	6/12/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	E. COLI	MR	SOX	11/1/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4119581	TNCWS	GW	25	Private	E. COLI	MR	SFJ	10/23/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4119581	TNCWS	GW	25	Private	E. COLI	MR	SIE	10/23/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4119581	TNCWS	GW	25	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/23/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/23/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/4/2023	10/4/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/9/2023	2/21/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/9/2023	2/21/2023	3A	Monitoring, Routine (RTCR)

VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	2/21/2023	2/21/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	6/15/2023	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	5/4/2023	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2023	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	6/15/2023	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	6/7/2022	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	6/7/2022	6/15/2023	3A	Monitoring, Routine (RTCR)
VA4119586	TNCWS	GW	15	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	2/13/2023	2/7/2023	3A	Monitoring, Routine (RTCR)
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	2/13/2023	2/7/2023	3A	Monitoring, Routine (RTCR)
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	2/7/2023	2/7/2023	3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	E. COLI	MR	SFJ	9/25/2023	7/25/2023	34	Monitoring, Source Water (GWR)
VA4119840	TNCWS	GW	65	Private	E. COLI	MR	SIE	9/25/2023	7/25/2023	34	Monitoring, Source Water (GWR)
VA4119840	TNCWS	GW	65	Private	E. COLI	MR	SOX	7/25/2023	7/25/2023	34	Monitoring, Source Water (GWR)
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SIE	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SFJ	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SOX	3/27/2023	3/27/2023	45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SFJ	11/29/2023		45	Failure To Address Deficiency

VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SIE	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SFJ	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SIE	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SOX	3/27/2023	3/27/2023	45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SFJ	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Groundwater Rule	TT	SIE	11/29/2023		45	Failure To Address Deficiency
VA4119840	TNCWS	GW	65	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4119840	TNCWS	GW	65	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4119840	TNCWS	GW	65	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SOX	6/30/2023	6/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	6/7/2023	6/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	6/7/2023	6/30/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	10/23/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	10/23/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	10/23/2023	8/8/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	10/23/2023	8/8/2023	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SOX	8/8/2023	8/8/2023	3B	Monitoring, Additional Routine (RTCR)

VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	11/16/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	11/16/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	12/28/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	12/28/2023		3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4127025	NTNCWS	GW	75	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA4127025	NTNCWS	GW	75	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4127060	TNCWS	GW	75	Private	E. COLI	MR	SOX	12/18/2023	12/18/2023	34	Monitoring, Source Water (GWR)
VA4127060	TNCWS	GW	75	Private	E. COLI	MR	SIF	12/5/2023	12/18/2023	34	Monitoring, Source Water (GWR)
VA4127060	TNCWS	GW	75	Private	E. COLI	MR	SFJ	11/20/2023	12/18/2023	34	Monitoring, Source Water (GWR)
VA4127060	TNCWS	GW	75	Private	E. COLI	MR	SIE	11/20/2023	12/18/2023	34	Monitoring, Source Water (GWR)
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SOX	5/4/2023	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	4/25/2022	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SOX	5/4/2023	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	4/25/2022	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SOX	5/4/2023	5/4/2023	75	Public Notification Violation for NPDWR Violation

VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	6/21/2022	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SOX	5/4/2023	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	4/14/2023	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	12/20/2022	5/4/2023	75	Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIF	12/5/2023		3B	Monitoring, Additional Routine (RTCR)
VA4127060	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	12/5/2023		3B	Monitoring, Additional Routine (RTCR)
VA4127060	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	12/5/2023		3B	Monitoring, Additional Routine (RTCR)
VA4127075	CWS	GW	375	Private	Consumer Confidence Rule	Other	SOX	6/29/2023	6/29/2023	71	Consumer Confidence Report Complete Failure to Report
VA4127075	CWS	GW	375	Private	Consumer Confidence Rule	Other	SFJ	8/1/2022	6/29/2023	71	Consumer Confidence Report Complete Failure to Report
VA4127141	CWS	GW	350	Private	Combined Radium (-226 and -228)	MR				3	Monitoring, Regular
VA4127141	CWS	GW	350	Private	Combined Uranium	MR				3	Monitoring, Regular
VA4127141	CWS	GW	350	Private	Gross Alpha, Excl. Radon and U	MR				3	Monitoring, Regular
VA4127141	CWS	GW	350	Private	Revised Total Coliform Rule	MON	SOX	3/21/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA4127141	CWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	3/17/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA4127141	CWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	3/17/2023	3/21/2023	3A	Monitoring, Routine (RTCR)
VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SOX	11/2/2023	11/2/2023	34	Monitoring, Source Water (GWR)

VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SFJ	10/6/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SIE	10/6/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SIE	12/1/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SFJ	12/1/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4127145	TNCWS	GW	63	Private	E. COLI	MR	SOX	11/2/2023	11/2/2023	34	Monitoring, Source Water (GWR)
VA4127400	TNCWS	GW	33	Private	E. COLI	MR	SIF	12/13/2023	10/18/2023	34	Monitoring, Source Water (GWR)
VA4127400	TNCWS	GW	33	Private	E. COLI	MR	SOX	10/18/2023	10/18/2023	34	Monitoring, Source Water (GWR)
VA4127400	TNCWS	GW	33	Private	E. COLI	MR	SIE	10/18/2023	10/18/2023	34	Monitoring, Source Water (GWR)
VA4127400	TNCWS	GW	33	Private	E. COLI	MR	SFJ	10/18/2023	10/18/2023	34	Monitoring, Source Water (GWR)
VA4127400	TNCWS	GW	33	Private	Public Notice	Other	SOX	12/5/2023	12/5/2023	75	Public Notification Violation for NPDWR Violation
VA4127400	TNCWS	GW	33	Private	Public Notice	Other	SFJ	8/18/2023	12/5/2023	75	Public Notification Violation for NPDWR Violation
VA4127400	TNCWS	GW	33	Private	Public Notice	Other	SOX	10/17/2023	10/17/2023	75	Public Notification Violation for NPDWR Violation
VA4127400	TNCWS	GW	33	Private	Public Notice	Other	SFJ	9/25/2023	10/17/2023	75	Public Notification Violation for NPDWR Violation
VA4127440	TNCWS	GW	85	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA4127440	TNCWS	GW	85	Private	Public Notice	Other	SFJ	3/9/2022		75	Public Notification Violation for NPDWR Violation
VA4127440	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023		3B	Monitoring, Additional Routine (RTCR)

VA4127440	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023		3B	Monitoring, Additional Routine (RTCR)
VA4127655	TNCWS	GW	95	Private	Public Notice	Other	SIF	7/18/2023	7/10/2023	75	Public Notification Violation for NPDWR Violation
VA4127655	TNCWS	GW	95	Private	Public Notice	Other	SOX	7/10/2023	7/10/2023	75	Public Notification Violation for NPDWR Violation
VA4127655	TNCWS	GW	95	Private	Public Notice	Other	SIE	6/22/2023	7/10/2023	75	Public Notification Violation for NPDWR Violation
VA4127655	TNCWS	GW	95	Private	Public Notice	Other	SFJ	6/22/2023	7/10/2023	75	Public Notification Violation for NPDWR Violation
VA4127800	CWS	GW	120	Local government	Lead and Copper Rule	MR	SOX	8/9/2023	8/9/2023	52	Follow-up Or Routine LCR Tap M/R
VA4127800	CWS	GW	120	Local government	Lead and Copper Rule	MR	SIF	7/5/2023	8/9/2023	52	Follow-up Or Routine LCR Tap M/R
VA4127800	CWS	GW	120	Local government	Lead and Copper Rule	MR	SIE	3/27/2023	8/9/2023	52	Follow-up Or Routine LCR Tap M/R
VA4127800	CWS	GW	120	Local government	Lead and Copper Rule	MR	SFJ	3/27/2023	8/9/2023	52	Follow-up Or Routine LCR Tap M/R
VA4127850	TNCWS	GW	206	Private	Public Notice	Other	SOX	3/28/2023	3/26/2023	75	Public Notification Violation for NPDWR Violation
VA4127850	TNCWS	GW	206	Private	Public Notice	Other	SOX	3/26/2023	3/26/2023	75	Public Notification Violation for NPDWR Violation
VA4127850	TNCWS	GW	206	Private	Public Notice	Other	SFJ	3/8/2023	3/26/2023	75	Public Notification Violation for NPDWR Violation
VA4127855	TNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SOX	8/15/2023	8/15/2023	3A	Monitoring, Routine (RTCR)
VA4127855	TNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	7/17/2023	8/15/2023	3A	Monitoring, Routine (RTCR)
VA4127855	TNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	7/17/2023	8/15/2023	3A	Monitoring, Routine (RTCR)

VA4127920	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4133005	TNCWS	GW	25	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	8/29/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIF	8/21/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	7/31/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	7/31/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	9/7/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	9/7/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	8/29/2023	8/29/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIF	11/3/2023	10/27/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	10/27/2023	10/27/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/27/2023	3A	Monitoring, Routine (RTCR)
VA4133020	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/27/2023	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SOX	10/11/2023	10/11/2023	75	Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SFJ	9/27/2023	10/11/2023	75	Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SFJ	12/6/2023	10/10/2023	75	Public Notification Violation for NPDWR Violation

VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SOX	10/10/2023	10/10/2023	75	Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SOX	11/9/2023	11/9/2023	75	Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	10/11/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	10/11/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	TT	SIF	11/2/2023	10/10/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	TT	SOX	10/10/2023	10/10/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	TT	SIE	9/7/2023	10/10/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	TT	SFJ	9/7/2023	10/10/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	10/16/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4133207	TNCWS	GW	25	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4133330	TNCWS	GW	313	Private	Public Notice	Other				75	Public Notification Violation for NPDWR Violation
VA4133330	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SOX	9/8/2023	9/8/2023	2D	Treatment Technique Startup Procedures (RTCR)

VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SIE	8/28/2023	9/8/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SFJ	8/28/2023	9/8/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	8/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	5/2/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	5/2/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	8/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	6/22/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	8/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIF	8/24/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	7/31/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	7/31/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	9/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	9/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	8/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)

VA4133621	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SOX	9/19/2023	9/19/2023	3A	Monitoring, Routine (RTCR)
VA4133621	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SIF	8/14/2023	9/19/2023	3A	Monitoring, Routine (RTCR)
VA4133621	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SIE	8/7/2023	9/19/2023	3A	Monitoring, Routine (RTCR)
VA4133621	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SFJ	8/7/2023	9/19/2023	3A	Monitoring, Routine (RTCR)
VA4133621	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4133740	CWS	GW	28	Private	Consumer Confidence Rule	Other	SOX	8/7/2023	8/7/2023	71	Consumer Confidence Report Complete Failure to Report
VA4133740	CWS	GW	28	Private	Consumer Confidence Rule	Other	SFJ	7/24/2023	8/7/2023	71	Consumer Confidence Report Complete Failure to Report
VA4133740	CWS	GW	28	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	5/24/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	5/24/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	6/28/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	7/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	7/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)

VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA4145320	NTNCWS	GW	315	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4145540	TNCWS	GW	307	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4145540	TNCWS	GW	307	Private	Public Notice	Other	SFJ	11/20/2023		75	Public Notification Violation for NPDWR Violation
VA4145540	TNCWS	GW	307	Private	Revised Total Coliform Rule	MON	SOX	6/14/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA4145540	TNCWS	GW	307	Private	Revised Total Coliform Rule	MON	SFJ	4/12/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA4145540	TNCWS	GW	307	Private	Revised Total Coliform Rule	MON	SIE	4/12/2023	6/14/2023	3A	Monitoring, Routine (RTCR)
VA4145590	TNCWS	GW	365	Private	E. COLI	MR	SIF	11/20/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA4145590	TNCWS	GW	365	Private	E. COLI	MR	SOX	10/30/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA4145590	TNCWS	GW	365	Private	E. COLI	MR	SFJ	10/18/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA4145590	TNCWS	GW	365	Private	E. COLI	MR	SIE	10/18/2023	10/30/2023	34	Monitoring, Source Water (GWR)
VA4145595	TNCWS	GW	201	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA4145667	TNCWS	GW	60	Private	Public Notice	Other	SFJ	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4145667	TNCWS	GW	60	Private	Public Notice	Other	SIE	6/22/2023		75	Public Notification Violation for NPDWR Violation
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	2/14/2023	2/13/2023	3A	Monitoring, Routine (RTCR)

VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	2/14/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	2/13/2023	2/13/2023	3A	Monitoring, Routine (RTCR)
VA4159600	TNCWS	GW	47	Private	E. COLI	MR	SFJ	6/28/2023		34	Monitoring, Source Water (GWR)
VA4159600	TNCWS	GW	47	Private	E. COLI	MR	SIE	6/28/2023		34	Monitoring, Source Water (GWR)
VA4159600	TNCWS	GW	47	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA4193280	CWS	GW	3875	Local government	Lead and Copper Rule	MR				52	Follow-up Or Routine LCR Tap M/R
VA4193610	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SOX	12/7/2023	12/7/2023	3A	Monitoring, Routine (RTCR)
VA4193610	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	12/7/2023	3A	Monitoring, Routine (RTCR)
VA4193610	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	12/7/2023	3A	Monitoring, Routine (RTCR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SIF	12/6/2023	10/24/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SFJ	11/28/2023	10/24/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SIE	11/28/2023	10/24/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SOX	10/24/2023	10/24/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SOX	12/6/2023	12/6/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SIF	12/6/2023	12/6/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SIE	11/28/2023	12/6/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	E. COLI	MR	SFJ	11/28/2023	12/6/2023	34	Monitoring, Source Water (GWR)
VA4193739	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)

VA4193780	TNCWS	GW	154	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4193780	TNCWS	GW	154	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4193780	TNCWS	GW	154	Private	Revised Total Coliform Rule	MON	SOX	10/16/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA4193835	TNCWS	GW	50	Private	E. COLI	MR	SIE	11/2/2023	10/3/2023	34	Monitoring, Source Water (GWR)
VA4193835	TNCWS	GW	50	Private	E. COLI	MR	SFJ	11/2/2023	10/3/2023	34	Monitoring, Source Water (GWR)
VA4193835	TNCWS	GW	50	Private	E. COLI	MR	SOX	10/3/2023	10/3/2023	34	Monitoring, Source Water (GWR)
VA4193985	TNCWS	GW	83	Private	E. COLI	MR	SOX	11/1/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4193985	TNCWS	GW	83	Private	E. COLI	MR	SIF	11/1/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4193985	TNCWS	GW	83	Private	E. COLI	MR	SIE	10/13/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4193985	TNCWS	GW	83	Private	E. COLI	MR	SFJ	10/13/2023	11/1/2023	34	Monitoring, Source Water (GWR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SOX	11/1/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SIF	11/1/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SIF	10/13/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SFJ	10/13/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SFH	10/13/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MCL	SIE	10/13/2023	11/1/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA5007150	TNCWS	GW	53	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5009050	CWS	SW	2231	Local government	Chlorine	MR	SIF	6/19/2023	4/11/2023	27	Monitoring and Reporting (DBP)
VA5009050	CWS	SW	2231	Local government	Chlorine	MR	SIE	5/18/2023	4/11/2023	27	Monitoring and Reporting (DBP)
VA5009050	CWS	SW	2231	Local government	Chlorine	MR	SFJ	5/18/2023	4/11/2023	27	Monitoring and Reporting (DBP)
VA5009050	CWS	SW	2231	Local government	Chlorine	MR	SOX	4/11/2023	4/11/2023	27	Monitoring and Reporting (DBP)
VA5009050	CWS	SW	2231	Local government	Revised Total Coliform Rule	MON	SIF	6/19/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA5009050	CWS	SW	2231	Local government	Revised Total Coliform Rule	MON	SIE	5/17/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA5009050	CWS	SW	2231	Local government	Revised Total Coliform Rule	MON	SFJ	5/17/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA5009050	CWS	SW	2231	Local government	Revised Total Coliform Rule	MON	SOX	4/11/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA5009250	CWS	SW	14799	Local government	Chlorine	MR	SIE	4/3/2023	3/8/2023	27	Monitoring and Reporting (DBP)
VA5009250	CWS	SW	14799	Local government	Chlorine	MR	SFJ	4/3/2023	3/8/2023	27	Monitoring and Reporting (DBP)
VA5009250	CWS	SW	14799	Local government	Chlorine	MR	SOX	3/8/2023	3/8/2023	27	Monitoring and Reporting (DBP)
VA5009300	CWS	GW	70	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/28/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)

VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/29/2023		3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/29/2023		3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SIF	9/1/2023	8/21/2023	66	Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SOX	8/21/2023	8/21/2023	66	Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	1/3/2023	8/21/2023	66	Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SIE	1/3/2023	8/21/2023	66	Lead Consumer Notice
VA5011104	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA5011104	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	4/18/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA5011104	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	4/5/2023	4/5/2023	3A	Monitoring, Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/6/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	2/17/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	11/14/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	8/17/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011454	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	11/14/2023	3B	Monitoring, Additional Routine (RTCR)

VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MON	SOX	3/6/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MON	SIE	2/17/2023	3/6/2023	3B	Monitoring, Additional Routine (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MCL	SOX	7/12/2023	7/12/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MCL	SIF	7/5/2023	7/12/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MCL	SIE	6/30/2023	7/12/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MCL	SFH	6/30/2023	7/12/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5011455	TNCWS	GW	27	Private	Revised Total Coliform Rule	MCL	SFJ	6/30/2023	7/12/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SOX	9/8/2023	9/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SOX	9/8/2023	9/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/1/2022	9/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SOX	8/8/2023	8/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SOX	8/8/2023	8/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SFJ	5/16/2023	8/8/2023	75	Public Notification Violation for NPDWR Violation

VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SOX	8/8/2023	8/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SFJ	7/18/2023	8/8/2023	75	Public Notification Violation for NPDWR Violation
VA5019035	TNCWS	GW	150	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019250	NTNCWS	SW	1000	Private	TTHM	MR	SOX	8/16/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019250	NTNCWS	SW	1000	Private	TTHM	MR	SIF	6/15/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019250	NTNCWS	SW	1000	Private	TTHM	MR	SIE	6/13/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019250	NTNCWS	SW	1000	Private	Total Haloacetic Acids (HAA5)	MR	SOX	8/16/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019250	NTNCWS	SW	1000	Private	Total Haloacetic Acids (HAA5)	MR	SIF	6/15/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019250	NTNCWS	SW	1000	Private	Total Haloacetic Acids (HAA5)	MR	SIE	6/13/2023	8/16/2023	30	Monitoring, Routine (IDSE)
VA5019365	TNCWS	GW	100	Private	E. COLI	MR	SIE	7/10/2023	6/29/2023	34	Monitoring, Source Water (GWR)
VA5019365	TNCWS	GW	100	Private	E. COLI	MR	SFJ	7/10/2023	6/29/2023	34	Monitoring, Source Water (GWR)
VA5019365	TNCWS	GW	100	Private	E. COLI	MR	SOX	6/29/2023	6/29/2023	34	Monitoring, Source Water (GWR)
VA5019365	TNCWS	GW	100	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SOX	8/29/2023	8/29/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)

VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	8/17/2023	8/29/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	8/17/2023	8/29/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	11/30/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019370	CWS	GW	35	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	12/6/2017		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	12/6/2017		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	12/6/2017		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	12/6/2017		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	9/19/2019		45	Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	9/19/2019		45	Failure To Address Deficiency
VA5019430	CWS	GW	54	Private	Consumer Confidence Rule	Other	SFJ	9/28/2023	9/27/2023	71	Consumer Confidence Report Complete Failure to Report
VA5019430	CWS	GW	54	Private	Consumer Confidence Rule	Other	SOX	9/27/2023	9/27/2023	71	Consumer Confidence Report Complete Failure to Report

VA5019430	CWS	GW	54	Private	Lead and Copper Rule	MR	SFJ	11/2/2023		52	Follow-up Or Routine LCR Tap M/R
VA5019430	CWS	GW	54	Private	Lead and Copper Rule	MR	SIE	11/2/2023		52	Follow-up Or Routine LCR Tap M/R
VA5019430	CWS	GW	54	Private	Public Notice	Other	SFJ	9/28/2023	9/27/2023	75	Public Notification Violation for NPDWR Violation
VA5019430	CWS	GW	54	Private	Public Notice	Other	SOX	9/27/2023	9/27/2023	75	Public Notification Violation for NPDWR Violation
VA5019468	TNCWS	GW	100	Private	Public Notice	Other	SFJ	11/30/2023	10/15/2023	75	Public Notification Violation for NPDWR Violation
VA5019468	TNCWS	GW	100	Private	Public Notice	Other	SOX	10/15/2023	10/15/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/31/2023	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	10/27/2022	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/31/2023	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	12/1/2022	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/31/2023	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	7/18/2023	8/31/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	8/28/2023	8/1/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/1/2023	8/1/2023	75	Public Notification Violation for NPDWR Violation

VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SOX	8/1/2023	8/1/2023	75	Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SOX	9/25/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	7/25/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	TT	SIF	11/23/2023	9/25/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	TT	SOX	9/25/2023	9/25/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	TT	SFJ	7/25/2023	9/25/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	TT	SIE	7/25/2023	9/25/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SOX	9/25/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	9/25/2023	3A	Monitoring, Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	E. COLI	MR	SOX	7/20/2023	7/20/2023	34	Monitoring, Source Water (GWR)
VA5019628	TNCWS	GW	100	Private	E. COLI	MR	SIE	7/10/2023	7/20/2023	34	Monitoring, Source Water (GWR)
VA5019628	TNCWS	GW	100	Private	E. COLI	MR	SFJ	7/10/2023	7/20/2023	34	Monitoring, Source Water (GWR)
VA5019628	TNCWS	GW	100	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019628	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/28/2022		75	Public Notification Violation for NPDWR Violation
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)

VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SOX	8/23/2023	8/23/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	8/17/2023	8/23/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	8/17/2023	8/23/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	11/30/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023	11/30/2023	3A	Monitoring, Routine (RTCR)
VA5019675	CWS	GW	698	Private	Consumer Confidence Rule	Other	SOX	6/29/2023	6/29/2023	71	Consumer Confidence Report Complete Failure to Report
VA5019675	CWS	GW	698	Private	Consumer Confidence Rule	Other	SFJ	12/5/2022	6/29/2023	71	Consumer Confidence Report Complete Failure to Report
VA5019675	CWS	GW	698	Private	Lead and Copper Rule	MR	SFJ	1/27/2022		66	Lead Consumer Notice
VA5019675	CWS	GW	698	Private	Lead and Copper Rule	MR	SIE	1/27/2022		66	Lead Consumer Notice
VA5019675	CWS	GW	698	Private	Revised Total Coliform Rule	MON	SFJ	6/15/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA5019675	CWS	GW	698	Private	Revised Total Coliform Rule	MON	SIE	6/15/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA5019675	CWS	GW	698	Private	Revised Total Coliform Rule	MON	SOX	6/12/2023	6/12/2023	3A	Monitoring, Routine (RTCR)
VA5019739	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	10/30/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA5019739	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/30/2023	3A	Monitoring, Routine (RTCR)

VA5019739	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/30/2023	3A	Monitoring, Routine (RTCR)
VA5019751	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	12/4/2023	12/4/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019751	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	11/29/2023	12/4/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019751	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023	12/4/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019751	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023	12/4/2023	3B	Monitoring, Additional Routine (RTCR)
VA5019765	TNCWS	GW	50	Private	Public Notice	Other	SFJ	2/28/2022		75	Public Notification Violation for NPDWR Violation
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	4/27/2023	4/27/2023	3A	Monitoring, Routine (RTCR)
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	4/20/2023	4/27/2023	3A	Monitoring, Routine (RTCR)
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	4/20/2023	4/27/2023	3A	Monitoring, Routine (RTCR)
VA5019788	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5019802	TNCWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019809	TNCWS	GW	30	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5019809	TNCWS	GW	30	Private	Public Notice	Other	SFJ	8/28/2023		75	Public Notification Violation for NPDWR Violation
VA5019809	TNCWS	GW	30	Private	Public Notice	Other	SFJ	9/28/2023		75	Public Notification Violation for NPDWR Violation
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SFJ	6/28/2023		2D	Treatment Technique Startup Procedures (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SIE	6/28/2023		2D	Treatment Technique Startup Procedures (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	8/10/2023	8/10/2023	3A	Monitoring, Routine (RTCR)

VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	8/10/2023	3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	8/10/2023	3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/10/2023	3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/10/2023	3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	8/10/2023	8/10/2023	3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023		3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023		3A	Monitoring, Routine (RTCR)
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SIE	4/3/2023	3/29/2023	66	Lead Consumer Notice
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SFJ	4/3/2023	3/29/2023	66	Lead Consumer Notice
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SOX	3/29/2023	3/29/2023	66	Lead Consumer Notice
VA5025319	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025319	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025319	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025320	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SOX	9/26/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025320	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SFJ	9/18/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025320	TNCWS	GW	1300	State government	Revised Total Coliform Rule	MON	SIE	9/18/2023	9/26/2023	3A	Monitoring, Routine (RTCR)
VA5025405	TNCWS	GW	35	Private	Public Notice	Other	SFJ	2/16/2022		75	Public Notification Violation for NPDWR Violation

VA5025675	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5029085	CWS	SW	5759	Local government	TTHM	MCL	SIF	11/3/2023		2	Maximum Contaminant Level Violation, Average
VA5029085	CWS	SW	5759	Local government	TTHM	MCL	SIE	9/28/2023		2	Maximum Contaminant Level Violation, Average
VA5029085	CWS	SW	5759	Local government	TTHM	MCL	SFJ	9/28/2023		2	Maximum Contaminant Level Violation, Average
VA5029085	CWS	SW	5759	Local government	TTHM	MCL	SFJ	12/18/2023		2	Maximum Contaminant Level Violation, Average
VA5029085	CWS	SW	5759	Local government	TTHM	MCL	SIE	12/18/2023		2	Maximum Contaminant Level Violation, Average
VA5029182	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/28/2022		75	Public Notification Violation for NPDWR Violation
VA5029182	TNCWS	GW	100	Private	Public Notice	Other	SFJ	7/18/2023		75	Public Notification Violation for NPDWR Violation
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SOX	4/11/2023	4/11/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIF	3/31/2023	4/11/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFJ	3/24/2023	4/11/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIE	3/24/2023	4/11/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFH	3/24/2023	4/11/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SOX	5/10/2023	5/10/2023	2B	Treatment Technique, Level 2 Assessment (RTCR)
VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	5/9/2023	5/10/2023	2B	Treatment Technique, Level 2 Assessment (RTCR)

VA5029182	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	5/9/2023	5/10/2023	2B	Treatment Technique, Level 2 Assessment (RTCR)
VA5029200	CWS	GW	22	Private	Lead and Copper Rule	MR	SOX	2/14/2023	2/14/2023	66	Lead Consumer Notice
VA5029200	CWS	GW	22	Private	Lead and Copper Rule	MR	SIF	2/10/2023	2/14/2023	66	Lead Consumer Notice
VA5029200	CWS	GW	22	Private	Lead and Copper Rule	MR	SFJ	1/17/2023	2/14/2023	66	Lead Consumer Notice
VA5029200	CWS	GW	22	Private	Lead and Copper Rule	MR	SIE	1/17/2023	2/14/2023	66	Lead Consumer Notice
VA5029225	TNCWS	GW	500	Private	Public Notice	Other	SFJ	12/1/2022		75	Public Notification Violation for NPDWR Violation
VA5029225	TNCWS	GW	500	Private	Public Notice	Other	SFJ	8/28/2023		75	Public Notification Violation for NPDWR Violation
VA5029335	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	8/7/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA5029335	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA5029335	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	8/7/2023	3A	Monitoring, Routine (RTCR)
VA5029440	TNCWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5029440	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	11/28/2023	11/28/2023	3A	Monitoring, Routine (RTCR)
VA5029440	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/28/2023	3A	Monitoring, Routine (RTCR)
VA5029440	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/28/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	E. COLI	MR	SIF	12/22/2023	12/20/2023	34	Monitoring, Source Water (GWR)
VA5031046	TNCWS	GW	100	Private	E. COLI	MR	SOX	12/20/2023	12/20/2023	34	Monitoring, Source Water (GWR)
VA5031046	TNCWS	GW	100	Private	E. COLI	MR	SIE	2/17/2023	12/20/2023	34	Monitoring, Source Water (GWR)

VA5031046	TNCWS	GW	100	Private	E. COLI	MR	SFJ	2/17/2023	12/20/2023	34	Monitoring, Source Water (GWR)
VA5031046	TNCWS	GW	100	Private	Public Notice	Other	SOX	12/20/2023	12/20/2023	75	Public Notification Violation for NPDWR Violation
VA5031046	TNCWS	GW	100	Private	Public Notice	Other	SFJ	8/28/2023	12/20/2023	75	Public Notification Violation for NPDWR Violation
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	3/20/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	3/20/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIF	12/22/2023	10/28/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SOX	10/28/2023	10/28/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	3/20/2023	10/28/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	3/20/2023	10/28/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/14/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/14/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)

VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	5/16/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	5/16/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/15/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/15/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/9/2023	8/9/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/16/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/16/2023	12/12/2023	3A	Monitoring, Routine (RTCR)

VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/20/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/20/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/22/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	12/14/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	12/14/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/12/2023	12/12/2023	3A	Monitoring, Routine (RTCR)
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SOX	2/1/2023	2/1/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SIF	4/8/2021	2/1/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SFJ	7/9/2020	2/1/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SIE	7/9/2020	2/1/2023	58	OCCT/SOWT Treatment Installation/Demonstration
VA5031825	CWS	GW	200	Private	Lead and Copper Rule	MR	SIE	11/6/2023		52	Follow-up Or Routine LCR Tap M/R
VA5031825	CWS	GW	200	Private	Lead and Copper Rule	MR	SFJ	11/6/2023		52	Follow-up Or Routine LCR Tap M/R
VA5031980	CWS	GW	290	Private	TTHM	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5031980	CWS	GW	290	Private	TTHM	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5031980	CWS	GW	290	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5031980	CWS	GW	290	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)

VA5037029	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SOX	7/18/2023	7/18/2023	3B	Monitoring, Additional Routine (RTCR)
VA5037029	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	7/18/2023	3B	Monitoring, Additional Routine (RTCR)
VA5037029	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	7/18/2023	3B	Monitoring, Additional Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	4/17/2023	4/17/2023	3A	Monitoring, Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	3/20/2023	4/17/2023	3A	Monitoring, Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	3/20/2023	4/17/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	5/3/2023	5/3/2023	3B	Monitoring, Additional Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/20/2023	5/3/2023	3B	Monitoring, Additional Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/20/2023	5/3/2023	3B	Monitoring, Additional Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SOX	8/21/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIF	6/28/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFJ	6/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIE	6/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFH	6/15/2023	8/21/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)

VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/23/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/23/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/17/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2023		3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	12/19/2023		3A	Monitoring, Routine (RTCR)
VA5067028	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5067120	CWS	GW	1996	Local government	TTHM	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067120	CWS	GW	1996	Local government	TTHM	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067120	CWS	GW	1996	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067120	CWS	GW	1996	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067349	TNCWS	GW	150	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5067349	TNCWS	GW	150	Private	Public Notice	Other	SFJ	8/28/2023		75	Public Notification Violation for NPDWR Violation
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	3/24/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	3/24/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)

VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	4/20/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	4/20/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	5/22/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	5/22/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	6/15/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	6/15/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/26/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/17/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/17/2023	7/26/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	9/19/2023	9/18/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	9/19/2023	9/18/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	9/18/2023	9/18/2023	3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	11/17/2023		3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	11/17/2023		3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	12/19/2023		3A	Monitoring, Routine (RTCR)
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2023		3A	Monitoring, Routine (RTCR)

VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5067701	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	12/4/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA5067701	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA5067701	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	12/4/2023	3A	Monitoring, Routine (RTCR)
VA5067705	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	12/18/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA5067705	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA5067705	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	12/18/2023	3A	Monitoring, Routine (RTCR)
VA5067710	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5067725	CWS	GW	501	Private	Revised Total Coliform Rule	MON	SOX	5/17/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA5067725	CWS	GW	501	Private	Revised Total Coliform Rule	MON	SFJ	5/15/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA5067725	CWS	GW	501	Private	Revised Total Coliform Rule	MON	SIE	5/15/2023	5/17/2023	3A	Monitoring, Routine (RTCR)
VA5067725	CWS	GW	501	Private	TTHM	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067725	CWS	GW	501	Private	TTHM	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067725	CWS	GW	501	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067725	CWS	GW	501	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)
VA5067975	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	11/20/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5067975	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/31/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5067975	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2023	10/17/2023	3A	Monitoring, Routine (RTCR)

VA5067975	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/17/2023	10/17/2023	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/30/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/30/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/19/2023	10/19/2023	3A	Monitoring, Routine (RTCR)
VA5083690	CWS	GW	360	Local government	Lead and Copper Rule	MR	SIE	10/30/2023		52	Follow-up Or Routine LCR Tap M/R
VA5083690	CWS	GW	360	Local government	Lead and Copper Rule	MR	SFJ	10/30/2023		52	Follow-up Or Routine LCR Tap M/R
VA5083965	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	8/2/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA5083965	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA5083965	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA5083965	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA5089075	NTNCWS	GW	75	Private	Lead and Copper Rule	MR	SIF	11/20/2023		52	Follow-up Or Routine LCR Tap M/R
VA5089075	NTNCWS	GW	75	Private	Lead and Copper Rule	MR	SIE	11/9/2023		52	Follow-up Or Routine LCR Tap M/R
VA5089075	NTNCWS	GW	75	Private	Lead and Copper Rule	MR	SFJ	11/9/2023		52	Follow-up Or Routine LCR Tap M/R
VA5089115	CWS	GW	42	Private	TTHM	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089115	CWS	GW	42	Private	TTHM	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089115	CWS	GW	42	Private	TTHM	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089115	CWS	GW	42	Private	Total Haloacetic Acids (HAA5)	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089115	CWS	GW	42	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)

VA5089115	CWS	GW	42	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089373	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIF	4/5/2023	3/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA5089373	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	3/13/2023	3/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA5089373	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	2/27/2023	3/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA5089373	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	2/27/2023	3/13/2023	3B	Monitoring, Additional Routine (RTCR)
VA5089404	CWS	GW	55	Private	TTHM	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089404	CWS	GW	55	Private	TTHM	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089404	CWS	GW	55	Private	TTHM	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089404	CWS	GW	55	Private	Total Haloacetic Acids (HAA5)	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089404	CWS	GW	55	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089404	CWS	GW	55	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089700	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	12/19/2023	12/13/2023	3A	Monitoring, Routine (RTCR)
VA5089700	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2023	12/13/2023	3A	Monitoring, Routine (RTCR)
VA5089700	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	12/13/2023	12/13/2023	3A	Monitoring, Routine (RTCR)
VA5089714	TNCWS	GW	40	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIF	2/22/2000		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	1/1/2000		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	1/1/2000		23	Monitoring, Routine Major (TCR)

VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIF	2/22/2000		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	1/10/2000		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	1/10/2000		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIF	9/28/1994		24	Monitoring, Routine Minor (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	9/12/1994		24	Monitoring, Routine Minor (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	9/12/1994		24	Monitoring, Routine Minor (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIF	11/20/2003		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	11/6/2003		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	11/6/2003		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	12/22/2003		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	12/22/2003		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SFJ	5/24/2004		23	Monitoring, Routine Major (TCR)
VA5089753	CWS	GW	80	Private	Coliform (TCR)	MR	SIE	5/24/2004		23	Monitoring, Routine Major (TCR)
VA5089770	CWS	GW	60	Private	TTHM	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089770	CWS	GW	60	Private	TTHM	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089770	CWS	GW	60	Private	TTHM	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089770	CWS	GW	60	Private	Total Haloacetic Acids (HAA5)	MR	SIF	12/4/2023		30	Monitoring, Routine (IDSE)
VA5089770	CWS	GW	60	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)

VA5089770	CWS	GW	60	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5089870	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIF	11/17/2023		52	Follow-up Or Routine LCR Tap M/R
VA5089870	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SFJ	11/13/2023		52	Follow-up Or Routine LCR Tap M/R
VA5089870	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIE	11/13/2023		52	Follow-up Or Routine LCR Tap M/R
VA5117200	CWS	SWP	2242	Local government	Lead and Copper Rule	MR	SOX	12/22/2023	12/22/2023	66	Lead Consumer Notice
VA5117200	CWS	SWP	2242	Local government	Lead and Copper Rule	MR	SIF	12/22/2023	12/22/2023	66	Lead Consumer Notice
VA5117200	CWS	SWP	2242	Local government	Lead and Copper Rule	MR	SIE	1/3/2023	12/22/2023	66	Lead Consumer Notice
VA5117200	CWS	SWP	2242	Local government	Lead and Copper Rule	MR	SFJ	1/3/2023	12/22/2023	66	Lead Consumer Notice
VA5117338	TNCWS	GW	70	Private	Coliform (TCR)	MR	SIF	5/12/2005		23	Monitoring, Routine Major (TCR)
VA5117338	TNCWS	GW	70	Private	Coliform (TCR)	MR	SFJ	10/6/2004		23	Monitoring, Routine Major (TCR)
VA5117338	TNCWS	GW	70	Private	Coliform (TCR)	MR	SIE	10/6/2004		23	Monitoring, Routine Major (TCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIF	7/19/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SOX	7/5/2023	7/5/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	E. COLI	MR	SOX	5/22/2023	5/22/2023	34	Monitoring, Source Water (GWR)
VA5117382	TNCWS	GW	50	Private	E. COLI	MR	SIE	5/17/2023	5/22/2023	34	Monitoring, Source Water (GWR)
VA5117382	TNCWS	GW	50	Private	E. COLI	MR	SFJ	5/17/2023	5/22/2023	34	Monitoring, Source Water (GWR)

VA5117382	TNCWS	GW	50	Private	Public Notice	Other	SFJ	9/28/2023		75	Public Notification Violation for NPDWR Violation
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/20/2023	3/20/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/20/2023	3/20/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/20/2023	3/20/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	TT	SFJ	7/11/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	TT	SIE	7/11/2023		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	9/18/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	9/18/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA5117530	CWS	GW	250	Private	TTHM	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5117530	CWS	GW	250	Private	TTHM	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5117530	CWS	GW	250	Private	Total Haloacetic Acids (HAA5)	MR	SIE	11/6/2023		30	Monitoring, Routine (IDSE)
VA5117530	CWS	GW	250	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	11/6/2023		30	Monitoring, Routine (IDSE)
VA5117939	TNCWS	GW	35	Federal government	Revised Total Coliform Rule	MON	SIF	7/21/2023	7/18/2023	3A	Monitoring, Routine (RTCR)

VA5117939	TNCWS	GW	35	Federal government	Revised Total Coliform Rule	MON	SOX	7/18/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA5117939	TNCWS	GW	35	Federal government	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA5117939	TNCWS	GW	35	Federal government	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SOX	8/15/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SFJ	4/17/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIE	4/17/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SOX	8/15/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIF	7/6/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIE	6/15/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SFJ	6/15/2023	8/15/2023	2	Maximum Contaminant Level Violation, Average
VA5135160	CWS	SW	2465	Local government	TTHM	MR	SOX	5/23/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135160	CWS	SW	2465	Local government	TTHM	MR	SFJ	5/12/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135160	CWS	SW	2465	Local government	TTHM	MR	SIE	5/12/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135160	CWS	SW	2465	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	5/23/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135160	CWS	SW	2465	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	5/12/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135160	CWS	SW	2465	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	5/12/2023	5/23/2023	30	Monitoring, Routine (IDSE)
VA5135300	NTNCWS	GW	200	State government	TTHM	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5135300	NTNCWS	GW	200	State government	TTHM	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)

VA5135300	NTNCWS	GW	200	State government	Total Haloacetic Acids (HAA5)	MR	SIE	11/3/2023		30	Monitoring, Routine (IDSE)
VA5135300	NTNCWS	GW	200	State government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/3/2023		30	Monitoring, Routine (IDSE)
VA5141270	TNCWS	GW	25	Private	Public Notice	Other	SFJ	11/30/2023		75	Public Notification Violation for NPDWR Violation
VA5141330	NTNCWS	GW	330	Local government	Lead and Copper Rule	MR	SIF	1/24/2023	1/18/2023	66	Lead Consumer Notice
VA5141330	NTNCWS	GW	330	Local government	Lead and Copper Rule	MR	SOX	1/18/2023	1/18/2023	66	Lead Consumer Notice
VA5141330	NTNCWS	GW	330	Local government	Lead and Copper Rule	MR	SIE	1/17/2023	1/18/2023	66	Lead Consumer Notice
VA5141330	NTNCWS	GW	330	Local government	Lead and Copper Rule	MR	SFJ	1/17/2023	1/18/2023	66	Lead Consumer Notice
VA5141366	CWS	GW	100	Private	Consumer Confidence Rule	Other	SFJ	8/8/2023	8/4/2023	71	Consumer Confidence Report Complete Failure to Report
VA5141366	CWS	GW	100	Private	Consumer Confidence Rule	Other	SOX	8/4/2023	8/4/2023	71	Consumer Confidence Report Complete Failure to Report
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	11/7/2023	11/7/2023	3A	Monitoring, Routine (RTCR)
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/7/2023	3A	Monitoring, Routine (RTCR)
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/7/2023	3A	Monitoring, Routine (RTCR)
VA5141546	NTNCWS	GW	30	Private	Lead and Copper Rule	MR	SOX	12/12/2023	12/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA5141546	NTNCWS	GW	30	Private	Lead and Copper Rule	MR	SFJ	11/6/2023	12/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA5141546	NTNCWS	GW	30	Private	Lead and Copper Rule	MR	SIE	11/6/2023	12/12/2023	52	Follow-up Or Routine LCR Tap M/R
VA5141900	NTNCWS	GW	75	Private	Public Notice	Other	SFJ	10/27/2022		75	Public Notification Violation for NPDWR Violation

VA5143179	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	7/20/2023	7/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA5143179	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/19/2023	7/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA5143179	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA5143179	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/19/2023	3B	Monitoring, Additional Routine (RTCR)
VA5143191	TNCWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5143191	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5143210	CWS	SW	2500	Local government	Public Notice	Other	SOX	12/5/2023	12/5/2023	75	Public Notification Violation for NPDWR Violation
VA5143210	CWS	SW	2500	Local government	Public Notice	Other	SFJ	12/1/2023	12/5/2023	75	Public Notification Violation for NPDWR Violation
VA5143210	CWS	SW	2500	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	12/5/2023		2	Maximum Contaminant Level Violation, Average
VA5143210	CWS	SW	2500	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	9/28/2023		2	Maximum Contaminant Level Violation, Average
VA5143210	CWS	SW	2500	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	9/28/2023		2	Maximum Contaminant Level Violation, Average
VA5143210	CWS	SW	2500	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	12/8/2023		2	Maximum Contaminant Level Violation, Average
VA5143210	CWS	SW	2500	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	12/8/2023		2	Maximum Contaminant Level Violation, Average
VA5143813	TNCWS	GW	100	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA5143813	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/30/2022		75	Public Notification Violation for NPDWR Violation
VA5143821	NTNCWS	GW	710	Local government	Lead and Copper Rule	MR	SIE	11/2/2023		52	Follow-up Or Routine LCR Tap M/R
VA5143821	NTNCWS	GW	710	Local government	Lead and Copper Rule	MR	SFJ	11/2/2023		52	Follow-up Or Routine LCR Tap M/R

VA5143840	NTNCWS	GW	300	Local government	Lead and Copper Rule	MR	SFJ	11/2/2023		52	Follow-up Or Routine LCR Tap M/R
VA5143840	NTNCWS	GW	300	Local government	Lead and Copper Rule	MR	SIE	11/2/2023		52	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SIF	4/11/2023	1/3/2023	66	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SIE	1/3/2023	1/3/2023	66	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	1/3/2023	1/3/2023	66	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SOX	1/3/2023	1/3/2023	66	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SOX	1/4/2023	1/4/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SFO	6/5/2021	1/4/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SIE	7/24/2020	1/4/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SFJ	7/24/2020	1/4/2023	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SOX	8/7/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SIF	5/22/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SFJ	4/21/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SIE	4/21/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SOX	8/7/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SIF	7/5/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SFJ	6/5/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SIE	6/5/2023	8/7/2023	2	Maximum Contaminant Level Violation, Average

VA6033049	NTNCWS	GW	90	Private	Lead and Copper Rule	MR	SOX	7/1/2023	7/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA6033049	NTNCWS	GW	90	Private	Lead and Copper Rule	MR	SFJ	11/4/2014	7/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA6033049	NTNCWS	GW	90	Private	Lead and Copper Rule	MR	SIE	11/4/2014	7/1/2023	52	Follow-up Or Routine LCR Tap M/R
VA6033350	TNCWS	GW	135	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6033490	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	9/27/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA6033490	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/12/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA6033490	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/12/2023	9/27/2023	3A	Monitoring, Routine (RTCR)
VA6033752	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIF	11/22/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA6033752	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	10/25/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA6033752	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA6033752	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	10/10/2023	10/10/2023	3A	Monitoring, Routine (RTCR)
VA6047023	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIF	6/19/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA6047023	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SFJ	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA6047023	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIE	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA6047023	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SOX	6/16/2023	6/16/2023	3A	Monitoring, Routine (RTCR)
VA6047436	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	1/3/2023	3A	Monitoring, Routine (RTCR)
VA6047436	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	1/3/2023	3A	Monitoring, Routine (RTCR)
VA6047436	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	1/3/2023	1/3/2023	3A	Monitoring, Routine (RTCR)

VA6047805	TNCWS	GW	253	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6059034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	4/21/2023	4/21/2023	3A	Monitoring, Routine (RTCR)
VA6059034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	4/21/2023	4/21/2023	3A	Monitoring, Routine (RTCR)
VA6059034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/12/2023	4/21/2023	3A	Monitoring, Routine (RTCR)
VA6059034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/12/2023	4/21/2023	3A	Monitoring, Routine (RTCR)
VA6059050	NTNCWS	SWP	76500	Public/Private	Lead and Copper Rule	MR	SIF	11/29/2023		52	Follow-up Or Routine LCR Tap M/R
VA6059050	NTNCWS	SWP	76500	Public/Private	Lead and Copper Rule	MR	SFJ	10/31/2023		52	Follow-up Or Routine LCR Tap M/R
VA6059050	NTNCWS	SWP	76500	Public/Private	Lead and Copper Rule	MR	SIE	10/31/2023		52	Follow-up Or Routine LCR Tap M/R
VA6059197	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MCL	SOX	8/2/2023	8/2/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6059197	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MCL	SIF	7/28/2023	8/2/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6059197	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MCL	SFJ	7/17/2023	8/2/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6059197	TNCWS	GW	150	Local government	Revised Total Coliform Rule	MCL	SIE	7/17/2023	8/2/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6059290	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SOX	11/1/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA6059290	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SIE	10/26/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA6059290	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SFJ	10/26/2023	11/1/2023	3A	Monitoring, Routine (RTCR)
VA6059292	NTNCWS	GW	45	Private	TTHM	MR	SIF	12/28/2023		30	Monitoring, Routine (IDSE)

VA6059292	NTNCWS	GW	45	Private	TTHM	MR	SIE	12/26/2023		30	Monitoring, Routine (IDSE)
VA6059292	NTNCWS	GW	45	Private	TTHM	MR	SFJ	12/26/2023		30	Monitoring, Routine (IDSE)
VA6059292	NTNCWS	GW	45	Private	Total Haloacetic Acids (HAA5)	MR	SIF	12/28/2023		30	Monitoring, Routine (IDSE)
VA6059292	NTNCWS	GW	45	Private	Total Haloacetic Acids (HAA5)	MR	SIE	12/26/2023		30	Monitoring, Routine (IDSE)
VA6059292	NTNCWS	GW	45	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	12/26/2023		30	Monitoring, Routine (IDSE)
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012		75	Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012		75	Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012		75	Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012		75	Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA6059505	TNCWS	GW	31	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA6059505	TNCWS	GW	31	Private	Revised Total Coliform Rule	MON	SOX	10/16/2023	10/16/2023	3A	Monitoring, Routine (RTCR)
VA6059512	TNCWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6059523	TNCWS	GW	1800	Federal government	Revised Total Coliform Rule	MON	SOX	12/19/2023	12/19/2023	3A	Monitoring, Routine (RTCR)
VA6059523	TNCWS	GW	1800	Federal government	Revised Total Coliform Rule	MON	SIE	11/16/2023	12/19/2023	3A	Monitoring, Routine (RTCR)
VA6059523	TNCWS	GW	1800	Federal government	Revised Total Coliform Rule	MON	SFJ	11/16/2023	12/19/2023	3A	Monitoring, Routine (RTCR)

VA6059602	TNCWS	GW	50	State government	Revised Total Coliform Rule	MON	SIF	7/19/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA6059602	TNCWS	GW	50	State government	Revised Total Coliform Rule	MON	SOX	7/18/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA6059602	TNCWS	GW	50	State government	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA6059602	TNCWS	GW	50	State government	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/18/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6059671	TNCWS	GW	100	Private	Public Notice	Other	SOX	8/2/2023	8/2/2023	75	Public Notification Violation for NPDWR Violation
VA6059671	TNCWS	GW	100	Private	Public Notice	Other	SOX	7/19/2023	7/19/2023	75	Public Notification Violation for NPDWR Violation
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/12/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/12/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	4/11/2023	4/11/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	7/19/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	6/22/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/16/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/16/2023	6/22/2023	3A	Monitoring, Routine (RTCR)
VA6059685	NTNCWS	GW	600	Private	Public Notice	Other	SFJ	4/1/2010		75	Public Notification Violation for NPDWR Violation
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SIF	5/1/2023	3/9/2023	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SIE	3/14/2023	3/9/2023	3A	Monitoring, Routine (RTCR)

VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SFJ	3/14/2023	3/9/2023	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SOX	3/9/2023	3/9/2023	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SOX	9/9/2023	9/9/2023	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SFJ	8/17/2023	9/9/2023	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SIE	8/17/2023	9/9/2023	3A	Monitoring, Routine (RTCR)
VA6061328	TNCWS	GW	505	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	8/25/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIF	7/21/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	8/25/2023	3A	Monitoring, Routine (RTCR)
VA6099110	CWS	GW	50	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6099231	CWS	GW	38	Private	Lead and Copper Rule	MR				66	Lead Consumer Notice
VA6099275	CWS	GW	146	Private	Public Notice	Other	SFJ	11/22/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA6099275	CWS	GW	146	Private	Public Notice	Other	SOX	10/23/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA6099275	CWS	GW	146	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	10/31/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099275	CWS	GW	146	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	10/30/2023	10/31/2023	12	Treatment Technique No Certif. Operator

VA6099275	CWS	GW	146	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	9/6/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099275	CWS	GW	146	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	9/6/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SOX	6/30/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	5/19/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	5/19/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SOX	6/30/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	6/12/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	6/12/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099430	CWS	GW	400	Private	Public Notice	Other	SFJ	11/22/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA6099430	CWS	GW	400	Private	Public Notice	Other	SOX	10/23/2023	10/23/2023	75	Public Notification Violation for NPDWR Violation
VA6099430	CWS	GW	400	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	10/31/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099430	CWS	GW	400	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	10/30/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099430	CWS	GW	400	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	9/6/2023	10/31/2023	12	Treatment Technique No Certif. Operator

VA6099430	CWS	GW	400	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	9/6/2023	10/31/2023	12	Treatment Technique No Certif. Operator
VA6099555	CWS	GW	30	Private	Lead and Copper Rule	MR	SFJ	4/4/2022		66	Lead Consumer Notice
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/30/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	5/19/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	5/19/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/30/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	6/12/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	6/12/2023	6/30/2023	3A	Monitoring, Routine (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MON	SOX	7/17/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MON	SFJ	7/12/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MON	SIE	7/12/2023	7/17/2023	3A	Monitoring, Routine (RTCR)
VA6107067	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SOX	7/28/2023	7/28/2023	3A	Monitoring, Routine (RTCR)
VA6107067	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/28/2023	3A	Monitoring, Routine (RTCR)
VA6107067	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/28/2023	3A	Monitoring, Routine (RTCR)
VA6107192	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6107245	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular

VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SFJ	3/14/2023	3/2/2023	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SIE	3/14/2023	3/2/2023	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SOX	3/2/2023	3/2/2023	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	10/21/2023	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	10/21/2023	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SOX	10/21/2023	10/21/2023	3A	Monitoring, Routine (RTCR)
VA6107350	CWS	SW	325440	Local government	Lead and Copper Rule	MR	SIE	10/27/2023		52	Follow-up Or Routine LCR Tap M/R
VA6107350	CWS	SW	325440	Local government	Lead and Copper Rule	MR	SFJ	10/27/2023		52	Follow-up Or Routine LCR Tap M/R
VA6107484	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	12/20/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA6107484	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/26/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA6107484	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/26/2023	12/20/2023	3A	Monitoring, Routine (RTCR)
VA6107537	TNCWS	GW	115	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6107703	TNCWS	GW	58	Private	Revised Total Coliform Rule	MCL	SIF	9/20/2023	9/18/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6107703	TNCWS	GW	58	Private	Revised Total Coliform Rule	MCL	SFJ	9/18/2023	9/18/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6107703	TNCWS	GW	58	Private	Revised Total Coliform Rule	MCL	SIE	9/18/2023	9/18/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6107703	TNCWS	GW	58	Private	Revised Total Coliform Rule	MCL	SOX	9/18/2023	9/18/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA6107703	TNCWS	GW	58	Private	Revised Total Coliform Rule	MCL	SFH	9/18/2023	9/18/2023	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6107713	TNCWS	GW	54	Private	Revised Total Coliform Rule	MON	SOX	7/27/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA6107713	TNCWS	GW	54	Private	Revised Total Coliform Rule	MON	SIF	7/18/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA6107713	TNCWS	GW	54	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA6107713	TNCWS	GW	54	Private	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/27/2023	3A	Monitoring, Routine (RTCR)
VA6113105	TNCWS	GW	275	Private	Revised Total Coliform Rule	MON	SOX	10/24/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA6113105	TNCWS	GW	275	Private	Revised Total Coliform Rule	MON	SIF	10/18/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA6113105	TNCWS	GW	275	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA6113105	TNCWS	GW	275	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/24/2023	3A	Monitoring, Routine (RTCR)
VA6113111	TNCWS	GW	135	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6113113	TNCWS	GW	104	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6113115	CWS	GW	25	Private	Lead and Copper Rule	TT	SIF	10/6/2023		58	OCCT/SOWT Treatment Installation/Demonstration
VA6113115	CWS	GW	25	Private	Lead and Copper Rule	TT	SIE	7/28/2023		58	OCCT/SOWT Treatment Installation/Demonstration
VA6113115	CWS	GW	25	Private	Lead and Copper Rule	TT	SFJ	7/28/2023		58	OCCT/SOWT Treatment Installation/Demonstration
VA6113165	CWS	GW	150	Private	Chlorine	MR	SFJ	5/17/2023	5/3/2023	27	Monitoring and Reporting (DBP)
VA6113165	CWS	GW	150	Private	Chlorine	MR	SIE	5/17/2023	5/3/2023	27	Monitoring and Reporting (DBP)
VA6113165	CWS	GW	150	Private	Chlorine	MR	SOX	5/3/2023	5/3/2023	27	Monitoring and Reporting (DBP)

VA6113165	CWS	GW	150	Private	Chlorine	MR	SOX	11/17/2023	11/17/2023	27	Monitoring and Reporting (DBP)
VA6113165	CWS	GW	150	Private	Chlorine	MR	SFJ	10/19/2023	11/17/2023	27	Monitoring and Reporting (DBP)
VA6113165	CWS	GW	150	Private	Chlorine	MR	SIE	10/19/2023	11/17/2023	27	Monitoring and Reporting (DBP)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	5/3/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	5/3/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	5/3/2023	5/3/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	10/31/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	10/17/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	10/17/2023	10/31/2023	3A	Monitoring, Routine (RTCR)
VA6113165	CWS	GW	150	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT				12	Treatment Technique No Certif. Operator
VA6113165	CWS	GW	150	Private	TTHM	MR				30	Monitoring, Routine (IDSE)
VA6113165	CWS	GW	150	Private	Total Haloacetic Acids (HAA5)	MR				30	Monitoring, Routine (IDSE)
VA6113190	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SOX	8/3/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA6113190	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SFJ	7/18/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA6113190	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SIE	7/18/2023	8/3/2023	3A	Monitoring, Routine (RTCR)
VA6113190	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6113200	CWS	SW	784	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	9/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average

VA6113200	CWS	SW	784	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/31/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6113200	CWS	SW	784	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	7/3/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6113200	CWS	SW	784	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	7/3/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137105	TNCWS	GW	347	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6137170	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SOX	9/8/2023	9/8/2023	3A	Monitoring, Routine (RTCR)
VA6137170	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SIE	7/18/2023	9/8/2023	3A	Monitoring, Routine (RTCR)
VA6137170	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON	SFJ	7/18/2023	9/8/2023	3A	Monitoring, Routine (RTCR)
VA6137170	TNCWS	GW	208	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	9/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	4/23/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	3/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	3/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	9/14/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/11/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/9/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6137999	CWS	SW	12856	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/9/2023	9/14/2023	2	Maximum Contaminant Level Violation, Average
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	8/21/2023	8/21/2023	3A	Monitoring, Routine (RTCR)

VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	8/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	8/17/2023	8/21/2023	3A	Monitoring, Routine (RTCR)
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	11/16/2023	11/3/2023	3A	Monitoring, Routine (RTCR)
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	11/16/2023	11/3/2023	3A	Monitoring, Routine (RTCR)
VA6153037	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	11/3/2023	11/3/2023	3A	Monitoring, Routine (RTCR)
VA6153041	TNCWS	GW	219	Private	Revised Total Coliform Rule	MON	SIE	4/14/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA6153041	TNCWS	GW	219	Private	Revised Total Coliform Rule	MON	SFJ	4/14/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA6153041	TNCWS	GW	219	Private	Revised Total Coliform Rule	MON	SOX	4/12/2023	4/12/2023	3A	Monitoring, Routine (RTCR)
VA6157225	TNCWS	GW	38	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6157395	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	8/28/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA6157395	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIF	8/2/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA6157395	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA6157395	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	7/26/2023	8/28/2023	3A	Monitoring, Routine (RTCR)
VA6157398	TNCWS	GW	39	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6177012	TNCWS	GW	200	Private	Nitrate-Nitrite	MR				3	Monitoring, Regular
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SOX	7/21/2023	7/21/2023	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SIE	7/18/2023	7/21/2023	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SFJ	7/18/2023	7/21/2023	3A	Monitoring, Routine (RTCR)

VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SOX	11/22/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SFJ	11/14/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SIE	11/14/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SIE	6/16/2023	6/8/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SFJ	6/16/2023	6/8/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SOX	6/8/2023	6/8/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SOX	11/22/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SFJ	11/14/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SIE	11/14/2023	11/22/2023	3A	Monitoring, Routine (RTCR)
VA6177251	CWS	GW	2513	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	8/10/2023	8/10/2023	12	Treatment Technique No Certif. Operator
VA6177251	CWS	GW	2513	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	3/21/2023	8/10/2023	12	Treatment Technique No Certif. Operator
VA6177251	CWS	GW	2513	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	2/27/2023	8/10/2023	12	Treatment Technique No Certif. Operator
VA6177251	CWS	GW	2513	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	2/27/2023	8/10/2023	12	Treatment Technique No Certif. Operator
VA6177266	CWS	GW	120	Private	E. COLI	MR	SOX	12/12/2023	12/12/2023	34	Monitoring, Source Water (GWR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	5/24/2023	5/24/2023	3A	Monitoring, Routine (RTCR)

VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2023	5/24/2023	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	5/17/2023	5/24/2023	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA6177277	TNCWS	GW	102	Private	Revised Total Coliform Rule	MON	SIF	5/1/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA6177277	TNCWS	GW	102	Private	Revised Total Coliform Rule	MON	SIE	4/20/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA6177277	TNCWS	GW	102	Private	Revised Total Coliform Rule	MON	SFJ	4/20/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA6177277	TNCWS	GW	102	Private	Revised Total Coliform Rule	MON	SOX	4/19/2023	4/19/2023	3A	Monitoring, Routine (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	TT	SIF	6/22/2023	6/22/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	TT	SOX	6/22/2023	6/22/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	TT	SFJ	6/5/2023	6/22/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	TT	SIE	6/5/2023	6/22/2023	2D	Treatment Technique Startup Procedures (RTCR)
VA6177358	TNCWS	GW	100	Private	E. COLI	MR				34	Monitoring, Source Water (GWR)
VA6177362	TNCWS	GW	50	Private	E. COLI	MR	SOX	12/28/2023	12/28/2023	34	Monitoring, Source Water (GWR)
VA6177450	NTNCWS	GW	1545	Private	Chlorine	MR	SOX	5/4/2023	5/4/2023	27	Monitoring and Reporting (DBP)
VA6177450	NTNCWS	GW	1545	Private	Chlorine	MR	SIE	5/3/2023	5/4/2023	27	Monitoring and Reporting (DBP)
VA6177450	NTNCWS	GW	1545	Private	Chlorine	MR	SFJ	5/3/2023	5/4/2023	27	Monitoring and Reporting (DBP)
VA6177450	NTNCWS	GW	1545	Private	Revised Total Coliform Rule	MON	SOX	5/4/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA6177450	NTNCWS	GW	1545	Private	Revised Total Coliform Rule	MON	SIE	5/3/2023	5/4/2023	3A	Monitoring, Routine (RTCR)

VA6177450	NTNCWS	GW	1545	Private	Revised Total Coliform Rule	MON	SFJ	5/3/2023	5/4/2023	3A	Monitoring, Routine (RTCR)
VA6179080	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIF	7/21/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179080	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SOX	7/20/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179080	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179080	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179250	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIF	7/21/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179250	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SOX	7/20/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179250	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIE	7/14/2023	7/20/2023	3A	Monitoring, Routine (RTCR)
VA6179250	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SFJ	7/14/2023	7/20/2023	3A	Monitoring, Routine (RTCR)