2022 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		Hi	High Schools		Mic	dle Schools		Junio	r/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Physical education and physical activity	54.9	45.7 - 63.8	90	54.6	46.7 - 62.2	115	66.0	43.3 - 83.2	19	55.5	49.8 - 61.1	224
b.	Nutrition	56.6	47.6 - 65.2	90	56.6	48.9 - 64.0	115	66.0	43.3 - 83.2	19	57.3	51.6 - 62.7	224
c.	Tobacco-use prevention	50.4	41.1 - 59.7	90	48.5	41.1 - 55.9	115	66.0	43.3 - 83.2	19	50.5	44.9 - 56.1	224
d.	Alcohol- and other drug-use prevention	49.4	40.2 - 58.6	90	47.8	40.3 - 55.3	113	61.3	41.0 - 78.3	19	49.4	43.8 - 55.0	222
e.	Chronic health conditions (e.g., asthma, food allergies)	51.3	42.0 - 60.5	90	42.4	34.9 - 50.2	115	51.9	35.8 - 67.5	19	46.6	41.0 - 52.3	224
f.	Unintentional injury and violence prevention (safety)	51.8	42.8 - 60.7	89	45.4	37.6 - 53.4	114	51.9	35.8 - 67.5	19	48.4	42.8 - 54.1	222
g.	Sexual health, including HIV, other STD, and pregnancy prevention	45.9			28.3	21.3 - 36.6	113	56.6	38.5 - 73.1	19	37.5	32.1 - 43.3	221

2022 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

		High Schools		Mic	Idle Schools		Junio	r/Senior Higl Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Reviewed district's local wellness policy	88.1	80.9 - 92.8	92	80.1	73.5 - 85.4	120	88.1	66.4 - 96.5	19	83.9	79.4 - 87.5	231
b.	Helped revise district's local wellness policy	54.7	46.6 - 62.6	92	39.0	31.8 - 46.7	119	48.1	32.8 - 63.8	19	45.9	40.7 - 51.2	230
c.	Communicated to school staff about district's local wellness policy	80.1	72.0 - 86.2	92	76.3	70.0 - 81.7	120	-	-	18	77.4	72.7 - 81.6	230
d.	Communicated to parents and families about district's local wellness policy	65.3	56.9 - 72.8	91	66.3	59.4 - 72.5	120	50.6	30.5 - 70.5	19	64.8	59.6 - 69.6	230
e.	Communicated to students about district's local wellness policy	66.2	57.8 - 73.6	92	65.9	59.4 - 71.8	120	63.5	43.3 - 79.9	19	65.8	60.9 - 70.4	231
f.	Measured school's compliance with district's local wellness policy	55.1	47.0 - 62.9	92	50.2	42.5 - 57.8	119	62.5	41.8 - 79.5	19	53.0	47.6 - 58.3	230
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	54.7	45.8 - 63.4	90	41.8	34.7 - 49.3	120	50.6	30.3 - 70.8	19	47.5	42.1 - 53.0	229

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

H	High Schools			ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.9	79.0 - 90.8	91	89.8	84.2 - 93.5	123	_	_	18	88.6	84.7 - 91.6	232

Page 3 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
50.0	42.1 - 57.9	93	49.5	41.5 - 57.4	122	26.1	11.6 - 48.7	19	48.0	42.6 - 53.5	234

2022 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

		Hi	High Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence		(95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	85.8	76.9 - 91.6	44	80.6	70.3 - 87.9	56	-	-	5	82.8	76.3 - 87.8	105
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	86.8	76.2 - 93.2	43	81.0	71.6 - 87.7	56	-	-	5	83.4	77.0 - 88.3	104
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	66.7	53.4 - 77.8	44	50.6	39.3 - 61.8	55	-	-	5	56.7	48.3 - 64.7	104
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	93.6	84.8 - 97.4	44	83.6	73.1 - 90.5	56	-	-	5	87.6	81.2 - 92.1	105
e.	Reviewed health-related curricula or instructional materials	85.8	75.2 - 92.3	44	80.3	70.0 - 87.7	57	-	-	5	82.6	75.7 - 87.9	106

^{*}Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that use the following types of security staff during the regular school day.

		High Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Percent Interval N			Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Security guards (private or school employees/contractors)	56.1	49.7 - 62.4	90	38.8	32.5 - 45.5	121	19.1	8.7 - 36.9	19	44.2	39.9 - 48.7	230
b.	School resource officers (SROs)	93.1	86.8 - 96.5	92	86.2	80.3 - 90.5	124	84.9	65.2 - 94.4	19	88.8	84.9 - 91.8	235
c.	Police officers other than SROs (i.e., county or local law enforcement)	20.9 15.2 - 28.1 87		18.7	13.1 - 25.9	121	-	-	17	19.2	15.2 - 24.0	225	

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	;h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Included before- or after-school settings as part of the School Improvement Plan	73.4	64.4 - 80.7	91	64.9	57.9 - 71.3	124	-	-	18	67.4	62.3 - 72.2	233
b.	Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	57.3	48.4 - 65.8	91	41.6	35.3 - 48.2	123	-	-	18	47.8	42.9 - 52.9	232
c.	Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	33.6 26.0 - 42.2 92		49.1	42.1 - 56.1	123	-	-	18	42.8	37.8 - 48.0	233	

Page 7 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	High Schools			ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.7	74.8 - 85.5	89	34.5	28.1 - 41.5	125	_	_	18	52.2	47.8 - 56.5	232

N = Unweighted number of observations

Page 8 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

		Hi	High Schools		Mic	idle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95%			95%			95%			95%	
			Confidence			Confidence			Confidence			Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	93.8	88.0 - 96.8	93	93.0	89.0 - 95.6	122	95.3	78.9 - 99.1	19	93.4	90.5 - 95.5	234
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	91	100.0	†	123	100.0	†	19	100.0	†	233
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	91.2	86.2 - 94.6	89	80.7	74.0 - 86.0	123	84.9	65.4 - 94.3	19	85.1	80.9 - 88.4	231
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	53.1	44.4 - 61.7	89	35.2	28.2 - 42.9	119	-	-	18	42.6	37.3 - 48.1	226
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	56.1	46.8 - 65.0	87	49.3	41.7 - 57.0	122	47.4	28.1 - 67.5	19	51.8	46.1 - 57.4	228

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.4	72.6 - 86.4	92	77.4	71.0 - 82.8	122	95.3	78.9 - 99.1	19	79.9	75.3 - 83.8	233

2022 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.9	90.9 - 98.2	92	94.7	90.3 - 97.2	125	83.4	61.6 - 94.0	19	94.4	91.4 - 96.4	236

2022 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.6	89.1 - 97.4	92	95.8	92.0 - 97.9	123	88.1	66.4 - 96.5	19	94.8	91.9 - 96.7	234

2022 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

		High Schools		Mic	dle Schools		Junio	r/Senior High Schools	h	A	Il Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Assessing student suicide risk	99.2	95.9 - 99.8	92	96.1	92.0 - 98.1	125	100.0	†	19	97.6	95.3 - 98.7	236
b.	Notifying parents when a student is at risk for suicide	97.0	92.5 - 98.9	91	96.1	92.0 - 98.1	125	100.0	†	19	96.7	94.2 - 98.2	235
c.	Referring students at risk for suicide to mental health services	98.3	94.9 - 99.5	92	93.3	88.3 - 96.3	124	100.0	†	19	95.8	92.9 - 97.5	235
d.	Responding to a suicide attempt at school	96.2	91.6 - 98.4	92	94.1	89.2 - 96.8	125	100.0	†	19	95.3	92.4 - 97.2	236
e.	Supporting students returning to school after a suicide attempt	93.1	87.5 - 96.3	92	89.0	83.6 - 92.8	124	90.6	73.2 - 97.1	19	90.8	87.2 - 93.4	235
f.	Responding to the death of a student or staff member from suicide	91.7	85.9 - 95.2	91	86.4	80.7 - 90.6	124	95.3	78.9 - 99.1	19	89.1	85.4 - 91.9	234

Page 13 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

		High Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a	. Grade 6	§	§	§	98.3	94.6 - 99.4	112	-	-	6	98.3	94.8 - 99.5	118
b	o. Grade 7	§	§	§	98.4	95.2 - 99.5	123	-	-	8	98.5	95.4 - 99.5	131
c	. Grade 8	§	§	§	93.5	88.1 - 96.5	105	-	-	16	94.2	89.3 - 96.9	121
d	l. Grade 9	99.2	95.9 - 99.8	92	-	-	0	-	-	17	99.3	96.5 - 99.9	109
e	Grade 10	99.2	95.8 - 99.8	90	§	§	§	-	-	18	98.5	95.5 - 99.5	108
f	Grade 11	13.2	7.7 - 21.8	75	§	§	§	-	-	16	12.9	7.9 - 20.4	91
9	g. Grade 12	13.4	7.8 - 22.1	74	§	§	§	-	-	15	12.3	7.4 - 19.9	89

^{*}Among schools with students in that grade.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[§] Grade is not applicable for type of school.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.6	81.8 - 93.1	93	83.9	78.7 - 88.0	125	76.4	55.8 - 89.3	19	85.2	81.4 - 88.4	237

2022 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	97.2	92.9 - 98.9	92	94.7	90.4 - 97.2	126	100.0	†	19	96.0	93.4 - 97.6	237
b.	Require physical education teachers to follow a written physical education curriculum	95.4	90.6 - 97.8	93	92.0	87.6 - 94.9	126	100.0	†	19	93.9	91.1 - 95.8	238
c.	Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	64.1	56.5 - 71.0	92	66.1	59.7 - 72.0	124	61.3	41.0 - 78.3	19	65.0	60.3 - 69.5	235
d.	Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	5.3	2.5 - 10.8	93	18.9	14.5 - 24.3	125	14.1	5.3 - 32.7	19	13.2	10.4 - 16.7	237
e.	Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	99.2	96.0 - 99.8	93	99.3	96.6 - 99.9	125	100.0	†	19	99.3	97.8 - 99.8	237
f.	Limit physical education class sizes so that they are the same size as other subject areas	49.2	41.4 - 57.0	93	49.8	42.2 - 57.4	125	37.7	24.1 - 53.6	19	48.7	43.5 - 54.0	237
g.	Have a dedicated budget for physical education materials and equipment	95.4	91.7 - 97.5	93	91.3	86.0 - 94.7	122	88.1	66.4 - 96.5	19	92.7	89.5 - 95.0	234
h.	Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	89.8	85.0 - 93.2	93	79.3	73.2 - 84.3	124	66.0	46.8 - 81.1	19	82.5	78.7 - 85.9	236
i.	Include students with disabilities in regular physical education courses as appropriate	98.3	98.3 - 98.4	92	99.3	96.6 - 99.9	126	-	-	18	99.0	98.2 - 99.4	236

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
46.0 38.1 - 54.1 93			53.5	45.9 - 60.9	126	27.0	12.0 - 50.3	19	48.7	43.5 - 54.1	238	

2022 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.*

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
46.8	37.8 - 55.9	92	53.7	46.3 - 61.0	126	29.3	16.0 - 47.3	19	49.3	43.9 - 54.8	237

 $[\]hbox{*Not including physical education and classroom physical activity}.$

2022 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.3 82.0 - 92.5 92			69.1	62.4 - 75.0	126	77.7	54.8 - 90.9	19	77.1	72.7 - 81.0	237

2022 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	H	igh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Before the school day	41.3	32.4 - 50.7	91	16.5	11.9 - 22.5	124	41.5	26.8 - 57.8	19	27.9	23.4 - 32.9	234
b. After the school day	85.4	78.1 - 90.5	93	87.3	81.8 - 91.4	125	100.0	†	19	87.4	83.5 - 90.5	237

Page 20 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		Hi	igh Schools		Mic	ldle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence)	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	Physical activity or sports facilities	69.3	60.7 - 76.8	92	84.7	79.2 - 88.9	124	67.0	48.2 - 81.5	19	77.4	72.9 - 81.4	235	
b.	Kitchen facilities and equipment	28.7 21.6 - 37.0 91		23.0	17.4 - 29.9	124	15.1	5.7 - 34.6	19	24.7	20.4 - 29.6	234		
c.	Gardens (e.g., herb or vegetable plots)	20.1	14.0 - 28.1	91	15.3	10.7 - 21.5	124	9.4	2.9 - 26.8	19	16.8	13.1 - 21.3	234	

2022 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

H	igh Schools		Mic	ddle Schools		Junior/Se	nior High Scl	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
18.3 12.3 - 26.3 91			22.5	17.0 - 29.1	122	14.1	8.1 - 23.5	19	20.3	16.3 - 24.9	232	

2022 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.3	34.3 - 50.8	91	46.0	39.0 - 53.2	124	50.6	30.5 - 70.5	19	44.9	39.7 - 50.2	234

2022 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent				Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	92	94.1	89.3 - 96.8	126	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	237

2022 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools			or/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	99.0	95.0 - 99.8	91	93.2	88.1 - 96.2	125	85.9	67.0 - 94.8	19	94.9	91.9 - 96.9	235
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.7	92.9 - 99.3	91	93.2	88.1 - 96.2	125	85.9	67.0 - 94.8	19	94.4	91.3 - 96.5	235
c.	Cigars	97.7	92.9 - 99.3	91	92.3	87.1 - 95.6	125	85.9	67.0 - 94.8	19	94.0	90.7 - 96.1	235
d.	Pipes	96.4	91.1 - 98.6	91	90.7	85.1 - 94.4	124	85.9	67.0 - 94.8	19	92.6	89.1 - 95.1	234
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.0	95.0 - 99.8	91	92.4	87.1 - 95.6	123	85.9	67.0 - 94.8	19	94.5	91.4 - 96.5	233

2022 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	98.9	94.9 - 99.8	88	92.5	87.3 - 95.7	125	81.1	61.2 - 92.1	19	94.2	91.0 - 96.2	232
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.7	92.9 - 99.3	90	92.5	87.3 - 95.7	125	81.1	61.2 - 92.1	19	93.7	90.5 - 95.9	234
c.	Cigars	97.7	92.9 - 99.3	90	91.6	86.2 - 95.0	124	81.1	61.2 - 92.1	19	93.2	89.9 - 95.5	233
d.	Pipes	97.7	92.8 - 99.3	89	89.9	84.1 - 93.7	122	81.1	61.2 - 92.1	19	92.3	88.8 - 94.8	230
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.0	94.9 - 99.8	88	91.6	86.2 - 95.0	122	81.1	61.2 - 92.1	19	93.7	90.5 - 95.9	229

2022 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	97.7	92.9 - 99.3	90	92.4	87.2 - 95.6	124	81.1	61.2 - 92.1	19	93.7	90.4 - 95.9	233
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.6	92.8 - 99.3	89	92.3	87.0 - 95.5	121	81.1	61.2 - 92.1	19	93.6	90.3 - 95.8	229
c.	Cigars	96.3	90.9 - 98.6	89	92.2	86.9 - 95.5	123	81.1	61.2 - 92.1	19	93.0	89.6 - 95.4	231
d.	Pipes	96.4	91.0 - 98.6	90	90.0	84.4 - 93.8	124	81.1	61.2 - 92.1	19	91.9	88.3 - 94.4	233
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	98.9	94.9 - 99.8	88	91.7	86.4 - 95.0	123	81.1	61.2 - 92.1	19	93.7	90.5 - 95.9	230

2022 School Health Profiles Report Weighted Principal Survey Results

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

		Hi	igh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	91	94.0	89.1 - 96.8	124	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	234
b	. During non-school hours	91.8	85.6 - 95.4	91	87.6	81.8 - 91.8	124	81.1	61.2 - 92.1	19	88.8	84.9 - 91.8	234

Page 28 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

		Hi	gh Schools		Mic	dle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	91	93.3	88.3 - 96.3	124	81.1	61.2 - 92.1	19	95.1	92.1 - 96.9	234
b	During non-school hours	92.5	86.4 - 96.0	90	83.1	76.9 - 88.0	124	76.4	55.6 - 89.3	19	86.3	82.2 - 89.6	233

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

		H	igh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a	During school hours	98.7	93.8 - 99.7	91	93.3	88.3 - 96.3	124	81.1	61.2 - 92.1	19	94.6	91.5 - 96.6	234
b	. During non-school hours	91.1	84.7 - 95.0	89	82.5	76.1 - 87.4	124	76.4	55.6 - 89.3	19	85.4	81.1 - 88.8	232

2022 School Health Profiles Report Weighted Principal Survey Results

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		Hi	gh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	91	94.1	89.2 - 96.8	125	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	235
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	91	94.1	89.2 - 96.8	125	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	235
c.	On school buses or other vehicles used to transport students	100.0 † 91		94.1	89.2 - 96.8	125	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	235	
d.	At off-campus, school-sponsored events	100.0	†	91	89.0	84.1 - 92.5	125	81.1	67.8 - 89.8	19	92.7	90.0 - 94.7	235

N = Unweighted number of observations

Page 31 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	igh Schools		Mie	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	In school buildings	100.0	†	91	94.1	89.2 - 96.8	125	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	91	93.4	88.4 - 96.3	125	81.1	61.2 - 92.1	19	95.1	92.2 - 97.0	235
c.	On school buses or other vehicles used to transport students	98.7 93.8 - 99.7 91		94.1	89.2 - 96.8	125	85.9	67.0 - 94.8	19	95.3	92.3 - 97.1	235	
d.	At off-campus, school-sponsored events	95.8	90.8 - 98.2	91	89.8	84.0 - 93.7	123	76.4	60.7 - 87.2	19	91.2	87.7 - 93.8	233

N = Unweighted number of observations

Page 32 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	igh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools	
		ъ.	95% Confidence	3.7		95% Confidence	3.7	.	95% Confidence	3.7	.	95% Confidence	3.7
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	91	94.0	89.1 - 96.8	124	85.9	67.0 - 94.8	19	95.8	93.0 - 97.5	234
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	91	92.6	87.5 - 95.7	124	81.1	61.2 - 92.1	19	94.7	91.7 - 96.6	234
c.	On school buses or other vehicles used to transport students	98.7	93.8 - 99.7	91	94.0	89.1 - 96.8	124	85.9	67.0 - 94.8	19	95.3	92.3 - 97.1	234
d.	At off-campus, school-sponsored events	91.0	85.4 - 94.6	89	82.8	77.0 - 87.4	123	71.7	59.5 - 81.4	19	85.2	81.5 - 88.3	231

N = Unweighted number of observations

Page 33 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.8	71.0 - 85.0	83	68.1	60.9 - 74.5	118	67.0	52.5 - 78.8	19	72.1	67.2 - 76.5	220

2022 School Health Profiles Report Weighted Principal Survey Results

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	ıools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.0	69.8 - 84.5	80	67.1	59.9 - 73.6	115	67.0	52.5 - 78.8	19	71.2	66.2 - 75.7	214

2022 School Health Profiles Report Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

		H	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	32.8	24.7 - 42.0	88	20.3	15.1 - 26.9	125	36.5	22.5 - 53.2	19	26.2	21.7 - 31.2	232
b.	Confiscate product	0.0	†	91	0.0	†	126	4.7	0.9 - 21.1	19	0.3	0.1 - 1.6	236
c.	Notify parents or guardians	0.0	†	91	0.0	†	126	4.7	0.9 - 21.1	19	0.3	0.1 - 1.6	236
d.	Develop a behavior contract with the student	9.4	5.6 - 15.3	90	10.3	6.5 - 16.0	126	14.1	5.3 - 32.7	19	10.2	7.4 - 14.0	235
e.	Refer to a school counselor	12.9	8.1 - 19.8	91	5.4	3.1 - 9.2	126	4.7	0.9 - 21.1	19	8.3	5.9 - 11.5	236
f.	Refer to a school administrator	0.0	†	91	0.0	†	125	4.7	0.9 - 21.1	19	0.3	0.1 - 1.6	235
g.	Refer to an assistance, education, or cessation program	10.5	6.2 - 17.3	89	14.6	10.7 - 19.6	126	15.1	5.6 - 34.8	19	13.1	10.1 - 16.8	234
h.	Refer to legal authorities (e.g., school resource officer)	17.1	11.9 - 23.8	91	13.8	9.6 - 19.4	125	-	-	18	14.9	11.6 - 18.8	234
i.	Issue an in-school suspension (half day or full day)	19.6	13.5 - 27.5	91	16.1	11.5 - 21.9	126	43.4	31.0 - 56.7	19	19.3	15.6 - 23.6	236
j.	Issue an after-school or weekend detention	55.3 46.1 - 64.2 91			56.3	49.5 - 62.9	126	76.2	57.2 - 88.4	19	57.3	52.0 - 62.4	236
k.	Issue an out-of-school suspension	11.6	7.0 - 18.6	91	13.0	8.9 - 18.6	126	17.6	6.4 - 40.2	19	12.8	9.6 - 16.8	236
1.	Expel from school	76.9	68.5 - 83.6	91	77.2	69.9 - 83.2	125	65.7	44.6 - 82.0	19	76.3	71.1 - 80.8	235

Page 36 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

		Hi	High Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	5.4	2.6 - 11.0	88	5.0	2.5 - 9.4	125	0.0	†	19	4.8	2.9 - 7.7	232
b.	Confiscate product	0.8	0.2 - 4.1	91	0.0	†	126	0.0	†	19	0.3	0.1 - 1.6	236
c.	Notify parents or guardians	0.0	†	91	0.0	†	126	0.0	†	19	0.0	†	236
d.	Develop a behavior contract with the student	24.8	18.0 - 33.2	90	18.3	13.2 - 24.6	126	9.4	2.8 - 27.0	19	20.2	16.2 - 24.9	235
e.	Refer to a school counselor	20.6	14.9 - 27.8	91	15.2	10.8 - 21.1	126	18.9	7.9 - 38.5	19	17.6	14.0 - 21.8	236
f.	Refer to a school administrator	0.0	†	91	0.0	†	125	0.0	†	19	0.0	†	235
g.	Refer to an assistance, education, or cessation program	19.3	14.3 - 25.5	89	17.1	12.7 - 22.7	126	9.4	2.9 - 26.8	19	17.4	14.1 - 21.3	234
h.	Refer to legal authorities (e.g., school resource officer)	16.1	10.6 - 23.7	91	19.6	14.5 - 25.9	125	-	-	18	18.7	14.9 - 23.3	234
i.	Issue an in-school suspension (half day or full day)	10.0	5.9 - 16.4	91	10.6	6.7 - 16.5	126	5.7	1.1 - 24.9	19	10.1	7.2 - 13.9	236
j.	Issue an after-school or weekend detention	17.0	11.6 - 24.2	91	13.7	9.5 - 19.4	126	7.2	1.4 - 30.6	19	14.6	11.2 - 18.6	236
k.	Issue an out-of-school suspension	18.7	13.0 - 26.2	91	23.2	17.6 - 30.0	126	16.6	8.0 - 31.5	19	21.0	17.0 - 25.7	236
1.	Expel from school	16.9	11.1 - 24.8	91	16.7	11.7 - 23.2	125	29.5	15.0 - 49.9	19	17.7	13.8 - 22.3	235

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

		High Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	12.5	7.7 - 19.6	88	6.6	4.1 - 10.7	125	0.0	†	19	8.4	6.0 - 11.7	232
b.	Confiscate product	1.3	0.3 - 6.3	91	0.7	0.1 - 3.4	126	0.0	†	19	0.9	0.3 - 2.7	236
c.	Notify parents or guardians	0.0	†	91	0.0	†	126	0.0	†	19	0.0	†	236
d.	Develop a behavior contract with the student	43.5	34.8 - 52.6	90	43.6	36.0 - 51.6	126	49.4	29.2 - 69.7	19	44.0	38.4 - 49.7	235
e.	Refer to a school counselor	47.4	38.0 - 56.9	91	40.3	33.7 - 47.2	126	48.4	31.7 - 65.4	19	43.6	38.3 - 49.0	236
f.	Refer to a school administrator	0.0	†	91	0.7	0.1 - 3.4	125	7.2	1.4 - 30.6	19	0.9	0.3 - 2.7	235
g.	Refer to an assistance, education, or cessation program	43.1	35.3 - 51.1	89	32.6	26.3 - 39.5	126	48.4	31.4 - 65.8	19	37.7	32.9 - 42.7	234
h.	Refer to legal authorities (e.g., school resource officer)	44.5	36.8 - 52.4	91	33.0	26.1 - 40.6	125	-	-	18	36.6	31.7 - 41.9	234
i.	Issue an in-school suspension (half day or full day)	35.7	28.0 - 44.1	91	33.7	27.4 - 40.6	126	14.1	5.3 - 32.7	19	33.1	28.4 - 38.1	236
j.	Issue an after-school or weekend detention	19.6	14.0 - 26.7	91	21.5	16.2 - 27.9	126	11.9	3.5 - 33.6	19	20.1	16.3 - 24.5	236
k.	Issue an out-of-school suspension	41.8	33.8 - 50.2	91	34.2	27.4 - 41.7	126	27.0	13.8 - 46.3	19	36.6	31.6 - 42.0	236
1.	Expel from school	6.2	3.6 - 10.5	91	4.2	2.0 - 8.7	125	4.7	0.9 - 21.1	19	5.0	3.2 - 7.7	235

Page 38 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

		H	High Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence		_	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	49.3	40.1 - 58.6	88	68.1	60.2 - 75.0	125	63.5	46.8 - 77.5	19	60.6	55.0 - 66.0	232
b.	Confiscate product	97.9	93.3 - 99.3	91	99.3	96.6 - 99.9	126	95.3	78.9 - 99.1	19	98.5	96.6 - 99.3	236
c.	Notify parents or guardians	100.0	†	91	100.0	†	126	95.3	78.9 - 99.1	19	99.7	98.4 - 99.9	236
d.	Develop a behavior contract with the student	22.3	15.6 - 30.9	90	27.8	21.7 - 34.8	126	27.0	12.0 - 50.3	19	25.6	21.1 - 30.8	235
e.	Refer to a school counselor	19.2	12.7 - 27.9	91	39.1	32.8 - 45.8	126	28.0	15.1 - 46.0	19	30.6	26.1 - 35.6	236
f.	Refer to a school administrator	100.0	†	91	99.3	96.6 - 99.9	125	88.1	66.4 - 96.5	19	98.8	96.9 - 99.5	235
g.	Refer to an assistance, education, or cessation program	27.2	20.3 - 35.4	89	35.7	29.4 - 42.5	126	27.0	11.9 - 50.5	19	31.8	27.2 - 36.8	234
h.	Refer to legal authorities (e.g., school resource officer)	22.4	16.7 - 29.4	91	33.7	27.9 - 40.0	125	-	-	18	29.8	25.6 - 34.3	234
i.	Issue an in-school suspension (half day or full day)	34.7	28.0 - 42.2	91	39.6	33.6 - 46.0	126	36.7	24.0 - 51.6	19	37.5	33.1 - 42.1	236
j.	Issue an after-school or weekend detention	8.0	4.9 - 13.0	91	8.4	5.3 - 13.2	126	4.7	0.9 - 21.1	19	8.0	5.7 - 11.1	236
k.	Issue an out-of-school suspension	27.9	21.6 - 35.3	91	29.6	22.9 - 37.3	126	38.7	28.6 - 49.9	19	29.6	25.0 - 34.6	236
1.	Expel from school	0.0	†	91	1.9	0.6 - 5.7	125	0.0	†	19	1.0	0.3 - 3.1	235

Page 39 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

		Н	igh Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	3.1	1.2 - 7.9	91	7.7	4.6 - 12.7	125	4.7	0.9 - 21.1	19	5.7	3.7 - 8.8	235
b.	Never	1.9	0.6 - 5.7	91	2.6	1.0 - 6.4	125	4.7	0.9 - 21.1	19	2.4	1.2 - 4.7	235
c.	Rarely	11.7	7.4 - 18.0	91	15.7	11.0 - 21.8	125	4.7	0.9 - 21.4	19	13.4	10.2 - 17.4	235
d.	Sometimes	53.6	45.3 - 61.6	91	51.3	43.8 - 58.7	125	71.7	54.3 - 84.4	19	53.6	48.3 - 58.8	235
e.	Always or almost always	29.7	22.6 - 38.0	91	22.9	17.4 - 29.4	125	14.1	8.1 - 23.5	19	24.9	20.7 - 29.7	235

2022 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent				Interval	N	Percent	Interval	N	Percent	Interval	N
65.6	58.3 - 72.3	92	28.1	22.3 - 34.7	126	61.3	41.0 - 78.3	19	45.0	40.5 - 49.5	237

2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	dle Schools		Junio	or/Senior High Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	18.4	12.6 - 26.0	92	4.7	2.4 - 9.1	126	5.7	1.1 - 24.6	19	10.1	7.4 - 13.7	237
b.	Other kinds of candy	21.9	15.4 - 30.3	92	6.3	3.5 - 11.0	126	10.4	3.2 - 29.1	19	12.7	9.5 - 16.7	237
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	30.9	24.1 - 38.7	92	12.8	9.3 - 17.4	126	17.6	6.4 - 39.9	19	20.2	16.7 - 24.2	237
d.	Low sodium or "no added salt" pretzels, crackers, or chips	48.6	40.3 - 56.9	92	18.9	13.8 - 25.4	126	47.1	30.1 - 64.8	19	32.4	27.9 - 37.3	237
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	24.8	18.5 - 32.4	92	12.7	8.8 - 17.8	125	11.9	3.5 - 33.6	19	17.3	13.9 - 21.4	236
f.	Ice cream or frozen yogurt that is not low in fat	16.5	11.2 - 23.6	91	5.3	3.1 - 8.9	126	4.7	0.9 - 21.1	19	9.6	7.0 - 12.9	236
g.	2% or whole milk (plain or flavored)	24.0	18.7 - 30.4	92	8.6	5.7 - 12.6	125	14.4	6.2 - 30.1	19	15.0	12.2 - 18.3	236
h.	Nonfat or 1% (low-fat) milk (plain)	28.8	22.7 - 35.8	92	9.6	6.4 - 14.0	125	27.0	12.1 - 50.0	19	18.3	15.0 - 22.1	236
i.	Water ices or frozen slushes that do not contain juice	13.7	8.9 - 20.6	92	3.6	1.7 - 7.3	126	17.6	6.4 - 39.9	19	8.5	6.0 - 11.9	237
j.	Soda pop or fruit drinks that are not 100% juice	36.0	28.9 - 43.8	92	3.1	1.4 - 6.8	125	21.4	8.7 - 43.5	19	17.2	14.1 - 20.9	236
k.	Sports drinks (e.g., Gatorade)	48.6	40.6 - 56.7	92	8.2	5.2 - 12.8	125	46.2	33.1 - 59.8	19	26.6	22.9 - 30.7	236
1.	Energy drinks (e.g., Red Bull, Monster)	5.1	2.4 - 10.4	92	0.7	0.1 - 3.4	125	0.0	†	19	2.4	1.2 - 4.6	236

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N =Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		Hi	High Schools 95%		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	64.3	57.4 - 70.7	92	20.2	15.4 - 25.9	126	61.3	41.0 - 78.3	19	40.2	36.1 - 44.4	
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	49.4	41.6 - 57.2	92	4.1	2.0 - 8.3	125	35.8	23.9 - 49.7	19	24.0	20.6 - 27.7	236
o.	100% fruit or vegetable juice	38.0	30.5 - 46.1	92	12.1	8.5 - 16.9	124	23.8	11.6 - 42.8	19	23.1	19.4 - 27.3	235
p.	Foods or beverages containing caffeine	29.3	22.4 - 37.3	92	1.4	0.4 - 4.2	125	23.8	11.6 - 42.8	19	13.8	10.9 - 17.4	236
q.	Fruits (not fruit juice)	22.3	16.9 - 28.9	92	8.7	5.5 - 13.6	125	16.6	6.0 - 38.4	19	14.6	11.5 - 18.3	236
r.	Non-fried vegetables (not vegetable juice)	17.5	12.8 - 23.5	91	5.5	3.0 - 10.0	124	16.6	6.0 - 38.4	19	11.0	8.3 - 14.4	234

2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		Hi	igh Schools		Mic	dle Schools		Junio	or/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	14.3	9.5 - 20.9	90	15.2	10.8 - 20.8	121	9.4	2.9 - 26.8	19	14.4	11.2 - 18.3	230
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	39.4	31.1 - 48.4	90	34.9	27.8 - 42.6	121	28.3	13.6 - 49.7	19	36.2	31.0 - 41.7	230
c.	Provided information to students or families on the nutrition and caloric content of foods available	71.6	62.9 - 79.0	91	70.6	63.2 - 77.0	122	50.6	33.0 - 68.1	19	69.6	64.3 - 74.4	232
d.	Conducted taste tests to determine food preferences for nutritious items	26.7	19.5 - 35.3	90	23.2	17.4 - 30.2	122	26.1	13.4 - 44.5	19	24.8	20.3 - 29.8	231
e.	Served locally or regionally grown foods in the cafeteria or classrooms	42.2	34.0 - 50.8	90	41.9	35.0 - 49.1	122	26.1	16.2 - 39.2	19	40.9	35.9 - 46.1	231
f.	Planted a school food or vegetable garden	42.8	34.8 - 51.3	91	33.1	26.8 - 40.0	119	31.8	16.7 - 52.0	19	36.9	32.0 - 42.0	229
g.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	83.4	75.4 - 89.1	91	84.1	77.3 - 89.1	123	69.8	52.9 - 82.6	19	82.8	78.1 - 86.7	233
h.	Used attractive displays for fruits and vegetables in the cafeteria	68.2	59.7 - 75.7	91	75.1	68.9 - 80.4	121	55.3	33.0 - 75.7	19	71.0	66.1 - 75.5	231
i.	Offered a self-serve salad bar to students	12.8	7.7 - 20.4	91	17.6	12.8 - 23.7	120	10.4	3.1 - 29.4	19	15.2	11.6 - 19.5	230

2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		High Schools 95%		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
j.	Provided students with at least 20 minutes to eat lunch after they receive their meal	95.7	90.5 - 98.1	91	93.9	88.9 - 96.7	122	100.0	†	19	95.0	92.0 - 97.0	232
k.	Encouraged students to drink plain water	92.3	87.6 - 95.3	91	87.9	81.7 - 92.1	123	81.4	58.4 - 93.2	19	89.1	85.3 - 92.1	233
1.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	28.6	22.1 - 36.2	90	24.5	18.8 - 31.3	122	42.2	21.4 - 66.2	19	27.4	22.9 - 32.3	231
m	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	30.7 23.4 - 39.0 91		31.7	24.9 - 39.4	122	23.6	12.9 - 39.0	19	30.7	25.9 - 36.0	232	

N = Unweighted number of observations

Page 45 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	In school buildings	63.1	54.5 - 71.0	90	74.7	67.6 - 80.7	124	76.2	57.2 - 88.4	19	70.3	65.2 - 75.0	233
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	52.7	43.4 - 61.8	90	71.0	63.6 - 77.4	123	64.2	56.3 - 71.4	19	63.4	58.0 - 68.5	232
c.	On school buses or other vehicles used to transport students	67.7	59.0 - 75.4	89	76.9	69.8 - 82.8	124	92.8	69.4 - 98.6	19	74.5	69.4 - 79.0	232
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	64.2	56.6 - 71.1	90	70.2	62.3 - 77.0	122	68.9	57.3 - 78.6	19	67.7	62.6 - 72.5	231
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	68.5	60.1 - 75.8	88	69.6	61.6 - 76.5	122	76.2	57.2 - 88.4	19	69.6	64.2 - 74.6	229

2022 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		H	igh Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Yes, in all locations	96.8	91.9 - 98.7	93	94.4	89.7 - 97.0	125	95.3	78.9 - 99.1	19	95.4	92.5 - 97.2	237
b.	Yes, in certain locations	3.2	1.3 - 8.1	93	5.6	3.0 - 10.3	125	4.7	0.9 - 21.1	19	4.6	2.8 - 7.5	237
c.	No	0.0	†	93	0.0	†	125	0.0	†	19	0.0	†	237

Page 47 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

H	igh Schools		Mic	dle Schools		Junior/Se	nior High Sc	hools	A	Il Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent						Percent	Interval	N	Percent	Interval	N
100.0	†	93	100.0	†	125	100.0	†	19	100.0	†	237

2022 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

		Hi	gh Schools		Mic	ddle Schools		Junio	r/Senior Higi Schools	h	A	All Schools	
		D	95% Confidence	NT	Damand	95% Confidence	NT	Demont	95% Confidence	N	D	95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cafeteria during breakfast	96.0	91.1 - 98.3	90	97.0	93.4 - 98.7	122	84.9	64.9 - 94.4	19	95.8	93.1 - 97.4	231
b.	Cafeteria during lunch	96.8	92.1 - 98.8	90	97.7	94.4 - 99.1	123	84.9	64.9 - 94.4	19	96.5	94.0 - 98.0	232
c.	Gymnasium or other indoor physical activity facilities	95.6	90.1 - 98.1	90	96.2	92.2 - 98.1	123	90.6	73.0 - 97.2	19	95.5	92.7 - 97.3	232
d.	Outdoor physical activity facilities or sports fields	75.5	67.1 - 82.3	89	62.1	54.8 - 68.9	117	-	-	18	66.9	61.7 - 71.6	224
e.	Hallways throughout the school	98.7	93.8 - 99.7	91	98.3	94.7 - 99.5	124	100.0	†	19	98.6	96.4 - 99.4	234

^{*}Among schools with that location.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.7 86.0 - 95.2 93			86.8	80.8 - 91.2	126	73.0	53.7 - 86.2	19	87.8	83.9 - 90.9	238

2022 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
21.8 15.5 - 29.6 92		92	18.8	13.4 - 25.8	123	34.3	17.8 - 55.6	19	21.0	16.9 - 26.0	234

2022 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
22.1 15.7 - 30.2 93			17.1	11.9 - 23.9	126	27.0	12.0 - 50.3	19	19.7	15.6 - 24.6	238

2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

		Н	High Schools 95%		Mic	idle Schools			r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	0.0	†	92	0.0	†	126	0.0	†	19	0.0	†	237
b.	HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	92	0.9	0.2 - 4.2	124	0.0	†	19	0.5	0.1 - 2.3	235
c.	STD testing	0.0	†	91	0.0	†	126	0.0	†	19	0.0	†	236
d.	STD treatment	0.0	†	92	0.0	†	126	0.0	†	19	0.0	†	237
e.	Pregnancy testing	1.3	0.3 - 6.2	92	0.0	†	123	0.0	†	19	0.5	0.1 - 2.5	234
f.	Provision of condoms	3.6	1.4 - 8.8	92	0.0	†	125	0.0	†	19	1.4	0.5 - 3.5	236
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	92	0.0	†	126	0.0	†	19	0.0	†	237
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.0	0.2 - 4.9	92	0.9	0.2 - 4.2	125	0.0	†	19	0.9	0.3 - 2.7	236
i.	Prenatal care	1.3	0.3 - 6.2	92	0.0	†	126	0.0	†	19	0.5	0.1 - 2.4	237
j.	Human papillomavirus (HPV) vaccine administration	4.3	1.9 - 9.4	91	2.2	0.9 - 5.5	126	0.0	†	19	2.9	1.5 - 5.2	236
k.	Assessment for alcohol or other drug use, abuse, or dependency	33.7	26.0 - 42.3	92	12.0	7.9 - 17.7	126	4.7	0.9 - 21.1	19	19.9	16.1 - 24.4	237

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

		Hi	High Schools		Mic	Idle Schools		Junio	r/Senior Higl Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
1.	Tobacco-use cessation (e.g., individual or group counseling)	35.0	27.2 - 43.6	92	19.1	13.8 - 25.8	125	9.4	9.3 - 9.6	19	24.6	20.4 - 29.5	236
m	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	92.1	85.7 - 95.8	91	91.0	86.2 - 94.2	126	95.3	78.9 - 99.1	19	91.7	88.3 - 94.2	236
n.	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	90.4	83.7 - 94.5	92	90.5	86.1 - 93.6	126	95.3	78.9 - 99.1	19	90.8	87.4 - 93.3	237
0.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	82.9	74.7 - 88.8	92	76.8	69.9 - 82.5	124	73.0	49.5 - 88.1	19	78.9	74.0 - 83.1	235

2022 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		H	High Schools			ddle Schools			:/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	HIV testing	35.1	27.7 - 43.4	89	15.2	10.9 - 20.8	121	-	-	18	23.8	19.8 - 28.2	228
b.	HIV treatment (ongoing medical care for persons living with HIV)	33.8	26.2 - 42.4	89	14.4	10.3 - 19.8	120	-	-	17	23.0	19.0 - 27.5	226
c.	nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	31.7	24.5 - 39.8	89	16.1	11.6 - 21.8	120	-	-	18	22.2	18.3 - 26.7	227
d.	PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	31.7	24.5 - 39.8	89	14.4	10.3 - 19.8	120	-	-	17	21.4	17.6 - 25.8	226
e.	STD testing	41.7	34.4 - 49.3	88	15.2	10.9 - 20.8	121	-	-	18	26.3	22.4 - 30.6	227
f.	STD treatment	38.2	31.1 - 45.8	87	15.2	10.9 - 20.8	121	-	-	18	24.9	21.1 - 29.1	226
g.	Pregnancy testing	44.7	36.9 - 52.8	88	18.7	14.2 - 24.3	120	-	-	18	29.4	25.3 - 33.9	226
h.	Provision of condoms	25.5	18.6 - 34.0	88	10.6	7.0 - 15.8	121	-	-	18	17.2	13.6 - 21.4	227
i.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	20.5	14.7 - 28.0	88	10.6	7.0 - 15.8	121	-	-	18	15.2	12.0 - 19.2	227
j.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	29.6	22.0 - 38.7	88	11.9	7.9 - 17.4	119	-	-	17	19.6	15.7 - 24.2	224

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	ddle Schools			:/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
k.	Prenatal care	42.2	34.9 - 49.9	87	16.8	12.7 - 21.8	121	-	-	17	28.1	24.3 - 32.2	225
1.	Human papillomavirus (HPV) vaccine administration	39.5	31.9 - 47.6	87	28.0	21.9 - 35.2	121	-	-	18	32.7	28.0 - 37.7	226
m.	. Alcohol or other drug abuse treatment	66.5	57.1 - 74.7	90	43.2	36.4 - 50.3	123	-	-	18	52.5	47.3 - 57.8	231
n.	Tobacco-use cessation (e.g., individual or group counseling)	60.8	51.0 - 69.9	89	45.5	38.6 - 52.7	120	-	-	18	51.3	45.8 - 56.7	227

N = Unweighted number of observations

Page 56 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.8 58.5 - 74.3 88			63.3	56.4 - 69.7	123	_	_	18	65.1	60.0 - 69.9	229

N = Unweighted number of observations

Page 57 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		H	igh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	98.7	93.7 - 99.7	90	99.3	96.6 - 99.9	126	94.3	75.1 - 98.9	19	98.7	96.8 - 99.5	235
b.	Food allergies	99.1	95.8 - 99.8	89	100.0	†	126	94.3	75.1 - 98.9	19	99.3	97.7 - 99.8	234
c.	Diabetes	100.0	†	91	100.0	†	125	94.3	75.1 - 98.9	19	99.6	98.0 - 99.9	235
d.	Epilepsy or seizure disorder	97.8	93.3 - 99.3	90	100.0	†	124	94.3	75.1 - 98.9	19	98.8	96.9 - 99.5	233
e.	Obesity	31.1	23.6 - 39.6	91	35.1	28.1 - 42.7	126	24.6	13.3 - 40.8	19	32.8	27.9 - 38.1	236
f.	Hypertension/high blood pressure	65.7	56.8 - 73.6	91	62.3	55.1 - 69.1	126	65.7	47.9 - 80.1	19	63.9	58.5 - 68.9	236
g.	Oral health condition (e.g., abscess, tooth decay)	35.3	27.5 - 44.0	91	46.5	38.7 - 54.4	125	30.8	16.3 - 50.3	19	41.0	35.7 - 46.6	235

N = Unweighted number of observations

Page 58 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		H	igh Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	54.4	46.0 - 62.6	88	48.1	41.0 - 55.4	121	43.4	26.9 - 61.5	19	50.2	45.0 - 55.5	228
b.	Food allergies	52.4	43.9 - 60.7	89	45.9	38.8 - 53.2	122	43.4	26.9 - 61.5	19	48.2	43.0 - 53.5	230
c.	Diabetes	53.6	45.4 - 61.5	89	49.2	42.1 - 56.3	121	43.4	26.9 - 61.5	19	50.5	45.3 - 55.6	229
d.	Epilepsy or seizure disorder	53.3	45.2 - 61.3	90	47.8	40.6 - 55.1	122	43.4	26.9 - 61.5	19	49.6	44.5 - 54.8	231
e.	Obesity	36.3	28.1 - 45.3	89	31.9	25.7 - 38.8	120	-	-	18	32.8	28.0 - 38.0	227
f.	Hypertension/high blood pressure	50.3	41.7 - 58.8	89	44.2	37.1 - 51.5	122	-	-	17	46.6	41.3 - 52.0	228
g.	Oral health condition (e.g., abscess, tooth decay)	53.3	44.6 - 61.8	89	46.4	38.9 - 54.0	120	33.0	18.5 - 51.8	19	48.2	42.7 - 53.6	228

N = Unweighted number of observations

Page 59 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

		High Schools 95%			Mic	ldle Schools			r/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	35.1	27.3 - 43.8	89	26.7	20.2 - 34.4	122	56.3	34.3 - 76.1	19	32.1	27.0 - 37.6	230
b.	Sexual health services that adolescents should receive	24.1	17.2 - 32.6	87	24.4	18.2 - 32.0	122	50.6	28.2 - 72.8	19	26.2	21.4 - 31.6	228
c.	Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	30.3	21.9 - 40.3	87	24.0	17.7 - 31.8	121	55.3	33.0 - 75.7	19	28.7	23.5 - 34.5	227
d.	Importance of maintaining student confidentiality for sexual health services	45.8	37.2 - 54.7	88	32.9	25.7 - 41.0	121	50.6	30.5 - 70.5	19	39.2	33.7 - 44.9	228
e.	How to create or use a student referral guide for sexual health services	14.4	9.0 - 22.3	88	13.3	8.7 - 19.6	121	-	-	18	14.2	10.7 - 18.7	227
f.	How to make successful referrals of students to sexual health services	22.9	16.0 - 31.7	87	14.3	9.5 - 20.9	120	34.0	18.9 - 53.2	19	19.0	14.9 - 24.0	226
g.	Best practices for adolescent sexual health services provision, such as making services youth-friendly	24.8	17.4 - 34.0	88	17.5	12.1 - 24.6	121	35.0	23.2 - 48.9	19	21.6	17.2 - 26.7	228
h.	Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	24.1	17.0 - 33.2	88	25.6	19.1 - 33.5	121	44.4	28.4 - 61.7	19	26.4	21.6 - 31.9	228

N = Unweighted number of observations

Page 60 of 66

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
			95%			95%			95%		95%			
		Percent	Confidence Percent Interval N			Confidence Percent Interval N			Confidence Interval	N	Confidence Percent Interval N			
		1 CICCIII	micivai	11	1 CICCIII	micrvar	11	Percent	micivai	11	1 CICCIII	mervar	11	
a.	Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	94.8	90.3 - 97.3	92	95.0	91.0 - 97.3	125	90.6	73.2 - 97.1	19	94.6	91.9 - 96.5	236	
b.	Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	78.3	69.4 - 85.2	92	79.2	72.5 - 84.5	122	89.6	70.6 - 96.9	19	79.6	74.6 - 83.7	233	
c.	School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	87.5	80.0 - 92.5	92	87.8	81.6 - 92.1	122	79.2	58.1 - 91.3	19	87.1	82.7 - 90.5	233	
d.	Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	43.4	34.7 - 52.6	91	48.7	40.7 - 56.7	123	50.6	28.2 - 72.8	19	46.8	41.0 - 52.6	233	
e.	Pro-social skills training (e.g., school counseling groups)	73.3	64.2 - 80.8	90	91.4	87.0 - 94.5	125	84.9	65.4 - 94.3	19	84.0	79.7 - 87.5	234	
f.	Small groups for specific issues (e.g., depression, parental divorce)	67.3	59.6 - 74.3	92	80.3	73.9 - 85.5	125	70.7	53.0 - 83.8	19	74.6	70.0 - 78.7	236	

2022 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools 95% Confidence			Mic	Middle Schools 95% Confidence			Junior/Senior High Schools 95% Confidence			All Schools 95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	Provided parents with information to support parent-adolescent communication about sex	16.4	11.2 - 23.5	89	11.5	7.3 - 17.5	121	4.7	0.9 - 21.1	19	12.9	9.7 - 17.0	229	
b.	Provided parents with information to support parent-adolescent communication about topics other than sex	30.2	23.3 - 38.0	88	34.5	27.7 - 42.0	122	-	-	18	31.6	26.9 - 36.6	228	
c.	Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	36.9	28.7 - 46.0	89	45.6	38.6 - 52.8	122	19.8	8.3 - 40.4	19	40.4	35.3 - 45.8	230	
d.	Provided parents with information to support one-on-one time between adolescents and their health care providers	19.7	13.7 - 27.3	89	19.4	14.5 - 25.5	123	23.6	10.7 - 44.2	19	19.8	16.0 - 24.3	231	
e.	Provided parents with information about physical education and physical activity programs	71.6	63.5 - 78.5	87	71.9	64.9 - 78.0	122	60.1	38.0 - 78.7	19	70.9	65.9 - 75.5	228	
f.	Involved parents as school volunteers in the delivery of health education activities and services	20.3	13.9 - 28.5	88	17.5	12.3 - 24.2	123	9.4	2.9 - 26.8	19	18.0	14.0 - 22.7	230	
g.	Involved parents as school volunteers in physical education or physical activity programs	28.8	21.3 - 37.7	89	27.4	21.4 - 34.4	123	28.3	15.7 - 45.5	19	28.0	23.4 - 33.1	231	
h.	Linked parents and families to health services and programs in the community	83.1	77.2 - 87.8	91	73.7	66.9 - 79.5	124	53.8	39.8 - 67.3	19	76.0	71.7 - 79.9	234	

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2022 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence		95% Confidence			95% Confidence			95% Confidence			
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	45.0	36.4 - 53.8	89	42.7	35.2 - 50.5	122	37.7	23.9 - 53.9	19	43.2	37.8 - 48.8	230
j.	Provided parents with information about before- or after-school programs available in the community	75.6	67.9 - 82.0	89	74.0	67.2 - 79.9	122	68.9	57.3 - 78.6	19	74.3	69.6 - 78.5	230

2022 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

		High Schools			Middle Schools			Junio	or/Senior Hig Schools	h	All Schools		
		95% Confidence		D	95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	67.0	57.9 - 75.1	91	47.8	40.4 - 55.3	124	38.0	20.2 - 59.7	19	54.6	49.1 - 60.0	234
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	53.5	44.1 - 62.8	90	58.7	51.6 - 65.4	125	41.2	25.3 - 59.1	19	55.5	50.1 - 60.8	234

2022 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence			95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	60.6	51.1 - 69.3	91	40.6	34.1 - 47.6	124	45.9	23.6 - 70.0	19	48.8	43.4 - 54.2	234
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	61.6	51.8 - 70.5	90	53.3	46.0 - 60.5	121	44.4	25.6 - 64.9	19	55.9	50.3 - 61.4	230

2022 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

H	igh Schools		Mie	ddle Schools		Junior/Se	nior High Scl	ools	All Schools					
	95%			95%			95%			95%				
	Confidence			Confidence			Confidence		Confidence					
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N			
32.7	24.8 - 41.7	90	25.0	19.3 - 31.8	123	23.6	10.7 - 44.2	19	27.9	23.3 - 33.0	232			