STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	495316	A. BUILDING _____ B. WING _____	06/11/2020

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
WARREN MEMORIAL HOSP LYNN CARE	**1000 SHENANDOAH AVENUE FRONT ROYAL, VA 22630**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E 000	Initial Comments An unannounced abbreviated Emergency Preparedness COVID-19 Focused Survey was conducted onsite on 6/11/2020. The facility was in substantial compliance with 42 CFR Part 483.73, Requirement for Long-Term Care Facilities.	E 000		
F 000	INITIAL COMMENTS An unannounced abbreviated COVID-19 Focused Survey was conducted onsite on 6/11/2020. The facility was in substantial compliance with F-880 of 42 CFR Part 483 Federal Long Term Care requirement(s). The census in this 120 certified bed facility was 111. Of the 111 current residents, zero residents had tested positive for the COVID-19 virus.	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.